

Order Number 8726817

Sediment bypass system for impounding reservoirs

Eftekharzadeh, Shahriar, Ph.D.

The University of Arizona, 1987

U·M·I

300 N. Zeeb Rd.
Ann Arbor, MI 48106



TABLE OF CONTENTS

	Page
LIST OF TABLES	viii
LIST OF ILLUSTRATIONS	x
ABSTRACT	xiii
1. THE PROPOSED SYSTEM AND GENERAL BACKGROUND	1
Introduction	1
Proposed Concept and Solution	3
Existing Systems	6
2. THEORETICAL INVESTIGATIONS	10
Introduction	10
Mathematical Description of Sediment Transport in Pipes	12
Quantification of the Homogeneous Regime	15
Distinguishing Criteria for Homogeneous Flow	16
Heterogeneous Regime	18
Criteria to Distinguish Between Heterogenous Flow and Flow with Bed Load	22
Flow with Bed Load and Limit of Deposition	23
The Head Loss Equation	27
Perceived Head Loss Concept	28
The Effective Roughness Concept	32
Determination of the Capacity Concentration ..	33
General Background	33
The Original Laursen Equation	36
Modification of the Laursen Equation for Application to Pipes	39
Determination of the Average Particle Shear in Pipe Flow	39
Determination of the Average Particle Critical Shear Stress, T_c	46
The Term $(d/y)^{7/6}$ in the Laursen Equation	48
The term $F(V^*/W)$ in the Laursen Equation .	50
Determination of the Function $F(V^*/W)$ in the Modified Laursen Equation	58

3. EXAMINATION OF THE BYPASS SYSTEM	64
Various solution approaches	64
Investigation of the Applicability of the Bypass System	65
Applicability of the Bypass Theories to General Situations	70
Investigation of the Flow Regime for VL and Vx	84
Analysis of the Bypass Concept by Application to Hypothetical Situations	88
4. SUMMARY AND CONCLUSION	102
Summary	102
Conclusion	104
APPENDIX A THE DESIGN CHARTS	105
The Capacity Concentration	
Velocity	105
The Power Requirements	112
REFERENCES	119