

8804080

SATELLITE DATA BASED SEDIMENT-YIELD MODELS FOR THE BLUE NILE AND  
THE ATBARA RIVER WATERSHEDS

Moussa, Osama Moursy, Ph.D.

The Ohio State University, 1987

© 1987

Moussa, Osama Moursy

All rights reserved

U·M·I

300 N. Zeeb Rd.  
Ann Arbor, MI 48106



## TABLE OF CONTENTS

DEDICATION. . . . .	ii
ACKNOWLEDGMENTS . . . . .	iii
VITA . . . . .	iv
LIST OF TABLES. . . . .	viii
LIST OF FIGURES . . . . .	xii
CHAPTER	PAGE
I. INTRODUCTION. . . . .	1
II. LITERATURE REVIEW . . . . .	4
2.1 Mathematical Sediment-Yield Models . . . . .	4
2.2 Regression Sediment-Yield Model. . . . .	10
2.2.1 Suspended-Sediment Discharge Measurement . . . . .	10
2.2.2 Sediment-Rating Curves . . . . .	19
2.3 Application of Remote Sensing Techniques to Soil Erosion and Sediment Yield Estimates. . . . .	24
III. PHYSICAL DESCRIPTION OF THE STUDY AREA. . . . .	31
3.1 Geology. . . . .	31
3.2 Soil Types . . . . .	39
3.3 Topography . . . . .	43
3.4 Hydrology. . . . .	47
3.5 Climate. . . . .	49
3.6 Vegetation . . . . .	54
IV. REGRESSION SEDIMENT YIELD MODELS. . . . .	63
4.1 Historical Background. . . . .	63
4.2 Model Structure. . . . .	64
4.3 Suspended Sediment Discharge Model . . . . .	65
4.3.1 Objective . . . . .	65
4.3.2 Observations, Relationships, and Water Discharge Distribution. . . . .	65

	PAGE
4.3.3 Model Assumptions . . . . .	69
4.3.4 Model Derivation. . . . .	73
4.3.5 Solution Procedure. . . . .	75
4.4 Sediment Rating Model. . . . .	81
4.4.1 Objective . . . . .	81
4.4.2 Model Derivation. . . . .	81
4.4.3 Solution Procedure. . . . .	83
4.5 Verification Analysis. . . . .	85
4.6 Sensitivity Analysis . . . . .	87
V. APPLICATION OF SATELLITE FOR PREDICTION OF SEDIMENT-YIELD CHANGE FROM A WATERSHED. . . . .	88
5.1 AVHRR Data Characteristics and Interpretation . . . . .	88
5.1.1 The Global Vegetation Index Determination . . . . .	89
5.1.2 Fifteen-day Composite Mean Value for GVI for Each Basin During the Flood Period (August-October) . . . . .	90
5.2 Suspended Sediment Discharge Determination	91
5.2.1 Fifteen-Day Mean Water Discharge Determination . . . . .	92
5.2.2 Fifteen-Day Mean Suspended Sediment Discharge Determination Using the Regression Sediment-Yield Model . . . . .	93
5.3 The Relationship between GVI and Suspended Sediment Discharge . . . . .	94
VI. RESULTS AND ANALYSIS. . . . .	96
6.1 Historical Water Discharge Distribution and Inflow Distribution Parameter. . . . .	97
6.1.1 Water Discharge Distribution Models	
6.1.2 Inflow Distribution Parameters. . . . .	97
6.2 Suspended Sediment Discharge Determination	116
6.3 Relationship Between Water Discharges and for Each Basin Outlet. . . . .	121
6.4 Verification Analysis for the Regression Sediment Yield Model . . . . .	127
6.5 Sensitivity Analysis of the Model. . . . .	130
6.5.1 Sensitivity to the Relative Weight Matrix . . . . .	130
6.5.2 Sensitivity to the Relative Water Discharge . . . . .	133

	PAGE
6.5.3 Sensitivity to the Suspended Sediment Concentration Variation Along the River's Course . . . . .	139
6.6 Prediction of Sediment-Yield Change from the Blue Nile and the Atbara Basins Using Satellite Data. . . . .	153
VII SUMMARY, CONCLUSIONS AND RECOMMENDATIONS. . . . .	209
7.1 Summary and Conclusions. . . . .	209
7.2 Recommendations for Further Research . . . . .	212
BIBLIOGRAPHY . . . . .	215
APPENDICES	
A-1 Minimum-Norm Solution. . . . .	226
A-2 Method of Least Squares. . . . .	229
B-1 Historical Water Discharge, in $10^3$ m <sup>3</sup> /sec, used in Main Program . . . . .	239
B-2 Historical Water Discharge, in $10^3$ m <sup>3</sup> /sec, used in Verification . . . . .	241
B-3 Geographical Coordinates for the Selected Subareas and the Corresponding Vegetation Cover. . . . .	243
B-4 Computer Output Sample of the First 15-day Composite Mean Values of GVI for 1981 . . . . .	248
C-1 Soil Erodibility Factor, K, Determination for the Blue Nile Basin. . . . .	273
C-2 Soil Erodibility Factor, K, Determination for the Atbara River Basin . . . . .	285
C-3 Areal Weighted Average of Soil Erodibility, K, and Slope Classes, S, for the Blue Nile Basin. . . . .	295
C-4 Areal Weighted Average of Soil Erodibility, K, and Slope Classes, S, for the Atbara River Basin . . . . .	298
D Listing of Computer Programs . . . . .	300
E 15-day Mean Suspended Sediment Discharge vs. 15-day Weighted Mean GVI Plots (1981-1985) for both Basins. . . . .	350
F Satellite Images for Each 15-day for Both Basins during the Flood Period (Aug.-Oct.) for the years 1981-1985. . . . .	362