


A SHORT COURSE IN
**SOIL AND ROCK
SLOPE ENGINEERING**

NOEL SIMONS, BRUCE MENZIES and MARCUS MATTHEWS



 Thomas Telford

o
K
I
C
II

Contents

Part 1: Soil Slopes	1
Chapter 1 Effective stress, strength and stability	3
Effective stress	3
Strength	14
The applicability of shear test data to field stability problems	21
Factors affecting the evaluation of field stability	25
Summary	28
Chapter 2 Short term stability, undrained strength of clays	29
Short term stability	29
Undrained strength of clays	35
Case records (Bishop and Bjerrum, 1960)	48
Summary of main points	49
Chapter 3 Long term stability, drained strength of clays	51
Long term stability	51
Drained strength of clays	54
Summary of main points	75
Chapter 4 Classic methods of slope stability analysis	77
Overview	77
Simple cases	78
Slip circle analysis: $\phi = 0$ method	86
Effective stress slip circle analysis: Bishop (1955)	91
Circular analyses compared	94
Slip circle analysis: Morgenstern and Price (1965)	96
Hoek and Bray design charts	102
Partially submerged slopes	103
Non-circular slip analysis	112
Computer programs	113

Chapter 5	Classic case records of slope failures	117
	Overview	117
	Short term stability of cuttings	118
	Long term stability of clay slopes	128
	Lessons learned from case records of slope failures	150
Chapter 6	Stabilizing and investigating landslips	152
	Remedial measures for stabilizing landslips	152
	Investigating landslips	181
	Part 2: Rock Slopes	193
Chapter 7	Discontinuities in rock: description and presentation for stability analysis	195
	Description of rock discontinuities	195
	Methods for collecting discontinuity data	211
	Presentation of discontinuity data for stability analysis: the stereonet	220
Chapter 8	Types of rock slope failures: kinematic feasibility	241
	Modes of failure	241
Chapter 9	Shear strength of discontinuities in rock	262
	Overview	262
	Influence of surface roughness	264
	Scale effects	272
	Influence of infilling	273
	Influence of surface texture and mineral coating on discontinuities	275
	Influence of water pressure in discontinuities	275
	Cohesion	275
	Methods for measuring the shear strength parameters for rock discontinuities	277
Chapter 10	Analysis of rock slopes	286
	Limit equilibrium analysis	286
	Plane failure	290
	Wedge failure	304
	Hoek and Bray Simplified Method	305
	Hoek and Bray Improved Method	313

	Hoek and Bray Short Method	322
	Hoek and Bray Comprehensive Method	329
	Circular failure	336
	Toppling failure	338
	Rockfalls	347
Chapter 11	Stabilization, maintenance and protection of rock slopes	352
	Overview	352
	Construction	352
	Stabilization	358
	Protection of slope	369
	Protection of property and people	369
	Maintenance	376
	Recommended list of units, unit abbreviations, quantity symbols and conversion factors for use in soil and rock mechanics	378
Appendix 1	Bishop and Morgenstern's stability coefficients	381
Appendix 2	Hoek and Bray's stability coefficients	395
Appendix 3	Data for worked example	401
References and Bibliography		403
Index		426
CD-ROM SLOPE/W Student Edition		

References and Bibliography

- Allen, W. and Crawhall, J. S. (1937). Shaft sinking in dolomite at Venterspost. *J. Chem., Met. and Mining Soc. of S.A.*
- Allison, J. A., Mawditt, J. M. and Williams, G. T. (1991). The use of bored piles and counterfort drains to stabilize a major landslip B a comparison of theoretical and field performance. *Slope stability engineering developments and applications*. Thomas Telford, London, p. 443.
- Anon, (1999). *Use of Rock Bolts*. Design Manual for Roads and Bridges Advice Note BA80/99. HMSO, London.
- Arthur, J. R. F. and Menzies, B. K. (1972). Inherent anisotropy in a sand. *Géotechnique*, **22**, 115–128.
- Arthur, J. R. F. and Phillips, A. B. (1972). Discussion on: inherent anisotropy in a sand. *Géotechnique*, **22**, 537–538.
- Ayres, D. J. (1961). The treatment of unstable slopes and railway track formations. *Surveyor and Municipal Engr*, **125**, 25.
- Ayres, D. J. (1985). Stabilisation of slips in cohesive soil by grouting. Tech. Note 9. *Proc. Int. Symp. On Failures in Earthworks, ICE, London*.
- Azzoni, A., LaBarbera, G. and Zaninetti, A. (1995). Analysis and prediction of rockfalls using a mathematical model. *Int. J. Rock Mech. Min. Sci. & Geomech Abstr.*, **32**, 7, 709–724.
- Bainbridge, J. R. and Roscoe, K. H. (1963). Instantaneous soil stabilisation by electro-osmosis – fact or fantasy. *R. E. Journal*, **LXXVII**(2), 109–121.
- Baker, R. F. and Marshall, H. C. (1958). Control and correction. In *Landslides in engineering practice*, E. B. Eckel (ed.). Highway Research Board Special Report 29, pp. 150–187.
- Bandis, S., Lumsden, A. C. and Barton, N. R. (1981). Experimental studies of scale effects on the shear behaviour of rock joints. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **18**, 1–21.
- Barr, M. V. (1977). Downhole instrumentation — a review for tunnelling ground investigation. *CIRIA Technical Note 090*. Construction Industry Research and Information Association, London.
- Barr, M. V. and Hocking, G. (1976). Borehole structural logging employing a pneumatically inflatable impression packer. *Proc. Symp. on Exploration for Rock Engineering*, **1**, 29–34, Balkema, Rotterdam.
- Barton, N. R. (1971). A relationship between joint roughness and joint shear strength. *Proc. Int. Symp. on Rock Fracture, Nancy*, Paper 1–8.
- Barton, N. R. (1973). Review of a new shear strength criterion for rock joints. *Engineering Geology*, **7**, 287–332.
- Barton, N. R. (1974). *A review of the shear strength of filled discontinuities in rock*. N.G.I. Publication No. 105, Oslo.

- Barton, N. R. (1976). The shear strength of rock and rock joints. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **13**, 255-279.
- Barton, N. R. (1980). Discussion on Krahn & Morgenstern: The ultimate frictional resistance of rock discontinuities. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **17**, 75-78.
- Barton, N. R. (1986). Deformation phenomena in jointed rock. *Géotechnique*, **36**, 2, 147-167.
- Barton, N. R. (1990). Scale effects or sampling bias? *Proc. Int. Workshop on Scale Effects in Rock Masses*. Balkema, Rotterdam.
- Barton, N. and Bakhtar, K. (1983). Rock joint description and modelling for the hydrothermo-mechanical design of nuclear waste repositories. *Contr. Rept. CANMET, Ottawa, Part IV*, pp. 1-270; part V, pp. 1-108.
- Barton, N. and Bandis, S. (1982). Effect of block size on the shear strength behaviour of jointed rock (keynote lecture). *Issues in Rock Mechanics. 23rd US Symp. on Rock Mechanics, Berkeley, California*. Society of Mining Engineers of AIME.
- Barton, N. and Bandis, S. (1990). Review of predictive capabilities of JRC-JCS model in engineering practice. In *Rock joints, int. symp. on rock joints, Oen, Norway*, N. Barton & O. Stephansson (eds), 603-610, Balkema, Rotterdam.
- Barton, N. R. and Choubey, V. (1977). The shear strength of rock joints in theory and practice. *Rock Mechanics*, **10**, 1, 1-54.
- Barton, N., Bandis, S. and Bakhtar, K. (1985). Strength, deformation and conductivity coupling of rock joints. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **3**, 121-140.
- Barton, N. R., Lien, R. and Lunde, J. (1974). Engineering classification of rock masses for the design of tunnel support. *Rock Mechanics*, **6**, 189-236.
- Bayley, M. J. (1972). Cliff stability at Herne Bay. *Review*. Aug. 1972, 788-793. *Civ. Eng. and Pub. Wks.*
- Bazett, D. J., Adams, J. I. and Matyas, E. L. (1961). An investigation of a slide in a test trench excavated in fissured sensitive marine clay. *Proc. 5th Int. Conf. Soil Mech. Fdn Engng, Dunod, Paris*, **1**, 431-435.
- Bell, A. L. (1915). Lateral pressure and resistance of clay. *Min. Proc. Instn Civ. Engrs.*, **1**, 99, 233-272.
- Bieniawski, Z. T. (1974). Geomechanics classification of rock masses and its application to tunnelling. *Proc. 3rd Int. Congr. on Rock Mech., ISRM, Denver*, **2a**, 27-32.
- Bieniawski, Z. T. (1976). Rock mass classifications in rock engineering. *Proc. Symp. on Exploration for Rock Engineering*, **1**, 97-107. Balkema, Rotterdam.
- Bishop, A. W. (1955). The use of the slip circle in the stability analysis of slopes. *Géotechnique*, **5**, 7-17.
- Bishop, A. W. (1959). The principle of effective stress. Text of lecture to Norwegian Geotechnical Institute, 1955, *Teknisk Ukeblad*, **106**, 39, 859-863.
- Bishop, A. W. (1966). Sixth Rankine Lecture. The strength of soils as engineering materials. *Géotechnique*, **16**(2), 89-128.
- Bishop, A. W. (1967). Progressive failure with special reference to the mechanism causing it. *Proc. Geotech. Conf., Oslo, 1967*, **2**, 142-150.
- Bishop, A. W. (1971). The influence of progressive failure on the choice of method of stability analysis. *Géotechnique*, **21**(2), 168-172.

- Bishop, A. W. (1972). Shear strength parameters for undisturbed and remoulded soil specimens. *Stress-Strain Behaviour of Soils*, Proc. Roscoe Mem. Symp., Cambridge University, 1971; G. T. Foulis & Co Ltd, Henley-on-Thames, 3-58.
- Bishop, A. W. (1973a). Discussion. *Proc. Symp. on plasticity and soil mechanics, Cambridge*. pp. 295-296.
- Bishop, A. W. (1973b). The stability of tips and spoil heaps. *Q. J. Eng. Geol.*, **6**, 335-376.
- Bishop, A. W. and Bjerrum, L. (1960). The relevance of the triaxial test to the solution of stability problems. *Research Conf. on Shear Strength of Cohesive Soils, Boulder, Colorado, 1960*, ASCE, New York, 437-501.
- Bishop, A. W. and Henkel, D. J. (1962). *The Measurement of Soil Properties in the Triaxial Test*, Edward Arnold, London, p. 228.
- Bishop, A. W. and Little, A. L. (1967). The influence of the size and orientation of the sample on the apparent strength of London clay at Maldon, Essex. *Proc. Geotech. Conf., Oslo, 1967*, **1**, 89-96.
- Bishop, A. W. and Lovenbury, H. T. (1969). Creep characteristics of two undisturbed clays. *Proc. 7th Int. Conf. Soil Mech., Mexico, Sociedad Mexicana de Suelos*, **1**, 29-37.
- Bishop, A. W. and Morgenstern, N. R. (1960). Stability coefficients for earth slopes. *Géotechnique*, **10**, 129-150.
- Bishop, A. W., Kennard, M. F. and Penman, A. D. M. (1960). Pore pressure observations at Selset Dam. *Proc. Conf. Pore Pressure, ICE, London*, pp. 91-102.
- Bishop, A. W., Webb, D. L. and Lewin, P. I. (1965). Undisturbed samples of London clay from the Ashford Common shaft: strength-effective stress relationships. *Géotechnique*, **15**, 1-31.
- Bishop, A. W., Hutchinson, J. N., Penman, A. D. M. and Evans, H. E. (1969). *Aberfan Inquiry: Geotechnical investigation into the causes and circumstances of the disaster of 21st October, 1966*. A selection of Technical Reports submitted to the Aberfan Tribunal, HMSO, Welsh Office, London, pp. 1-80.
- Bishop, A. W., Green, G. E., Garga, V. K., Andresen, A. and Brown, S. D. (1971). A new ring shear apparatus and its application to the measurement of residual strength. *Géotechnique*, **21**, 273-328.
- Bjerrum, L. (1954a). Geotechnical properties of Norwegian marine clays. *Géotechnique*, **4**, 49-68.
- Bjerrum, L. (1954b). Stability of natural slopes in quick clay. *Proc. European Conf. Stability of Earth Slopes, Stockholm, Balkema, Rotterdam*, **2**, 16-40 (and *Géotechnique*, 1955, **5**, 101-119).
- Bjerrum, L. (1955). Stability of natural slopes in quick clay. *Géotechnique*, **5**, 101-119.
- Bjerrum, L. (1967). Progressive failure in slopes of over-consolidated plastic clay and clay shales. *J. Soil Mech. and Fdn Engng Div., ASCE*, **93**(5), 3-49.
- Bjerrum, L. (1969). Discussion to Main Session 5, *Proc. 7th Int. Conf. Soil Mech. Fdn Eng., Mexico, Sociedad Mexicana de Suelos*, **3**, 410-412.
- Bjerrum, L. (1971). *Kvikkleireskredg et studium av aorsaksforhold og forbygnings muligheter*. Norwegian Geotechnical Institute Pub. Nr. 89, 14p.
- Bjerrum, L. (1972). Embankments on soft ground. *ASCE Proc. Conf. on Performance of Earth and Earth Supported Structures, Purdue*, **2**, 1-54.

- Bjerrum, L. (1973). Problems of soil mechanics and construction on soft clays. *Proc. 8th Int. Conf. Soil Mech. & Fdn Engrg, Moscow*, **3**, 111-159.
- Bjerrum, L. and Eggestad, A. (1963). Interpretation of loading tests on sand. *Proc. Eur. Conf. Soil Mech. & Fdn Engrg, Wiesbaden*, **1**, 199-204.
- Bjerrum, L. and Eide, O. (1966). Anvendelse av Kompensert Fundamentering i Norge. *NGI Publication No.70*.
- Bjerrum, L. and Jørstad, F., (1968). *Stability of rock slopes in Norway*. NGI Pub. Nr. 79, 1-11, Norwegian Geotechnical Institute, Oslo.
- Bjerrum, L. and Øverland, A. (1957). Foundation failure of an oil tank in Fredrikstad, Norway. *Proc. Int. Conf. on Soil Mech. & Fdn Engrg*, **4**, 1, 287-290.
- Bjerrum, L. and Rosenqvist, I. Th. (1957). Some experiments with artificially sedimented clays. *Géotechnique*, **7**, 124-136.
- Bjerrum, L. and Simons, N. E. (1960). Comparison of shear strength characteristics of normally consolidated clays. *Proceedings of research conference on shear strength of cohesive soils*. Boulder, Colorado, 711-724.
- Bjerrum, L., Johannessen, I. J., and Eide, O. (1969). Reduction of negative skin friction on steel piles to rock. *Proc. 7th Int. Conf. Soil Mech. & Fdn Engrg, Mexico*, **2**, 27-34.
- Bjerrum, L., Løken, T., Helberg, S. and Foster, R. (1969). A field study of factors responsible for quickclay slides. *Proc. 7th Int. Conf. Soil Mech. Fdn Engrg, Mexico*, Mexicana de Suelos, **2**, 531-540.
- Bjerrum, L., Moum, J. and Eide, O. (1967). Application of electro-osmosis to a foundation problem in a Norwegian quickclay. *Géotechnique*, **17**, 214-235.
- Bjerrum, L., Simons, N. and Torblaa, I. (1958). The effect of time on the shear strength of a soft clay. *Proc. Brussels Conf. Earth Pressure Prob.*, **1**, 148-158.
- Blight, G. E. (1967). Observations on the shear testing of indurated fissured clays. *Proc. Geotech. Conf., Oslo*, 1967, **1**, 97-102.
- Boussinesq, J. (1885) *Application des potentiels à l'étude de l'équilibre et du mouvement des solides élastiques*. Gauthier-Villars, Paris.
- Bozzolo, D., Pamini, R. and Hutter, K. (1988). Rockfall analysis — a mathematical model and its test with field data. *Proc. 5th Int. Symp. on Landslides, Lusanne*, **1**, July 1988, 555-560.
- Brawner, C. O. (1959). The landslide problem in British Columbia highway construction. *Proc. 13th Can. Soil Mech. Conf.*, 45-60.
- British Standards Institution. *BS8081:1989. British standard code of practice for ground anchorages*. BSI, London.
- British Standards Institution. *BS5930:1999. Code of practice for site investigations*. BSI, London.
- Broadbent, C. D. and Rippere, K. H. (1971). Fracture studies at the Kimberley Pit. *Pros. Symp. on Planning Open Pit Mines*. Balkema, Rotterdam, 171-179.
- Broch, E. and Franklin, J. A. (1972). The Point-Load Test. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **9**, 669-697.
- Bromhead, E. N. (1978). Large landslides in London clay at Herne Bay, Kent. *Q. J. Eng. Geol.*, **11**, 291-304.
- Bromhead, E. N. (1979). *The Stability of Slopes*. E & F.N. Spon, London.
- Bromhead, E. N. (1986). An analytical solution to the problem of seepage into counterfort drains. *Can. Geotech. Jnl*, **21**, 657-662.

- Bromhead, E. N., Chandler, M. P. and Hutchinson, J. N. (1991). The recent history and geotechnics of landslides at Gore Cliff, Isle of Wight. *Int. Conf. Slope Stability - Developments and Applications*, Thomas Telford, London, pp. 189-196.
- Broms, B. B. (1969). Stability of natural slopes and embankment foundations. Discussion. *Proc. 7th Int. Conf. Soil Mech. & Fdn Engrg, Mexico*, **3**, 385-394.
- Broms, B. B. (1975). Landslides. In *Foundation engineering handbook*, H. F. Winterkorn and H-Y Fang, (eds). Van Nostrand Reinhold Co., New York.
- Brown, E. T. (1981). Suggested methods for determining shear strength. In *Rock characterisation testing and measurement - ISRM suggested methods*. Pergamon Press.
- Brown, E. T., Richards, L. R. and Barr, M. V. (1977). Shear strength characteristics of Delabole slates. *Proc. Conf. Rock Engrg, Newcastle-upon-Tyne*, 33-51.
- Brown, I., Hittinger, M. and Goodman, R. (1980). Finite element study of the Nevis Bluff (New Zealand) rock slope failure. *Rock Mechanics*, **12**, 235-245.
- Brunsdén, D. (1979). Mass Movements. In *Process in Geomorphology*, C. Embleton and J. Thornes (eds). Edward Arnold Ltd, London, pp. 130-186.
- Brunsdén, D. (1984). Mudslides. Chap. 9 in *Slope Instability*, D. Brunsdén and D. B. Prior (eds). John Wiley and Sons, Chichester, New York, Brisbane, Toronto, Singapore, pp. 363-418.
- Buckthorp, P., Butler, F., Dunican, P. and Morrison, J. (1974) Central Hill Lambeth. *The Structural Engineer*, **11**(52), 395-407.
- Burnett, A. D. and Fookes, P. G. (1974). A regional engineering geology study of the London clay in the London and Hampshire basins. *Q. J. Eng. Geol.*, **7**, 257-295.
- Butler, F. G. (1972). *Geology, Soils and Foundations*. Thames-side Symposium, Ove Arup Partnership, pp. 15-23.
- Cabrera, J. G. and Smalley, I. J. (1973) Quickclays as products of glacial action: a new approach to their nature, geology, distribution and geotechnical properties. *Eng. Geology*, Elsevier, **7**, 115-133.
- Cadling, L. and Odenstad, S. (1950). The vane borer. *Proc. Royal Swedish Geotech. Inst.*, **2**, 87p.
- Casagrande, L. (1947). *The applications of electro-osmosis to practical problems in foundations and earthworks*. London, DSIR, Building Research, Tech. Paper 30.
- Casagrande, L. (1952). Electro-osmotic stabilisation of soils. *J. Boston Soc. Civ. Engrs*, **39**, 1, 51-83.
- Casagrande, L. (1953). Review of past and current work on electro-osmotic stabilisation of soils. *Harvard Soil Mech. Series*, **45**.
- Casagrande, A. (1971). On liquefaction phenomena: report of a lecture. *Géotechnique*, **21**, 197-202.
- Casagrande, A. and Carrillo, N. (1944). Shear failure of anisotropic materials. *Proc. Boston Soc. of Civ. Engrs.*, **31**, 74-87.
- Cassel, F. L. (1948). Slips in fissured clay. *Proc. Int. Conf. on Soil Mech. & Fdn Engrg*, **2**. Rotterdam, 46-50.
- Cedergren, H. R. (1967). *Seepage, drainage and flow nets*. Wiley, New York.
- Chan, K. C. (1975). *Stresses and strains induced in soft clay by a strip footing*. Ph.D. Thesis, Cambridge University.

- Chandler, M. P. and Hutchinson, J. N. (1984). Assessment of relative slide hazard within a large, pre-existing coastal landslide at Ventnor, Isle of Wight. *Proc. 4th Int. Symp. Landslides, Toronto*, **2**, 517-522.
- Chandler, R. J. (1966). The measurement of residual strength in triaxial compression. *Géotechnique*, **16**, 181-186.
- Chandler, R. J. (1970a). A shallow slab slide in the Lias clay near Uppingham, Rutland. *Géotechnique*, **20**, 253-260.
- Chandler, R. J. (1970b). The degradation of Lias clay slopes in an area of the East Midlands. *Q. J. Eng. Geol.*, **2**, 161-181.
- Chandler, R. J. (1974). Lias clay: the long-term stability of cutting slopes. *Géotechnique*, **24**, 21-38.
- Chandler, R. J. (1976). The history and stability of two Lias Clay slopes in the upper Swash valley, Rutland. *Phil. Trans. Roy. Soc. London*, **A283**, 463-490.
- Chandler, R. J. (1984a). Recent European experience of landslides in over-consolidated clays and soft rocks. *Proc. 4th Int. Symp. Landslides, Toronto*, **1**, 61-81.
- Chandler, R. J. (1984b). Delayed failure and observed strengths of first-time slides in stiff clays - a review. *Proc. 4th Int. Symp. Landslides, Toronto*, **2**, 19-25.
- Chandler, R. J. and Skempton, A. W. (1974). The design of permanent cutting slopes in stiff fissured clays. *Géotechnique*, **24**, 457-466.
- Chang, C. U. and Duncan, J. M. (1970). Analysis of soil movements around a deep excavation. *J. Soil Mech. and Fdn Engng Div., ASCE*, **96**(5), 1655-1681.
- Chen, C. L. (1987). Comprehensive review of debris flow modeling concepts in Japan. In Debris flows/avalanches: process, recognition and mitigation, J. E. Costa and G. F. Wieczorek (eds). *Geol. Soc. Amer., Reviews in Engineering Geology*, **7**, 13-29.
- Chen, R. H. and Chameau, J.-L. (1983). Three-dimensional limit equilibrium analysis of slopes. *Géotechnique*, **33**, 31-40.
- Christian, J. T. and Whitman, R. V. (1969). A one dimensional model for progressive failure. *Proc. 7th Int. Conf. Soil Mech. Fdn Engng, Mexico, Sociedad Mexicana de Suelos*, **2**, 541-545.
- Christian, J. T. and Wong, I. H. (1973). Errors in simulating excavation in elastic media by finite elements. *Soil and Foundations*, **13**(1), 1-10.
- Clark, A. R., Fort, D. S. and Davis, G. M. (2000). The strategy, management and investigation of coastal landslides at Lyme Regis, Dorset. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 279-286.
- Clayton, C. R. I., Matthews, M. C. and Simons, N. E. (1995). *Site investigation*. 2nd edn. Blackwell Science, Oxford, p. 584.
- Clayton, C. R. I., Milititsky, J. and Woods, R. (1991). *Earth pressure and earth retaining structures*. 2nd edn., E. & F.N. Spon, London.
- Colback, P. S. B. and Wiid, B. L. (1965). The influence of moisture content on the compressive strength of rock. *Proc. 3rd Canadian Rock Mech. Symp.*, 65-83.
- Collin, A. (1846). *Glissements spontanés des terrains argileux*. Carilian-Goeury and Dalmont, Paris. (English translation published 1956, University of Toronto Press.)
- Coppin, N. J. and Richards, I. G. (1990). *Use of vegetation in civil engineering*. CIRIA. Butterworths, London, 282 p.
- Coulomb, C. S. (1773). Essai sur une application des régies de maximis et minimis à quelques problèmes de statique, relatifs à l'architecture. *Mémoire, Académie Royale, Say. étrang.*, **7**, 343-382, Paris (1776)
- Crawford, C. B. (1963). Cohesion in an undisturbed sensitive clay. *Géotechnique*, **13**, 132-146.
- Crisp, D. T., Rawes, M. and Welch, D. (1964). A Pennine peat slide. *Geogr. J.*, **130**, 519-524.
- Cullen, R. M. and Donald, I. B. (1971). Residual strength determination in direct shear. *Proc. 1st Australia-NZ Conf. on Geomechanics, Melbourne, 1971*, **1**, 1-9.
- Cundall, P. A., Voegele, M. D. and Fairhurst, C. (1975). Computerised design of rock slopes using interactive graphics for the input and output of geometrical data. *Design Methods in Rock Mechanics, 16th US Symp. on Rock Mechanics*. American Society of Civil Engineers, 5-14.
- D'Appolonia, E., Alperstein, R. and D'Appolonia, D. J. (1967). Behaviour of a colluvial slope. *Jnl Soil Mech. Fdn Div. ASCE*, **93**, No. SN4, 447-473.
- Da Silveira, A. F., Rodrigues, F. P., Crossman, N. F. and Mendes, F. (1966). Quantitative characterisation of the geometrical parameters of jointing in rock masses. *Proc. 1st Congress, International Society of Rock Mechanics, Lisbon*, **1**, 225-233.
- Davis, E. H. and Poulos, H. G. (1967). Laboratory investigations of the effects of sampling. *Trans. IE Aust.*, **CE9**(1), 86-94.
- De Beer, E. (1967). Clay strength characteristics of the Boom Clay. *Proc. Geotech. Conf., Oslo, 1967*, **1**, 83-88.
- De Beer, E. (1969). Experimental data concerning clay slopes. *Proc. 7th Int. Conf. Soil Mech. Fdn Engng*, **2**, 517-525.
- De Freitas, M. H. and Watters, R. J. (1973). Some field examples of toppling failure. *Géotechnique*, **23**, 495-514.
- De Jong, K. A. and Scholten, R. (eds) (1973). *Gravity and Tectonics*. John Wiley and Sons, New York, London, Sydney, Toronto.
- Deangeli, C. and Ferrero, A. M. (2000). Rock mechanics studies to analyse toppling failure. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 409-414.
- Deere, D. U. (1964). Technical description of rock cores for engineering purposes. *Rock Mechanics and Engineering Geology*, **1**(1), 17-22.
- Denness, B. (1972). A revised method of contouring stereograms using variable curvilinear cells. *Geol. Mag.*, **109**(2), 157-163.
- Dimitrijevic, M. D. and Petrovic, R. S. (1965). The use of sphere projection in geology. *Geoloski Zavod Ljubljana*.
- Duncan, J. M. (1971). Prevention and correction of landslides. *Sixth Ann. Nevada Street and Highway Conf.*, Section II, 1-42.
- Duncan, J. M. (1972). Finite element analysis of stresses and movements in dams, excavations and slopes. *Proc. Symp. Applications of the Finite Element Method, US Army Waterways Expt. Station, Vicksburg, 1972*, 267-326.
- Duncan, J. M. (1976). *Notes on slope stabilisation*. University of California, Berkeley (unpublished).
- Duncan, J. M. and P. Dunlop, (1969). Slopes in stiff fissured clays and shales. *J. Soil Mech. and Fdn Engng Div., ASCE*, **26**, 2, 467-92.
- Dunlop, P. and Duncan, J. M. (1970). Development of failure around excavated slopes. *J. Soil Mech. and Fdn Engng Div., ASCE*, **96**(2), 471-493.

- Eckert, O. (1966). Consolidation de massifs rocheaux par ancrage de cables/ Consolidation of Rock Masses by Cable Anchors. *Sols-Soils* (Paris), **5**(18), 33-40 (in English).
- Eide, O. (1983). Summary of slide in stiff fissured clay at Sandnes near Stavanger in Norway. *Swedish Geotechnical Institute, Report No. 17*, 155-160.
- Eide, O. and Bjerrum, L. (1954). The slide at Bekkelaget. *Proc. European Conf. on Stability of Earth Slopes, Stockholm, Balkema, Rotterdam*, **2**, 1-15 (and *Géotechnique*, 1955, **5**, 88-100).
- Eide, O. and Eggestad, Å. (1963). Foundation conditions for the new headquarters building of the Norwegian Telecommunications Administration, Oslo. *NGI Pub. 55*. Norwegian Geotechnical Institute, Oslo.
- Eide, O. and Holmberg, S. (1972). Test fills to failure on the soft Bangkok clay. *Proc. ASCE Spec. Conf. Performance of Earth and Earth-Supported Structures*, Purdue University, 1972, **1**(1), 159-180.
- Eide, O., Hutchinson, J. N. and Landva, A. (1961). Short and long-term loading of a friction pile in clay. *Proc. 5th Int. Conf. Soil Mech. and Foundn. Engng, Paris*. Dunod, Paris, **2**, 45-53.
- Ergun, M. U. (2000). Stabilization of landslides using piles. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 513-518.
- Esser, A. J. (2000). Case of a slope failure in Lacustrine deposits. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 531-536.
- Evans, R. S. (1981). An analysis of secondary rock toppling failures - the stress redistribution method. *Q. J. Eng. Geol.*, **14**, 77-86.
- Evans, R., Valliappan, S., McGuckin, D. and Raja Sekar, H. L. (1981). Stability analysis of a rock slope against toppling failure. In Akai, K., Hayashi, M. and Nishimatsu, Y. (eds), *Weak Rock Proc. Int. Symp., Tokyo*. Balkema, Rotterdam.
- Ewan, V. J. and West, G. (1981). Reproducibility of joint orientation measurements in rock. *Department of the Environment, Department of Transport TRL Report SR702*. TRL, Crowthorne, Berks.
- Ewan, V. J., West, G. and Temporal, J. (1981). Reproducibility of joint spacing measurements in rock. *Department of the Environment, Department of Transport TRL Report SR702*. TRL, Crowthorne, Berks.
- Faure, R. M. and Maiolino, S. (2000). Evaluation of rock slope stability using fuzzy logic. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 543-548.
- Fecker, E. and Rengers, N. (1971). Measurement of large scale roughness of rock planes by means of profilograph and geological compass. *Proc. Symp. on Rock Fracture, Nancy, France*, Paper 1-18.
- Fellenius, W. (1936). Calculation of the stability of earth dams. *Trans. 2nd Congress on Large Dams, Washington*, **4**, 445-459.
- Fillunger, P. (1915). Versuche ober die zugfestigkeit beiailsetigen wassersruck. *Osterr. Wochenschr Offentlich Bandienst*. Vienne. 443-448.
- Flaate, K. and Preber, T. (1974). Stability of road embankments on soft clay. *Canadian Geotechnical Journal*, **11**, 72-89.
- Fort, D. S., Clark, A. R., Savage, D. T. and Davis, G. M. (2000). Instrumentation and monitoring of the coastal landslides at Lyme Regis, Dorset, UK. *Proc.*

- 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 573-578.
- Garga, V. A. (1970). *Residual shear strength under large strains and the effect of sample size on the consolidation of fissured clay*. Ph.D. Thesis, University of London.
- Garland, R. J. (2000). A method of rapid risk assessment in slopes using stereo oblique aerial photography. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 609-614.
- Geological Society of London (1977). The description of rock masses for engineering purposes. Report by the Geological Society Engineering Group Working Party, *Q. J. Eng. Geol.*, **10**(4), 355-388.
- Gens, A., Hutchinson, J. N. and Cavounidis, S. (1988). Three-dimensional analysis of slides in cohesive soils. *Géotechnique*, **38**, 1-23.
- Giani, G.P. (1992). *Rock slope stability analysis*. Balkema, Rotterdam.
- Gibson, R. E. (1963). An analysis of system flexibility and its effects on time-lag in pore water pressure measurements. *Géotechnique*, **13**, 1, 1-11.
- Gibson R. E. (1966) A note on the constant head test to measure permeability in situ. *Géotechnique*, **16**, 256-259.
- Gibson, R. E. and Shefford, G. C. (1968). The efficiency of horizontal drainage layers for accelerating consolidation of clay embankments. *Géotechnique*, **18**(3), 327-335.
- Gibson, A. D., Murphy, W. M. and Petley, D. N. (2000). Quantitative landslide analysis using archive airborne thematic mapper imagery. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 621-626.
- Golder, H. Q. and Palmer, D. J. (1955). Investigation of a bank failure at Scrapsgate, Isle of Sheppey, Kent. *Géotechnique*, **5**, 55-73.
- Goodman, R.E. (1976). *Methods of geological engineering*. West, New York.
- Goodman, R. E. and Bray, J. W. (1976). Toppling of rock slopes. *Proc. Speciality Conf. on Rock Engineering for Foundations and Slopes, Boulder, Colorado*, ASCE, **2**.
- Goodman, R. E. and Shi, G. (1985). *Block theory and its application to rock engineering*. Prentice Hall, Englewoods Cliffs, New Jersey.
- Goodman, R. E., Bray, J. W. and Boyd, J. M. (1973). Toppling of rock slopes. *Proc. Speciality Conf. on Rock Engineering for Foundations and Slopes, Boulder, Colorado*, ASCE, **2**, 201-234.
- Gordon, G. (1937). Freezing arch across toe of East Forebay slide, Grand Coulee Dam. *Reclamation Era*, **27**, 12-16.
- Gould, J. P. (1960). A study on shear failure in certain tertiary marine sediments. *Proc. ASCE, Res. Conf., Boulder, Colorado*, 1960, 615-641.
- Grant, D. I., Cooper, M. R. and Patel, T. (2000). Stabilisation of an oversteepened slope by means of balanced multiple remediation. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 658-664.
- Gray, D. H. (1970). Effects of forest clear-cutting on the stability of natural slopes. *Bull. Assoc. Eng. Geol.*, **7**, 45-66.
- Gray, D. H. (1974). Reinforcement and stabilisation of soil by vegetation. *J. Geotech. Eng. Div., ASCE*, 100/GT6, 695-699.

- Gray, D. H. (1978). The role of woody vegetation in reinforcing soils and stabilising slopes. *Proc. Symp. Soil Reinforcing and Stabilising Techniques*, NSWIT/NSW Univ., 273–306.
- Gregory, C. H. (1884). On railway cuttings and embankments with an account of some slips in London clay, on the line of the London and Croydon Railway. *Minut. Proc. I.C.E.*, **3**, 135–145 (also in *A Century of Soil Mechanics*, I.C.E., 1969).
- Haefeli, R. (1951). Investigations and measurements of the shear strengths of saturated cohesive soils. *Géotechnique*, **2**, 186–208.
- Hanna, T. H. (1973). *Foundation Instrumentation*. Trans Tech Publishers, 372p.
- Hansen, J. B. and Gibson, R. E. (1949). Undrained shear strengths of anisotropically consolidated clays. *Géotechnique* **1**(3), 189–204.
- Haupt, R. S. and Olson, J. P. (1972). Case history—embankment failure on soft varied silt, *Proc. ASCE Spec. Conf. Performance of Earth and Earth-Supported Structures, Purdue University, 1972*, **1**, 29–64.
- Hawkins, A. B. (1986). Rock descriptions. *Geol. Soc. Eng. Geol. Special Publication No. 2, Site Investigation Practice: Assessing BS5930*, A. B. Hawkins Ed., Geol. Soc. London.
- Helland, A. (1894). Opdyrkning af lerfaldet i Vaerdalen. *Norges Geologiske Undersøkelse*, 14.
- Hencher, S. R. and Richards, L. R. (1982). The basic frictional resistance of sheeting joints in Hong Kong Granite. *Hong Kong Engineer*, **11**(2), 21–25.
- Hencher, S. R. and Richards, L. R. (1989). Laboratory direct shear testing of rock discontinuities. *Ground Engineering*, **22**, 24–31.
- Henkel, D. J. (1957). Investigation into two long term failures in London clay slopes at Wood Green and Northolt. *Proc. 4th Int. Conf. Soil Mech. Fdn Engng*, Butterworth, London, **2**, 315–320.
- Henkel, D. J. and Skempton, A. W. (1955). A landslide at Jackfield, Shropshire, in a heavily over-consolidated clay. *Géotechnique*, **5**, 131–137.
- Henkel, D. J. and Yudbhair (1966). The stability of slopes in the Siwalik rocks in India. *Proc. 1st Conf. Int. Cong. Rock Mech., Lisbon*, **2**, 161–165.
- Hennrich, K. (2000). Modelling critical water contents for slope stability and associated rainfall thresholds using computer simulations. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 713–719.
- Herrmann, H. G. and Wolfskill, L. A. (1966). Residual shear strength of weak shales. *MIT Soil Mechanics Publication*, No. 200.
- Hinds, D. (1974). A method of taking an impression of a borehole wall. *Imperial College Rock Mechanics Research Report No. 28*, Imperial College, London.
- Hobbs, N. B. (1970). Discussion, Session A: Properties of Rocks: Foundations of Surface Structures, *Proc. Conf. on In-situ Investigations in Soils and Rocks*, B.G.S., London, 47–50.
- Hocking, G. (1976). A method for distinguishing between single and double plane sliding of tetrahedral wedges. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **13**, 225–226.
- Hoek, E. (1973). Methods for the rapid assessment of the stability of three-dimensional rock slopes. *Q. J. Eng. Geol.* **6**(3).

- Hoek, E. (1983). Strength of jointed rock masses. 23rd Rankine Lecture, *Géotechnique*, **33**, 3, 187–223.
- Hoek, E. (1986). *Rockfall: a computer program for predicting rockfall trajectories*. Unpublished internal notes, Golder Associates, Vancouver.
- Hoek, E. (1990). Estimating Mohr–Coulomb friction and cohesion values from the Hoek–Brown failure criterion. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **27**(3), 227–229.
- Hoek, E. (1998). *Rock Engineering — The Application of Modern Techniques to Underground Design*. Notes from a short course by Dr Evert Hoek. Kochen & Cella, Brazil (also available from <http://www.rocsience.com>).
- Hoek, E. and Bray, J. (1977). *Rock Slope Engineering* (2nd ed.), The Institution of Mining and Metallurgy, London.
- Hoek, E. and Bray, J. W. (1981). *Rock slope engineering*. The Institution of Mining and Metallurgy, London, 358pp.
- Hoek, E., Bray, J. W. and Boyd, J. M. (1973). The stability of a rock slope containing a wedge resting on two intersecting discontinuities. *Q. J. Eng. Geol.*, **6**(1).
- Hoek, E., Bray, J. W. and Boyd, J. M. (1980). The stability of a rock slope containing a wedge resting on two intersecting discontinuities. *Q. J. Eng. Geol.* **6**(1).
- Hoek, E. and Brown, E. T. (1980). Empirical strength criterion for rock masses. *J. Geotech. Engng Div. Am. Soc. Civ. Engrs*, **106**, GT9, 1013–1035.
- Hoek, E. and Brown, E. T. (1980). An empirical strength criterion and its use in designing slopes and tunnels in heavily jointed weathered rock. *Proc. 6th Southeast Asian Conf. On Soil Engineering*, Taipei, Taiwan, **2**.
- Hoek, E. and Londe, P. (1974). Surface Workings in Rock. *Proc. 3rd Congress, Denver, Int. Soc. Rock Mech.*, **1**(A), 613–654.
- Holmsen, P. C. (1953). Landslips in Norwegian quickclays. *Géotechnique*, **3**, 187–194.
- Hong, W. P. and Park, N. S. (2000). A design of slope stabilisation using piles; a case study on the slopes of the Hwangryung Mountain in Pusan, Korea. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 725–730.
- Horne, M. R. (1964). The consolidation of stratified soil with vertical and horizontal drainage. *Int. J. Mech. Sci.*, **6**, 187–197.
- Hungr, O. and Evans, S. G. (1989). Engineering aspects of rockfall hazard in Canada, Geological Survey of Canada, *Open File 2061*, 102pp.
- Hutchinson, J. N. (1968). Mass movement. *Encyclopaedia of Geomorphology*, 688–695 (*Encyclopaedia of Earth Sciences*, Series III, Ed. R. W. Fairbridge). Reinhold Publishers, New York, Amsterdam, London.
- Hutchinson, J. N. (1978). Assessment of the effectiveness of corrective measures in relation to geological conditions and types of slope movement. *NGI Pub. 124*. Norwegian Geotechnical Institute, Oslo.
- Hutchinson, J. N. (1982). The geotechnics of coastal cliff stabilisation. In *Shoreline Protection*. Thomas Telford, London, pp. 215–222.
- Hutchinson, J. N. (1983). Methods of locating slip surfaces in landslides. *Bulletin of the Association of Engineering Geologists*, **XX**(3), 235–252.
- Hutchinson, J. N. (1984). An influence line approach to the stabilisation of slopes by cuts and fills. *Canad. Geotech. J.*, **21**, 363–370.

- Hutchinson, J. N. (1984). Landslides in Britain and their countermeasures. *Journal of Japan Landslide Society*, **21**(1), 1-23.
- Hutchinson, J. N. (1988). General Report, Morphological and geotechnical parameters of landslides in relation to geology and geohydrology. *Proc. 5th. Int. Symp. Landslides, Lausanne*, **1**, 3-35. Balkema, Rotterdam.
- Hutchinson, J. N. (2001). Fourth Glossop Lecture 'Reading the ground: morphology and geology in site appraisal'. *Quarterly Journal of Engineering Geology and Hydrogeology*. In press.
- Hutchinson, J. N. and Bhandari, R. K. (1971). Undrained loading, a fundamental mechanism of mudflows and other mass movements. *Géotechnique*, **21**, 353-358.
- Hvorslev, M. J. (1949). *Subsurface exploration and sampling of soils for civil engineering purposes*. Waterways Experiment Station, Vicksburg, Mississippi, p. 521.
- Hvorslev, M. J. (1956). *A review of the soils studies. Potamology investigations*, Report No. 12-5. Vicksburg: Waterways Experiment Station.
- Hvorslev, M. J. (1960). Physical components of the shear strength of saturated clays. *Proc. ASCE, Res. Conf. Shear Strength of Cohesive Soils, Boulder, Colorado, 1960*, 437-501.
- Ingold, T. S. (1982). *Reinforced earth*. Thomas Telford, London.
- Institution of Civil Engineers, London, (1969). *A Century of Soil Mechanics*.
- Ireland, H. O. (1954). Stability analysis of the Congress Street open cut in Chicago. *Géotechnique*, **4**, 163-168.
- Ishida, T., Chigira, M. and Hibino, S. (1987). Application of the distinct element method for analysis of toppling observed on a fissured rock slope. *Rock Mechanics and Rock Engineering*, **20**, 273-283.
- ISRM (1978). Suggested methods for the quantitative description of discontinuities in rock masses. (Co-ordinator N. Barton) *Int. J. Rock Mech., Mining Sci & Geomech. Abstracts*, **15**(6), 319-368.
- Jaeger, J. C. (1971). Friction of rocks and stability of rock slopes. *Géotechnique*, **21**, 97-134.
- Jamaludin, A. and Hussein, A. N. (2000). Selection of slope stabilisation remedial works for a mountainous road in Malaysia. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 769-774.
- James, P. M. (1971). The role of progressive failure in clay slopes. *Proc. 1st Australia-NZ Conf. on Geomechanics, Melbourne, 1971*, **1**, 344-348.
- Janbu, N. (1954). Stability analysis of slopes with dimensionless parameters, *Harvard Soil Mechanics Series No 46*, Cambridge, Mass., p. 81.
- Janbu, N., Bjerrum, L. and Kjaernsli, B. (1956). *Veiledning ved løsning av fundamenteringsoppgaver*, NGI Pub. No. 16, 93 pp., Norwegian Geotechnical Institute, Oslo.
- Janda, R. J., Scott, K. M., Nolan, K. M. and Martinson, H. A. (1981). The 1980 eruptions of Mount St. Helens, Washington. Lahar movement, effects, and deposits. *U.S. Geol. Surv. Prof. Paper*, **1250**, 461-478.
- Jennings, J. E. B. (1966). Building on the dolomites in the Transvaal. Kanthack Memorial Lecture, *The Civil Engineer in South Africa*, **8**(2), 41-62.
- Jennings, J. E. B., Brink, A. B. A., Louw, A. and Gowan, G. D. (1965). Sinkholes and subsidences in the Transvaal dolomites of South Africa. *Proc. 7th Int. Conf. Soil Mech. Fdn Engng*, **1**, 51-54.

- John, K. W. (1969). Graphical stability analysis of slopes in jointed rock. *Proc. Amer. Soc. Civ. Engrs. J. Soil Mech. & Found. Div.*, **95**(SM2), 497-526 and **95**(SM6), 1541-1545.
- Kalkani, E. E. and Piteau, D. P. (1976). Finite element analysis of toppling failure at Hell's Gate Bluffs, British Columbia. *Bull. Assoc. Eng. Geologists.*, **13**(4), 315-327.
- Kalsbeek, F. (1963). A hexagonal net for counting out and testing fabric diagrams. *Neus Jahrbuch für Mineralogie, Monatshefte*, **7**, 173-176.
- Kalteziotis, N. A., Menzies, B. K. and Tarzi, A. I. (1984). A bearing capacity correction for strain-softening clays. *Ground Engineering* **17**(5), 30-31.
- Kenney, T. C. (1964). Sea level movements and the geologic histories of the post-glacial marine soils at Boston, Nicolet, Ottawa and Oslo. *Géotechnique*, **14**, 203-230.
- Kenney, T. C. (1967). The influence of mineral composition on the residual strength of natural soils. *Proc. Geotech. Conf., Oslo, 1967*, **1**, 123-130.
- Kerisel, J. (1975). Fifteenth Rankine Lecture: Old structures in relation to soil mechanics. *Géotechnique*, **25**, 431-483.
- Kjaernsli, B. and Simons, N. E. (1962). Stability investigations of the north bank of the Drammen River. *Géotechnique*, **12**, 147-167.
- Knill, J. L. (1971). *Collecting and processing of geological data for purposes of rock engineering*. Univ. of Alberta, Edmonton, 35pp.
- Köhler, H.-J. and Schultz, R. (2000). Landslides triggered in clayey soils - geotechnical measurements and calculations. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 837-842.
- Krahn, J. and Morgenstern, N. R. (1979). The ultimate friction resistance of rock discontinuity. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **16**, 127-133.
- Krahn, J. and Morgenstern, N. R. (1980). The ultimate friction resistance of rock discontinuity: Authors' reply. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **17**, 79.
- La Gatta, D. P. (1970). Residual strength of clays and clay shales by rotation shear tests, *Harvard Soil Mechanics Series*, No. 86, Cambridge, Mass.
- La Rochelle, P., Trak, B., Tavenas, F. and Roy, M. (1974). Failure of a test embankment on a sensitive Champlain Clay deposit. *Canadian Geotechnical Journal*, **11**, 142-164.
- Ladanyi, B. and Archambault, G. (1972). Evaluation de la resistance au cisaillement dun massif rocheux fragmente. *Proc. 24th Int. Geol. Congr., Montreal*, Sec 130, 249-260.
- Ladd, C. C. (1972). Test embankment on sensitive clay. *Proc. ASCE Spec. Conf. on Performance of Earth and Earth-Supported Structures, Purdue University, 1972*, **1**(1), 101-128.
- Lambe, T. W. (1962). Pore pressures in a foundation clay. *J. Soil Mech. and Fdn. Engng. Div., Proc. ASCE.*, **SM2**, 19-47.
- Larew, H. G. (1952). *Analysis of landslides*. Highway Research Board, Washington DC, 39p.
- Laughton, A. S. (1955). *The compaction of ocean sediments*. PhD thesis, University of Cambridge.
- Lee, E. M. (2000). The management of coastal landslide risks in England: the implications of conservation legislation and commitments. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 893-898.

- Lee, E. M., Brunsten, D. and Sellwood, M. (2000). Quantitative risk assessment of coastal landslide problems, Lyme Regis, UK. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 899–904.
- Leussink, H. and Muller-Kirchenbauer, H. (1967). Determination of the shear strength behaviour of sliding planes caused by geological features. *Proc. Geotech. Conf., Oslo, 1967*, **1**, 131–137.
- Liao, H. J., Chen, C. N. and Liao, J. T. (2000). Landslides of cut-and-tieback slopes in Northern Taiwan. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 923–929.
- Littlejohn, G. S., Norton, P. J. and Turner, M. J. (1977). A study of rock slope reinforcement at Westfield Open Pit and the effect of blasting on prestressed anchors. *Proc. Conf. On Rock Eng., Univ. Newcastle upon Tyne*, 293–310.
- Lo, K. Y. (1965). Stability of slopes in anisotropic soils. *J. Soil Mech. and Fdn Engng Div., ASCE*, **91**(4), 85–106.
- Lo, K. Y. (1970). The operational strength of fissured clays. *Géotechnique* **20**(1), 57.
- Lo, K. Y. (1972). An approach to the problem of progressive failure. *Can. Geotech. J.*, **9**(4), 407–429.
- Lo, K. Y. and Lee, C. F. (1972). Discussion. *J. Soil Mech. Fnd. Engng. Div., ASCE*, **98**(SM9), 981–983.
- Lo, K. Y. and Lee, C. F. (1973a). Stress analysis and slope stability in strain softening materials. *Géotechnique*, **23**, 1–11.
- Lo, K. Y. and Lee, C. F. (1973b). Analysis of progressive failure in clay slopes. *Proc. 8th Int. Conf. Soil Mech. Fdn Engng*, USSR Nat. Soc. Soil Mech. & Fdn Engng, Moscow, **1**(1), 251–258.
- Lo, K. Y. and Lee, C. F. (1974). An evaluation of the stability of natural slopes in plastic Champlain clays. *Canad. Geotech. J.* **11**(1), 165–181.
- Lo, K. Y. and Stermac, A. G. (1965). Failure of an embankment founded on varved clay. *Canadian Geotechnical Journal*, **2**(3), 243–253.
- Locat, J., Leroueil, S. and Picarelli, L. (2000). Some considerations on the role of geological history on slope stability and the estimation of the minimum apparent cohesion of a rock mass. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 935–942.
- Londe, P., Vigier, G. and Vormeringer, R. (1970). Stability of slopes: graphical methods. *Proc. Amer. Soc. Civ. Engrs. J. Soil Mech. & Found. Div.*, **96**(SM4), 1411–1343.
- Lu, T. D. and Scott, R. F. (1972). The distribution of stresses and development of failure at the toe of a slope and around the tip of a crack. *Proc. Symp. Applications of the Finite Element Method*, US Army Waterways Expt. Station, Vicksburg, 1972, 385–430.
- Lupini, J. F., Skinner, A. E. and Vaughan, P. R. (1981). The drained residual strength of cohesive soils. *Géotechnique*, **31**, 2, 181–213.
- Lyell, C. (1871). *Students elements of geology*. Murray, London, pp. 41–42.
- Lyndon, A. and Schofield, A. N. (1976). Centrifugal model tests of the Lodalen landslide. *Proc. 29th Canadian Geotech. Conf., Vancouver, 1976*, **3**, 25–43.
- McInnes, R. G. (1983). The threat to highways from coastal erosion. *The Highway Engineer*, 2–7.

- Maddison, J. D. and Jones, D. B. (2000). Long-term performance of wells and bored drains used in landslide remediation. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 975–980.
- Maddison, J. D., Siddle, H. J. and Fletcher, C. J. N. (2000). Investigation and remediation of a major landslide in glacial lake deposits at St Dogmaels, Pembrokeshire. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 981–986.
- MacGregor, F., Fell, R., Mostyn, G. R., Hocking, G. and McNally, G. (1994). The estimation of rock rippability. *Q. J. Eng. Geol.*, **27**(2), 123–144.
- Madhloom, A. A. W. A. (1973). *The undrained shear strength of a soft silty clay from King's Lynn, Norfolk*, M.Phil. thesis, University of Surrey.
- Markland, J. T. (1972). A useful technique for estimating the stability of rock slopes when the rigid wedge type of failure is expected. *Imperial College Rock Mechanics Research Report No. 19*, 10pp.
- Marsland, A. (1971a). Large in situ tests to measure the properties of stiff fissured clays. *Proc. 1st Australia-New Zealand Conf. on Geomechanics, Melbourne*, 180–189.
- Marsland, A. (1971b). The shear strength of stiff fissured clays. *Proceedings of Roscoe Memorial symposium on stress-strain behaviour of soils, Cambridge*, 59–68.
- Marsland, A. (1971c). Laboratory and in situ measurements of the deformation moduli of London clay. *Proc. symp. on the interaction of structure and foundation*, Midland Soil Mechanics and Foundation Engineering Society, Department of Civil Engineering, University of Birmingham, 7–17.
- Marsland, A. (1972). The shear strength of stiff fissured clays, *Stress-Strain Behaviour of Soils*, Proc. Roscoe Mem. Symp., Cambridge University, 1971; G. T. Foulis & Co Ltd, Henley-on-Thames, 59–68.
- Marsland, A. P. (1967). Discussion. *Proc. Geotech. Conf. Oslo*, **2**, 160–161.
- Marsland, A. P. and Butler, M. E. (1967). Strength measurements on stiff fissured Baston clay from Fawley, Hampshire. *Proc. Geotech. Conf. Oslo*, **1**, 139–146.
- Martin, P. L. and Kelly, J. M. H. (2000). Design and performance of rock anchored bearing pads installed in 1980 for the stabilization of an unstable soil slope at Nantgarw, South Wales, UK. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 1023–1028.
- Matherson, G. D. (1983). Rock stability assessment in preliminary site investigations — graphical methods. *Department of the Environment, Department of Transport TRL Report LR1039*. TRL, Crowthorne, Berks.
- Menzies, B. K. (1976a). An approximate correction for the influence of strength anisotropy on conventional shear vane measurements used to predict field bearing capacity. *Géotechnique*, **26**(4), 631–634.
- Menzies, B. K. (1976b). Strength, stability and similitude. *Ground Engineering*, **9**(5), 32–36.
- Menzies, B. K. and Mailey, L. K. (1976). Some measurements of strength anisotropy in soft clays using diamond-shaped shear vanes. *Géotechnique*, **26**, 535–538.
- Menzies, B. K. and Simons, N. E. (1978). Stability of embankments on soft ground. *Developments in soil mechanics - 1*, Chapter 11, Applied Science Publishers Ltd, London, pp. 393–436.

- Mitchell, J. K. (1976). *Fundamentals of Soil Behaviour*. John Wiley and Sons, New York.
- Mitchell, J. K., Vivatrat, V., and Lambe, T. W. (1977). Foundation performance of Tower of Pisa. *J. Geol. Eng. Div., Proc. ASCE*, **103**, 6T3, 227-249.
- Morgan, H. D. (1944). The design of wharves on soft ground. *J. Instn Civil Engrs*, **22**, 5-25.
- Morgenstern, N. R. (1977). Slopes and excavations in heavily over-consolidated clays. *Proc. 9th Int. Conf. Soil Mech. and Foundn Engng, Tokyo, State-of-the-Art Volume*, pp. 567-581.
- Morgenstern, N. R. and Price, V. E. (1965). The analysis of the stability of general slip surfaces. *Géotechnique*, **15**, 79-93.
- Moum, J., Løken, T. and Torrance, J. K. (1971). A geochemical investigation of the sensitivity of a normally consolidated clay from Drammen, Norway. *Géotechnique*, **21**, 329-340.
- Murphy, V. A. (1951). A new technique for investigating the stability of slopes and foundations. *Proc. NZ Instn of Engrs*, **37**, 222-285.
- Muller, L. (1959). The European approach to slope stability problems in open-pit mines. *Colorado School of Mines Quarterly*, **54**(3), 117-133.
- Nichol, D. and Lowman, R. D. W. (2000). Stabilization and remediation of a minor landslide affecting the A5 trunk road at Llangollen, North Wales. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 1099-1104.
- Nichols, T. C. Jr. (1980). Rebound, its nature and effect on engineering works. *Q. J. Eng. Geol.*, **13**, 135-152.
- Nixon, J. K. (1949) $\phi = 0$ analysis. *Géotechnique*, **b1**, 3, 208-209; 4, 274-276.
- Noble, H. L. (1973). Residual strength and landslides in clay and shale. *J. Soil Mech. Fnd. Div., ASCE*, **99**(SM9), 705-719.
- Odenstad, S. (1949). Stresses and strains in the undrained compression test. *Géotechnique*, **1**, 4, 242-249.
- Operstein, V. and Frydman, S. (2000). The influence of vegetation on soil strength. *Ground Improvement*. Thomas Telford, **4**, No. 2, pp. 81-89.
- Pacher, F. (1959). Kennziffern des flachengefuges. *Geologies and Bauwesen*, **24**, 233-227.
- Pahl, P. J. (1981). Estimating the mean length of discontinuity traces. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **18**, 221-228.
- Palmer, A. C. and Rice, J. R. (1973). The growth of slip surfaces in the progressive failure of over-consolidated clay. *Proc. Roy. Soc. London*, No. 1591, 527.
- Papaliangas, T., Lumsden, A. C., Hencher, S. R. and Manolopoulou, S. (1990). Shear strength of modelled filled rock joints. *Proc. Int. Symp. on Rock Joints, Loen, Norway*, Barton, N. and Stephansson, O. (eds), Balkema, Rotterdam, 275-282.
- Parkhurst, S. and Flavell, R. (2000). Risk assessment and quantification of slope conditions based upon site inspection surveys. *Proc. 8th International Symposium on Landslides, Cardiff*. Thomas Telford Publishing, London, pp. 1171-1176.
- Parry, R. H. G. (1972). Stability analysis for low embankments on soft clays. *Stress-Strain Behaviour of Soils*. G. T. Foulis and Co Ltd, Henley-on-Thames, pp. 643-668.

- Parry, R. H. G. and McLeod, J. H. (1967). Investigation of slip failure in flood levee at Launceston, Tasmania. *Proc. 5th Australia-NZ Conf. Soil Mech. Fdn. Engng., Auckland, 1967*, 249-300.
- Patton, F. D. (1966). Multiple modes of shear failure in rock. *Proc. 1st Int. Congr. of Rock Mech., Lisbon*, **1**, 509-513.
- Peck, R. B. (1967). Stability of natural slopes. *J. Soil Mech. and Fdn Engng Div., ASCE*, **93**(4), 403-417.
- Peck, R. B. (1969). Deep excavations and tunneling in soft ground. *Proc. 7th Int. Conf. Soil Mech. and Foundn Engng, Mexico, Sociedad Mexicana de Suelos, State-of-the-Art Volume*, pp. 225-290.
- Peck, R. B. and Bryant, F. G. (1953). The bearing capacity failure of the Transcana elevator. *Géotechnique*, **3**, 5, 201-208.
- Penning, W. H. (1884). The Transvaal Goldfields - their past, present and future. *J. Soc. Arts, London*, 608-621.
- Peterson, R., Iverson, N. L. and Rivard, P. J. (1957). Studies of several dam failures on clay foundations. *Proc. 4th Int. Conf. Soil Mech. and Fdn. Engng., London, 1957*, **2**, 348-352.
- Pettifer, G. S. and Fookes, P. G. (1994). A revision of the graphical method for assessing the excavatability of rock. *Q. J. Eng. Geol.*, **27**(2), 145-164.
- Phillips, F. C. (1971). *The use of stereographic projection in structural geology*. Arnold, London.
- Pierson, L. A., Davis, S. A. and Van Vickie R. (1990). Rockfall Hazard Rating System Implementation Manual. *Federal Highway Administration (FHWA) Report FHWA-OR-EG-90-01*. FHWA, US Department of Transportation.
- Pilot, G., Meneroud, J. P., Mangan, B. and Pescond, B. (1985). Failure of a large highway cutting and remedial works. *Proc. Symp. On Failures in Earthworks*. ICE, London, 141-154.
- Piteau, D. R. (1971). Geological factors significant to the stability of slopes cut in rock. *Proc. Symp. on Planning Open Pit Mines, Johannesburg*. Balkema, Rotterdam, 33-53.
- Piteau, D. R. (1973). Characterizing and extrapolating rock joint properties in engineering practice. *Rock Mechanics*, **2**, 5-31.
- Preece, R. C., Kemp, R. A. and Hutchinson, J. N. (1995). A Late-glacial colluvial sequence at Watcombe Bottom, Isle of Wight, England. *J. Quaternary Science*, **10**, 107-121.
- Priest, S. D. (1980). The use of inclined hemisphere projection methods for the determination of kinematic feasibility, slide direction and volume of rock block. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **17**, 1-23.
- Priest, S. D. (1985). *Hemispherical Projection Methods in Rock Mechanics*. George Allen & Unwin, London, 124pp.
- Priest, S. D. (1993). *Discontinuity analysis for rock engineering*. Chapman & Hall, London, 473pp.
- Priest, S. D. and Brown, E. T. (1983). Probabilistic stability analysis of variable rock slopes. *Trans. Instn Mining & Metallurgy, (sect A)*, **92**, 1-12.
- Priest, S. D. and Hudson, J. A. (1976). Discontinuity spacings in rock. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **13**, 135-148.
- Priest, S. D. and Hudson, J. A. (1981). Estimation of discontinuity spacing and trace length using scanline surveys. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **18**, 183-197.

- Rankine, W. J. M. (1862). *A Manual of Civil Engineering*. Griffin and Bohn, London.
- Reynolds, O. (1885). On the dilatancy of media composed of rigid particles in contact, with experimental illustrations. *Phil. Mag.*, **20**, 469-481.
- Reynolds, O. (1886). Experiments showing dilatancy, a property of granular material, possibly connected with gravitation. *Proc. Roy. Inst. Gt. Brit.*, 354-363
- Richardson, A. M., Brand, E. W. and Memon, A. (1975). *In situ* determination of anisotropy of a soft clay. *Proc. Conf. In Situ Measurement of Soil Properties*, ASCE, Raleigh, 1975, 336-349.
- Robertson, A. M. G. (1970). The interpretation of geological factors for use in slope stability. In Van Rensburg, P. W. J. (ed), *Planning open pit mines*, Proc. Symp., Johannesburg. Balkema, Rotterdam.
- Rocha, M. (1971). A method of integral sampling of rock masses. *Rock Mechanics*, **3**(1), 1-12.
- Romero, S. U. (1968). *In situ* direct shear tests on irregular surface joints filled with clayey material. *Proc. Int. Symp. on Rock Mechanics*, ISRM, Madrid, **1**, 189-194.
- Root, A. W. (1953). California experience in correction of landslides and slipouts. *Proc. ASCE*, **79**, No. 235, Sept., 1-18.
- Root, A. W. (1958). Prevention of landslides. In *Landslides and Engineering Practice* Ed. E. B. Eckel, Highway Research Board Special Report 29, pp. 113-148.
- Rosenqvist, I. Th. (1953). Considerations on the sensitivity of Norwegian quickclays. *Géotechnique*, **3**, 195-200.
- Rosenqvist, I. Th. (1966). Norwegian research into the properties of quickclay - a review. *Eng. Geology*, Elsevier, **1**, 445-450.
- Ross-Brown, D. M. and Walton, G. (1975). A portable shear box for testing rock joints. *Rock Mechanics*, **7**(3), 129-153.
- Rowe, P. W. (1957). $C = 0$ hypothesis for normally loaded clays at equilibrium. *Proc. 4th Int. Conf. Soil Mech. Fdn Engng*, Butterworth, London, **1**, 189-192.
- Rowe, P. W. (1964). The calculation of the consolidation rates of laminated, varved or layered clays, with particular reference to sand drains. *Géotechnique*, **14**(4), 321-340.
- Rowe, P. W. (1972). The relevance of soil fabric to site investigation practice. *Géotechnique*, **22**, 193-300.
- Roy, M. (1975). *Predicted and observed performance of motorway embankments on soft alluvial clay in Somerset*, M.Phil. Thesis, University of Surrey.
- Sactren, G. (1893). Kart over skredet i Vaerdalen. *Teknisk Ukeblad*, **26**, 199-206.
- Sandroni, S. S. (1977). *The Strength of London clay in Total and Effective Stress Terms*. Ph.D. Thesis, University of London.
- Sanger, F. J. (1968). Ground freezing in construction. *Jnl Soil Mech & Fdns Div. ASCE*, **94**, SM 1, 131-158.
- Schmertman, J. H. (1955). The undisturbed consolidation behaviour of clay. *Trans. ASCE*, **120**, 1201-1233.
- Schofield, A. N. and Wroth, C. P. (1968). *Critical State Soil Mechanics*. McGraw-Hill, London

- Schweizer, R. J. and Wright, S. G. (1974). A survey and evaluation of remedial measures for earth slope stabilisation. Res. Report 161-2F CHR, University of Texas, Austin.
- Sembelli, P. and Ramirez, A. (1969). Measurement of residual strength of clays with a rotation shear machine. *Proc. 7th Int. Conf. Soil Mech. Fdn. Engng., Mexico*, Sociedad Mexicana de Suelos, **3**, 528-529.
- Serota, S. (1966). Discussion. *Proc. ICE*, **35**(9), 522.
- Sevaldson, R. A. (1956). The slide at Lodalen, October 6, 1954. *Géotechnique*, **6**, 167-182.
- Simons, N. E. (1967). Discussion. *Proc. Geotech. Conf. Oslo*, **2**, 159-160.
- Simons, N. E. (1976). Field studies of the stability of embankments on clay foundations, *Laurits Bjerrum Memorial Volume*, Norwegian Geotechnical Institute, Oslo, pp. 183-209.
- Simons, N. E. (1977). *Slips, settlements and sinkholes*. Professorial Inaugural Lecture. University of Surrey, England.
- Simons, N. E., and Menzies, B. K., (1974): A note on the principle of effective stress. *Géotechnique* **34**(2), 259-261.
- Simons, N. E. and Menzies, B. K. (1978). The long term stability of cuttings and natural clay slopes. *Developments in soil mechanics - 1*, Chapter 10, Applied Science Publishers Ltd, London, pp. 347-392.
- Simons, N. E. and Menzies, B. K. (2000). *A Short Course in Foundation Engineering*, 2nd Edition, Thomas Telford, London, p. 250.
- Skempton, A. W. (1942). An investigation of the bearing capacity of a soft clay soil. *J. Inst. Civil Engrs*, **18**, 307-321.
- Skempton, A. W. (1948). The rate of softening of stiff fissured clays with special reference to London clay. *Proc. 2nd Int. Conf. Soil Mech. Fdn Engng*, **2**, 50-53.
- Skempton, A. W. (1948a). The geotechnical properties of a deep stratum of post-glacial clay at Gosport. *Proc. Int. Conf. on Soil Mech. & Fdn Engng, Rotterdam*, **2**, 1, 145-150.
- Skempton, A. W. (1948b). The rate of softening in stiff fissured clays with special reference to London Clay. *Proc. Int. Conf. on Soil Mech. & Fdn Engng, Rotterdam*, **2**, 2, 50-53.
- Skempton, A. W. (1950). Discussion on: Watson, G. The bearing capacity of screw piles and screwcrete cylinders. *J. Instn Civil Engrs*, **34**, 76.
- Skempton, A. W. (1951). The bearing capacity of clays. *Building Research Congress, London*. Papers, Div. 1, Part 3, pp. 180-189.
- Skempton, A. W. (1954). The pore pressure coefficients A and B in saturated soils. *Géotechnique*, **4**, 143-147.
- Skempton, A. W. (1959). Cast in situ bored piles in London Clay. *Géotechnique*, **9**, 4, 153-173.
- Skempton, A. W. (1961). Horizontal stresses in over-consolidated Eocene clay. *Proc. 5th Int. Conf. Soil Mech. Fnd. Engng., Paris*, Dunod, Paris, **1**, 351-357.
- Skempton, A. W. (1964). Long-term stability of clay slopes. *Géotechnique*, **14**, 77-101.
- Skempton, A. W. (1965). Discussion. *Proc. 6th Int. Conf. Soil Mech. Fdn. Engng., Montreal, 1965*, University of Toronto Press, **3**, 551-552.
- Skempton, A. W. (1966). Some observations on tectonic shear zones. *Proc. 1st Int. Conf. Rock Mech., Lisbon, 1966*, **1**, 328-335.
- Skempton, A. W. (1970). First-time slides in over-consolidated clays. *Géotechnique*, **20**, 320-324.

- Skempton, A. W. (1977). Slope stability of cuttings in Brown London clay. Special Lecture. *Proc. 9th Int. Conf. Soil Mech. Fdn. Eng., Tokyo, 1977*, Japanese Soc. Soil Mech. & Fdn Engng, **3**, 261-270.
- Skempton, A. W. (1985). Residual strength of clays in landslides, folded strata and the laboratory. *Géotechnique*, **35**, 3-18.
- Skempton, A. W. and Brown, J. D. (1961). A landslide in boulder clay at Selset, Yorkshire. *Géotechnique*, **11**, 280-293.
- Skempton, A. W. and De Lory, F. A. (1957). Stability of natural slopes in London clay. *Proc. 4th Int. Conf. Soil Mech., London, 1957*, Butterworth, London, **2**, 378-381.
- Skempton, A. W. and Golder, H. Q. (1948). Practical examples of the $\phi = 0$ analysis of stability of clays. *Proc. Int. Conf. on Soil Mech. & Fdn Engng, Rotterdam*, **2**, 63-70.
- Skempton, A. W. and Hutchinson, J. N. (1969). State-of-the-Art Report, Stability of natural slopes and embankment foundations. *Proc. 7th Int. Conf. Soil Mech. and Foundn Engng*, Mexico, Sociedad Mexicana de Suelos, State-of-the-Art Volume, pp. 291-340.
- Skempton, A. W. and La Rochelle, P. (1965). The Bradwell slip: a short-term failure in London clay. *Géotechnique*, **15**, 221-242.
- Skempton, A. W. and Northey, R. D. (1952). The sensitivity of clays. *Géotechnique*, **3**, 30-53.
- Skempton, A. W. and Petley, D. J. (1967). The strength along structural discontinuities in stiff clays, *Proc. Geotech. Conf., Oslo, 1967*, **2**, 29-46.
- Skempton, A. W., Schuster, R. L. and Petley, D. J. (1969). Joints and fissures in the London clay at Wraybury and Edgware. *Géotechnique*, **19**, 205-217.
- Skempton, A. W. and Weeks, A. G. (1976). The Quaternary history of the Lower Greensand escarpment and Weald clay vale near Sevenoaks, Kent. *Phil. Trans. R. Soc. Lond. Ser. A*, **283**, 493-526.
- Smith, N. S. (1974). Remedial measures and case histories: a contractors viewpoint and recommendations. *Proc. Symp. Stability of Slopes in Natural Ground, Nelson, New Zealand*, Geomechanics Soc., 5.1-5.16.
- Spang, R. M. and Rautenstrauch, R. W. (1988). Empirical and mathematical approaches to rockfall prediction and their practical applications. *Proc. 5th Int. Symp. on Landslides*, Lusanne, **2**, 1237-1243.
- Stauffer, M. R. (1966). An empirical-statistical study of three-dimensional fabric diagrams as used in structural analysis. *Canadian Journ. Earth Sciences*, **3**, 473-498.
- Taylor, C. L. (1970). Geometric analysis of geological separation for slope stability investigations. *Bull. Ass. Engineering Geologists*, **7**(1&2), 76-85.
- Taylor, D. W. (1937). Stability of earth slopes. *J. Boston Soc. Civ. Engrs*, **24**, 337-386.
- Taylor, D. W. (1948). *Fundamentals of Soil Mechanics*, John Wiley and Sons, New York.
- Telling, R. M. (1988) Discussion on 'The Portworthy china clay tailings disposal scheme'. *Proc. Instn Civ. Engrs.*, **84**, Part 1, 423-428.
- Terracina, F. (1962). Foundations of the Tower of Pisa. *Géotechnique*, **12**, 336-339.
- Terzaghi, K. (1923). Die Berechnung der Durcklassigkeitsziffer des Tores aus dem Verlauf der hydrodynamischen Spannungserscheinungen. *Sitz. Akad. Wissen. Wien Math - natur kl. Abt, IIa*, **132**, 125-138.
- Terzaghi, K. (1925). *Erdbaumechanik auf bodenphysikalischer Grundlage*. Deuticke, Vienna.
- Terzaghi, K. (1936). Stability of slopes of natural clay. *Proc. 1st Int. Conf. Soil Mech., Harvard, 1936*, Harvard University, **1**, 161-165.
- Terzaghi, K. (1939). Soil Mechanics - a new chapter in engineering science. *J. I.C.E.*, **12**, 106-141 (also in *A Century of Soil Mechanics*, I.C.E., 1969).
- Terzaghi, K. (1950). Mechanism of landslides. In *Application of Geology to Engineering Practice*. Geol. Soc. of America, Berkeley, pp. 83-123.
- Terzaghi, K. (1962). Stability of steep slopes on hard unweathered rock. *Géotechnique*, **12**, 251-270.
- Terzaghi, R. (1965). Sources of error in joint surveys. *Géotechnique*, **15**, 287-304.
- Terzaghi, K. and Peck, R. B. (1948). *Soil Mechanics in Engineering Practice*, John Wiley and Sons, New York.
- Terzaghi, K. and Redulic, L. (1934). Die wirksame Flächenproposität des Bretons. *Zeit, öster. Ing. Orch. Ver.*, **86**, 1-9.
- Tiedemann, B. (1937). Über die Schubfestigkeit bindiger Boden. *Bautechnik*, **15**, 433-435.
- Tika, T. and Hutchinson, J. N. (1999). Ring shear tests on soil from the Vaiont landslide slip surface. *Géotechnique*, **49**, 59-74.
- Timoshenko, S. (1934). *Theory of Elasticity*, McGraw-Hill, New York, p. 193.
- de Toledo, P. E. C. and de Freitas, M. H. (1993). Laboratory testing and parameters controlling the shear strength of filled rock joints. *Géotechnique*, **43**, 1, 1-19.
- Toms, A. H. (1953). *Discussion on: Conference on the North Sea floods of January 31st-February 1st 1953*. Institution of Civil Engineers, London, pp. 103-105.
- Tong, P. Y. L. and Maher, R. O. (1975). Horizontal drains as a slope stabilising measure. *J. Engng Soc. Hong Kong*, February, pp. 15-27.
- Torrey, V. H. and Weaver, F. J. (1984). Flow failures in Mississippi riverbanks. *Proc. 4th Int. Symp. on Landslides, Toronto*, **2**, 355-360.
- Townsend, F. C. and Gilbert, P. A. (1973). Tests to measure residual strengths in some clay shales. *Géotechnique*, **23**, 267-271.
- Tschebotarioff, G. P. (1951). *Soil mechanics, foundations and earth structures: an introduction to the theory and practice of design and construction*. McGraw-Hill, New York, 655p.
- Tufnell, L. (1972). Ploughing blocks with special reference to north-west England. *Biul. Peryglac.*, **21**, 237-270.
- Turnbull, W. J. and Hvorslev, M. J. (1967). Special problems in slope stability. *J. Soil Mech. and Fdn Engng Div., ASCE*, **4**, 499-528.
- Vaughan, P. R. (1969). A note on sealing piezometers in boreholes. *Géotechnique*, **19**, 405-413.
- Vaughan, P. R. (1971). Undrained failure of clay embankments. *Stress-Strain Behaviour of Soils, Proc. Roscoe Mem. Symp., Cambridge University, 1971*, G. T. Foulis & Co Ltd, Henley-on-Thames, 683-691.
- Vaughan, P. R. and Chandler, R. S. (1974). The design of cutting slopes in over-consolidated clay, Notes for *Informal Discussion, British Geotechnical Society*, 14p.

- Vaughan, P. R. and Walbancke, H. J. (1973). Pore pressure changes and the delayed failure of cutting slopes in over-consolidated clay. *Géotechnique*, **23**, 531-539.
- Veder, H. C. (1976). The leaning Tower of Pisa - a suggested remedial measure. *Ground Engineering* **9**(1), 38-40.
- Verdal Turistforening (1949). Verdalsraset og Haerfossens Gjennombrud, 1893. Steinkjer Trykkeri, 24p.
- Viggiani, C. (1980). Ultimate lateral load on piles used to stabilise landslides. *Proc. Xth Int. Conf. Soil Mech. & Fdn Engrg*, **3**, Paper 11/46, 555-560.
- Viner-Brady, N. E. V. (1955). Folkstone Warren landslips: remedial measures, 1948-1954. *Proc. Inst. Civ. Engrs, Railway Paper No. 57*, pp. 429-441.
- Vogele, M. D. (1978). *An interactive graphics based analysis of support requirements of excavations in jointed rock masses*. PhD thesis, University of Minnesota, Minneapolis.
- Voight, V. (1973). Correlation between Atterberg plasticity limits and residual shear strength of natural soils, *Géotechnique*, **23**, 265-267.
- Walbancke, H. J. (1973) Discussion on principles of measurement. *Symp. on Field Instrumentation in Geotech. Eng. (London)*, 552-555.
- Walbancke, H. J. (1976) *Pore Pressures in Clay Embankments and Cuttings*. Ph.D. Thesis, University of London.
- Ward, W. H., Burland, J. B. and Gallois, R. W. (1968). Geotechnical assessment of a site at Mundford, Norfolk, for a large proton accelerator. *Géotechnique*, **18**, 399-431.
- Wateren, F. M. van der (1987). Structural geology and sedimentology of the Dammer Berg push moraine. *Proc. I.N.Q.U.A. Symp. on Genesis and Lithology of Glacial Deposits, Amsterdam 1986*. Balkema, Rotterdam, pp. 157-182.
- Webb, D. L. (1969). Residual strength in conventional triaxial tests. *Proc. 7th Int. Conf. Soil Mech. Fnd. Eng., Mexico, 1969*, Sociedad Mexicana de Suelos, **1**, 433-441.
- Weeks, A. G. (1969a). Effects of counterfort drains on the Sevenoaks Bypass. *Civ. Eng. and Pub. Works Rev.*, 991-993.
- Weeks, A. G. (1969b). The stability of slopes in south-east England as affected by periglacial activity. *Q. J. Eng. Geol.*, **5**, 223-241.
- Weeks, A. G. (1970). *The stability of the Lower Greensand Escarpment in Kent*. Ph.D. Thesis, University of Surrey.
- West, G. (1979). A preliminary study of the reproducibility of joint measurements in rock. *Department of the Environment, Department of Transport TRL Report SR488*. TRL, Crowthorne, Berks.
- Westerberg, N. (1926). Jordtryck i Kohesionara jordarter. *Tek. Tidsk. Vag. o. Vatten*, **51**, 25-29.
- Wilkes, P. F. (1972a). An induced failure at a trial embankment at King's Lynn, Norfolk, England. *Proc. ASCE Spec. Conf. Performance of Earth and Earth-Supported Structures, Purdue University, 1972*, **1**(1), 29-63.
- Wilkes, P. F. (1972b). King's Lynn Trial Embankment, *J. Inst. Highway Engrs*, **19**(8), 9-16.
- Wilkes, P. F. (1974a). *A geotechnical study of a trial embankment on alluvial deposits at King's Lynn*, Ph.D. Thesis, University of Surrey.

- Wilkes, P. F. (1974b). Instrumentation for the King's Lynn Southern Bypass. *Proc. BGS Symp. on Field Instrumentation in Geotechnical Engineering, London, 1974*, 448-481.
- Wilson, G. (1950). The bearing capacity of screw piles and screwcrete cylinders. *J. Inst Civil Engrs*, **34**, 4-73.
- Wilson, G. and Grace S. M. (1942). The settlement of London due to under-drainage of the London clay. *J. I.C.E.*, **18**, 100-127 (also in *A Century of Soil Mechanics*, I.C.E., 1969).
- Wu, T. H. (1994). Slope stabilization using vegetation. *Geotechnical Engineering: Emerging Trends in Design and Practice*. Ed. K. R. Saxena. Oxford and IBH Publishing Co. Pvt. Ltd, New Delhi, pp. 377-402.
- Wyllie, D. C. (1992). *Foundations on rock*. E & FN Spon, London, 333pp.
- Yenn, R. J. (1992). *The Verification of Rock Foundations - A Case Study*. MSc Dissertation, Department of Civil Engineering, University of Surrey.
- Yow, J. L. (1987). Technical Note: Blind zones in the acquisition of discontinuity orientation data. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, **24**(5), 317-318.
- Zarubá, Q. and Mencl, V. (1969). *Landslides and their control*. Elsevier, New York, 205pp.
- Zarubá, Q. and Mencl, V. (1982). *Landslides and their control*, 2nd edn. Elsevier Scientific Publishing Company, Amsterdam and Oxford.