

no 56-816
K 5643211



Wastewater Treatment Plant Design

Edited by
P. Aarne Vesilind
R. L. Rooke Professor of Engineering
Department of Civil and Environmental Engineering
Bucknell University, Lewisburg, Pennsylvania



Contents

Preface	xxvii
About the Editor	xxix
Acknowledgments	xxx
1 Fundamentals	1-1
Introduction	1-1
Water Quality	1-6
Measures of Water Quality	1-6
Dissolved Oxygen	1-7
Biochemical Oxygen Demand	1-7
Solids	1-9
Nitrogen	1-10
Phosphorus	1-11
Bacteriological Measurements	1-11
Water Quality Standards	1-13
Options for Municipal Wastewater Treatment	1-14
Materials Balances	1-16
Engineering Economics	1-19
Calculating Annual Cost	1-20
Calculating Present Worth	1-22
Calculating Sinking Funds	1-22
Calculating Capital Plus O&M Costs	1-23
Value Engineering	1-23
Conclusions	1-24
References	1-24
Symbols Used in this Chapter	1-25
2 The Design Process	2-1
Introduction	2-1
Project Participants	2-2
Project Sequence and Design Standards	2-3
Sources, Quantities, and Characteristics of Municipal Wastewater	2-4
Population and Flow Projections	2-4
Infiltration and Inflow	2-5
Industrial, Commercial, and Institutional Wastewater Contributions	2-6
Other Wastewater Contributions	2-6
Community Water Supply	2-7
Domestic Wastewater	2-8
Industrial Wastewater	2-9
Wastewater Variability	2-9
Determining Design Flows	2-11
Occupational Safety	2-12
Occupational Safety and Health Act and Federal Regulations	2-12
State and Local Codes	2-13
National Fire Protection Association Recommendations	2-13

Americans with Disabilities Act	2-13
Designing Safe Facilities	2-13
Site Selection	2-14
Land Use	2-14
Receiving Water Location and Requirements	2-15
Area Requirements	2-16
Satellite Facilities	2-17
Elevation and Topography	2-17
Geology, Hydrogeology, and Soils	2-18
Transportation and Site Access	2-18
Utility Services	2-19
Noise Control	2-19
Air Quality Control	2-19
Other Environmental Considerations	2-19
Permit Requirements	2-19
Process Options and Selection	2-20
Plant Layout	2-21
Treatment Facilities	2-21
Providing for Future Expansion	2-23
Tank Geometry	2-23
Treatment Redundancy	2-23
Hydraulics	2-24
Flexibility of Operation	2-24
Continuing Treatment During Construction	2-24
Maintenance	2-25
Administration, Staff, and Support Facilities	2-25
Monitoring and Control Facilities	2-26
Maintenance and Storage	2-26
Laboratories	2-27
Administrative Offices	2-27
Staff Facilities	2-27
Other Layout Considerations	2-27
Environmental Impact	2-28
Conclusions	2-30
References	2-30
Symbols Used in this Chapter	2-31

3 Plant Hydraulics 3-1

Introduction	3-1
Hydraulic Considerations	3-1
Hydraulic Profile	3-1
Flowrates	3-2
Unit Process Liquid Levels	3-4
Unit Process Redundancy	3-4
Flow Distribution	3-4
Plant Head Loss	3-5
Minimum and Maximum Velocity	3-5

Fundamentals of Hydraulic Engineering	3-7
Hydraulic Head	3-7
Pipe Flow	3-7
Open-Channel Flow	3-11
Weir Control	3-12
Effluent Launderers	3-14
Flow Distribution (Channels and Pipe Headers)	3-14
Unit Process Hydraulics and Other Hydraulic Elements	3-16
Screens	3-17
Grit Tanks	3-17
Primary Settling Tanks	3-17
Aeration Tanks	3-18
Secondary Settling Tanks	3-18
Disinfection Tanks	3-18
Other Unit Processes	3-19
Yard Piping	3-19
Outfalls	3-19
Pumps and Pumping	3-19
Pump Characteristics	3-19
System Head Curves	3-21
Pump Selection	3-23
Conclusions	3-25
References	3-26
Symbols Used in this Chapter	3-26

4 Preliminary Treatment 4-1

Introduction	4-1
Screening	4-1
Purpose of Screening	4-1
Bar Screens	4-2
Manually Cleaned Bar Screens	4-3
Mechanically Cleaned Screens	4-3
Chain- or Cable-Driven Screens	4-5
Reciprocating Rake Screen	4-5
Catenary Screens	4-6
Continuous Self-Cleaning Screens	4-7
Comminutors and Grinders	4-8
Comminutors	4-8
Grinders	4-9
Screening Quantities and Characteristics	4-10
Design Practice	4-11
Management of Screenings	4-13
Grit Removal	4-14
Purpose of Grit Removal	4-14
Methods of Grit Removal	4-15
Aerated Grit Chambers	4-15
Vortex Grit Removal	4-17

Detritus Tanks	4-17
Horizontal-Flow Grit Chambers	4-17
Hydrocyclones	4-17
Grit Quantities and Characteristics	4-18
Design Practice	4-18
Removing Grit from the Chambers	4-19
Inclined Screw or Tubular Conveyors	4-19
Chain-and-Bucket Elevators	4-20
Clamshell Buckets	4-20
Pumping	4-20
Grit Washing	4-20
Grit Disposal	4-20
Septage	4-21
Flow Equalization	4-21
Conclusion	4-24
References	4-25
Symbols Used in this Chapter	4-25
5 Primary Treatment	5-1
Introduction	5-1
Primary Settling	5-2
Settling Theory	5-2
Types of Settling Tanks	5-5
Design Considerations	5-6
Depth	5-7
Hydraulic Residence Time	5-8
Weir Rate	5-8
Flow-Through Velocity	5-9
Surface Geometry	5-10
Inlets	5-10
Outlet Conditions	5-12
Maintenance Provisions	5-14
Enhanced Settling	5-13
Preaeration	5-14
Chemical Coagulation	5-15
Sludge Collection and Removal	5-16
Sludge Collection	5-16
Primary-Sludge Quantities and Properties	5-17
Scum Collection and Disposal	5-19
Scum Collection	5-19
Scum Management	5-19
Thickening with Waste Activated Sludge	5-20
Imhoff Tanks	5-20
Fine Screens	5-21
Conclusions	5-23
References	5-25
Symbols Used in this Chapter	5-25

6	Suspended-Growth Biological Treatment	6-1
	Introduction	6-1
	The Activated-Sludge Process	6-1
	Process Description	6-1
	Effect of Influent Load and Characteristics	6-3
	Historical Perspective	6-3
	The Activated-Sludge Environment	6-4
	Biological Growth and Substrate Oxidation	6-5
	Process Design for Carbon Oxidation	6-6
	Volume of Aeration Tanks	6-10
	Sludge Generated and Wasted	6-12
	Oxygen Demand	6-13
	Return Activated-Sludge Capacity Requirements	6-13
	Clarifier Sizing	6-13
	Process Design for Nitrification	6-13
	Other Environmental Effects	6-15
	Temperature	6-15
	Dissolved Oxygen	6-16
	Nutrients	6-16
	Toxic and Inhibitory Wastes	6-17
	pH	6-17
	Process Configuration Alternatives	6-18
	Tank Shape	6-18
	Complete Mix	6-18
	Plug Flow	6-19
	Oxidation Ditch	6-20
	Aerated Lagoon Reactors	6-21
	Loading Rates	6-21
	Conventional	6-21
	Low Rate	6-22
	High Rate	6-23
	Feeding and Aeration Patterns	6-23
	Conventional	6-23
	Contact Stabilization	6-23
	Step Feed	6-24
	Tapered Aeration	6-24
	Other Variations	6-25
	Pure Oxygen	6-25
	Sequencing Batch Reactors	6-26
	Activated Carbon Addition	6-27
	Hybrid Systems	6-27
	Oxygen Transfer	6-27
	Diffused Aeration	6-28
	Porous Diffuser Systems	6-28
	Nonporous Diffusers	6-29
	Other Diffused Aeration Systems	6-31
	Mechanical Surface Aeration	6-32

Secondary Settling	6-33
General Design Considerations	6-33
Process Design	6-34
Solids Loading Rate	6-34
Overflow Rate	6-35
Depth	6-35
Influent Structure	6-36
Scum Removal	6-36
Outlet Structure	6-36
Sludge Withdrawal	6-38
Control Strategies	6-39
Return Activated Sludge Flowrates	6-39
Return Activated Sludge Flow Patterns	6-39
Waste Activated Sludge Rate Control	6-40
Type of Pumps and Systems	6-41
Conclusions	6-41
References	6-42
Symbols Used in this Chapter	6-43

7 Attached-Growth Biological Treatment 7-1

Introduction	7-1
Trickling Filters	7-2
Theory of Operation	7-3
Loading Terminology	7-4
Factors Affecting Performance and Design	7-5
Wastewater Composition	7-5
Wastewater Treatability	7-5
Pretreatment and Primary Treatment	7-5
Trickling Filter Media Type	7-5
Trickling Filter Depth	7-6
Trickling Filter Hydraulics and Loadings	7-7
Ventilation	7-8
Odor, Vector, and Macroorganism Control	7-9
Design Formulas	7-9
National Research Council Formula	7-10
Velz Formula	7-10
Kinematic Wave—Velz Model	7-11
Kincannon and Stover Model	7-12
Logan Model	7-13
Nitrification	7-13
Rotating Biological Contactors	7-13
Process Concepts and Principles	7-15
Factors Affecting Performance	7-15
Organic and Hydraulic Loading	7-15
Influent Wastewater Characteristics	7-16
Wastewater Temperature	7-16
Biofilm Control	7-16
Dissolved Oxygen Levels	7-16

Process Design	7-16
Denitrification	7-18
Combined Biological Treatment	7-18
Trickling Filter–Solids Contact	7-18
Roughing Filter–Activated Sludge	7-18
Biofilter–Activated Sludge	7-19
Trickling Filter–Activated Sludge	7-19
Developing Fixed-Film Processes	7-19
Subsided Fixed-Bed Reactors	7-19
Floating Bed Aerated Filters	7-19
Secondary Clarification	7-20
Conclusions	7-20
References	7-20
Symbols Used in this Chapter	7-22
8 Biological Nutrient Removal	8-1
Introduction	8-1
Phosphorus Removal Processes	8-2
Basic Theory	8-2
Design Options	8-5
Two-Stage Process	8-5
Combined Chemical and Biological Process	8-5
Sidestream Fermentation Processes	8-6
Sequencing Batch Reactors	8-7
Chemical Polishing	8-7
Nitrogen Removal Processes	8-7
Basic Theory	8-7
Suspended-Growth Processes for Nitrogen Removal	8-12
Single-Sludge Processes	8-12
Dual-Sludge Processes	8-15
Attached Growth Processes for Nitrogen Removal	8-17
Denitrification Filters	8-17
Fluidized Bed Denitrification	8-17
Simultaneous Phosphorus and Nitrogen Removal	8-18
Modified Bardenpho	8-18
A ² /O Process	8-18
University of Cape Town Process	8-18
PhoStrip II Process	8-19
Fixed-Growth Reactor–Suspended-Growth Reactor	8-19
Phased Isolation Ditches	8-21
Design Considerations	8-21
Design Procedures for Phosphorus Removal	8-21
Design Procedures for Nitrogen Removal	8-22
Conclusions	8-25
References	8-25
Symbols Used in this Chapter	8-27

9 Alternative Biological Treatment	9-1
Introduction	9-1
Soil Absorption Systems	9-1
Lagoon Systems	9-2
Facultative Lagoons	9-3
Treatment Performance	9-3
Design Procedures	9-3
Controlled Discharge Lagoons	9-4
Hydrograph Controlled Release Lagoons	9-5
Partially Mixed Aerated Lagoons	9-5
Dual-Power Multicellular Aerated Lagoons	9-7
Advance Integrated Lagoon Systems	9-7
Land Treatment Systems	9-7
Preapplication Treatment	9-9
Site Requirements	9-9
Slow-Rate Systems	9-10
Treatment Performance	9-10
Design Objectives	9-11
Overland Flow Systems	9-13
Treatment Performance	9-13
Design Factors	9-14
Design Procedures	9-14
Suspended Solids Loadings	9-14
Biochemical Oxygen Demand Loadings	9-14
Land Requirements	9-15
Vegetation Selection	9-15
Distribution System	9-15
Monitoring Wells	9-15
Rapid Infiltration Systems	9-15
Treatment Performance	9-15
Design Procedures	9-16
Floating Aquatic Systems	9-17
Constructed Wetlands	9-17
Performance of Constructed Wetlands	9-18
Land Requirements	9-19
Conclusions	9-19
References	9-20
Symbols Used in this Chapter	9-21
10 Physical–Chemical Processes	10-1
Introduction	10-1
Process Selection	10-2
Granular Media Filtration	10-2
Process Description	10-2
Design Objectives	10-2
Filtration Theory	10-3
Application of Granular Media Filtration to Wastewater Treatment	10-3
Process Design	10-5

Pretreatment to Enhance Filterability	10-5
Filter Type and Loading Rates	10-5
Media Selection and Characteristics	10-6
Automatic Backwashing Filters	10-7
Moving Bed Filters	10-7
Pulsed Bed Filters	10-8
Operation	10-8
Activated Carbon Adsorption	10-10
Process Description	10-10
Application of Activated Carbon to Wastewater Treatment	10-11
Design	10-11
Carbon Characteristics	10-12
Types of Carbon Adsorption Units	10-13
Unit Sizing	10-14
Backwashing	10-15
Control of Biological Activity	10-16
Carbon Transport	10-16
Carbon Regeneration	10-16
Chemical Treatment	10-17
Phosphorus Precipitation	10-17
Phosphorus Removal Methods	10-18
Precipitants	10-18
Solids Considerations	10-21
pH Adjustment	10-22
Rapid Mixing	10-23
Impeller Mixers	10-23
Other Mixing Devices	10-23
Fluid Regimes	10-23
Design Considerations	10-24
Chemical Feed Systems	10-26
Solution Feed	10-27
Membrane Processes	10-28
Process Description	10-28
Process Objectives	10-29
Pretreatment	10-29
Membrane Systems	10-29
Membrane Module Configuration	10-31
Membrane Filtration	10-31
Reverse Osmosis	10-31
Reject and Brine Disposal	10-31
Disposal to Surface Water	10-32
Deep-Well Injection	10-32
Evaporation Ponds	10-32
Evaporation to Dryness and Crystallization	10-32
Conclusions	10-32
References	10-33
Symbols Used in this Chapter	10-33

11 Disinfection, Reoxygenation, and Odor Control	11-1
Disinfection.	11-1
Disinfection Kinetics	11-2
Chlorine Disinfection.	11-5
Chemistry of Chlorine Disinfection	11-5
Elemental Chlorine	11-5
Hypochlorites	11-5
Sulfur Dioxide	11-6
Chemistry of Chlorine in Water.	11-6
Chlorine Toxicity and Effects on Higher Organisms	11-7
Aftergrowth	11-7
Dechlorination	11-8
Safety and Health	11-8
Shipment and Handling.	11-8
Facility Design	11-8
Design and Selection of Equipment	11-10
Chlorinators and Sulfonators.	11-10
Chemical-Feed Pumps	11-10
Sulfur Dioxide Feeders	11-11
Feed Control Strategies	11-11
Reactor Design	11-11
Ultraviolet Disinfection	11-12
Mechanism of Ultraviolet Disinfection	11-13
Ultraviolet Inactivation Kinetics.	11-15
Ultraviolet Disinfection System Design	11-16
Wastewater Characteristics	11-16
Ultraviolet Disinfection Equipment	11-17
Effluent Reoxygenation	11-17
Cascade Reoxygenation.	11-17
Mechanical and Diffused Air Reoxygenation	11-19
Relationship of Reoxygenation to Other Unit Processes	11-19
Odor Control	11-19
Sources of Odor	11-20
Odor Control	11-22
Upstream Controls	11-22
Chemical Additions.	11-22
Adsorption Systems.	11-22
Biological Systems.	11-22
Combustion Systems	11-23
Ozonation	11-23
Wet Scrubbers	11-23
Conclusions	11-23
References.	11-24
Symbols Used in this Chapter.	11-24

12 Production and Transport of Wastewater Sludge	12-1
Introduction	12-1
Sludge Quantities	12-2
Estimating Sludge Quantities	12-3
Primary Solids Production	12-3
Secondary Solids Production	12-5
Combined Solids Production	12-9
Chemical Solids Production	12-11
Sludge Characteristics	12-11
Primary Sludge	12-11
Secondary Sludge	12-12
Combined Sludge	12-13
Chemical Sludge	12-13
Liquid Sludge Storage	12-13
Liquid Sludge Transport	12-13
Flow and Head Loss Characteristics	12-14
Design Approach	12-14
Dilute Sludges	12-14
Thickened Sludges	12-14
Kinetic Pumps	12-16
Solids-Handling Centrifugal Pumps	12-17
Recessed-Impeller Pumps	12-17
Screw-Combination Centrifugal Pumps	12-17
Grinder Pumps	12-17
Positive Displacement Pumps	12-18
Plunger Pumps	12-18
Progressing Cavity Pumps	12-19
Air-Operated Diaphragm Pumps	12-20
Rotary Lobe Pumps	12-21
Pneumatic Ejectors	12-21
Peristaltic Hose Pumps	12-21
Reciprocating Piston Pumps	12-21
Other Pumps	12-21
Air-Lift Pumps	12-21
Archimedes Screw Pumps	12-22
Long-Distance Pipelines	12-23
Common Design Deficiencies in Pumps and Piping	12-23
Standby Capacity	12-24
Dewatered Sludge Storage	12-24
Dewatered Sludge Transport	12-24
Pumps	12-24
Progressing Cavity Pumps	12-25
Hydraulically Driven Reciprocating Piston Pumps	12-25
Conveyors	12-26
Belt Conveyors	12-26
Screw Conveyors	12-27

Dried Sludge Transport	12-27
Belt Conveyors	12-27
Screw Conveyors	12-28
Drag Conveyors	12-28
Bucket Elevators	12-29
Pneumatic Conveyors	12-29
Conclusions	12-30
References	12-30
Symbols Used in this Chapter	12-31

13 Sludge Conditioning 13-1

Introduction	13-1
Chemical Conditioning	13-2
Inorganic Chemicals	13-2
Lime	13-2
Ferric Chloride	13-3
Aluminum Salts	13-3
Organic Polymers	13-3
Polymer Charge	13-4
Polymer Molecular Weight	13-4
Polymer Forms	13-5
Dosage Optimization	13-6
Jar Test	13-8
Capillary Suction Time Test	13-8
Standard Shear Test	13-9
Buchner Funnel Test	13-9
Sludge Compactability	13-10
Sludge Consistency	13-10
Thermal Conditioning	13-11
Freeze–Thaw Conditioning	13-11
Conclusions	13-13
References	13-13
Symbols Used in this Chapter	13-14

14 Sludge Thickening, Dewatering, and Drying 14-1

Introduction	14-1
Gravity Thickening	14-2
Theory of Gravity Thickening	14-3
Design of Gravity Thickeners	14-7
Area Determination for Solids Thickening	14-7
Other Design Considerations	14-8
Dissolved Air Flotation Thickening	14-9
Theory of Dissolved Air Flotation	14-11
Design of Dissolved Air Flotation Thickeners	14-11
Gravity Belt Thickening	14-12
Theory of Gravity Belt Thickening	14-13
Design of Gravity Belt Thickeners	14-15
Other Methods of Thickening	14-15

Rotary Drum Thickening	14-15
Centrifuges	14-16
Centrifugal Dewatering	14-17
Theory of Centrifugation	14-18
Design of Centrifugal Dewatering	14-21
Belt Filter Dewatering	14-23
Theory Of Belt Filter Dewatering	14-23
Design Of Belt Filter Dewatering	14-23
Filter Press Dewatering	14-25
Theory Of Filter Press Dewatering	14-25
Design Of Filter Press Dewatering	14-27
Drying Bed Dewatering	14-27
Sand Drying Beds	14-27
Other Types Of Drying Beds	14-30
Paved Drying Beds	14-30
Wedge-Wire Drying Beds	14-30
Vacuum-Assisted Drying Beds	14-30
Other Dewatering Methods	14-30
Reed Beds	14-30
Lagoons	14-31
Vacuum Filters	14-32
Thermal Drying	14-32
Theory of Thermal Drying	14-33
Design of Thermal Drying Systems	14-35
Direct Dryers	14-35
Indirect Dryers	14-35
Direct-Indirect Dryers	14-36
Infrared Dryers	14-36
Conclusions	14-36
References	14-38
Symbols Used in this Chapter	14-39

15 Sludge Stabilization 15-1

Introduction	15-1
Anaerobic Digestion	15-2
Anaerobic Digestion Theory	15-2
Microbiology and Biochemistry	15-2
Variables Affecting Anaerobic Digestion	15-3
Solids and Hydraulic Retention Times	15-4
Temperature	15-4
pH	15-4
Toxic Materials	15-5
Applicability	15-5
Process Variations	15-7
Low-Rate Digestion	15-7
High-Rate Digestion	15-8
Two-Stage Anaerobic Digestion	15-9
Thermophilic Anaerobic Digestion	15-9

Design Criteria	15-10
Volatile Solids	15-10
Pathogen Reduction	15-10
Gas Quality and Quantity	15-11
Anaerobic Digester Design	15-11
Design Data	15-11
Design Parameters	15-12
Volatile Solids Loading and Destruction	15-13
Gas Production	15-13
Gas Collection and Storage	15-14
Mixing	15-15
Heating	15-16
Chemical Requirements	15-18
Digester Covers	15-19
Tank Configuration and Construction	15-20
Effect of Digestion on Dewatering and Dewatering Recycle Streams	15-22
Aerobic Digestion	15-24
Aerobic Digestion Theory	15-25
Aerobic Digestion Design	15-26
Reduction in Volatile Solids	15-26
Feed Quantities and Characteristics	15-27
Operating Temperature	15-27
Oxygen-Transfer and Mixing Requirements	15-27
Tank Volume and Retention Time Requirements	15-27
Process Variations	15-29
High-Purity Oxygen Aeration	15-29
Low-Temperature Aerobic Digestion	15-29
Autothermal Thermophilic Aerobic Digestion	15-29
Theory of Autothermal Thermophilic Aerobic Digestion	15-30
Design of Autothermal Thermophilic Aerobic Digestion	15-30
Operation of Autothermal Digestion Plants	15-32
Composting	15-33
Theory of Composting	15-34
Microbiology	15-34
Energy Balance	15-34
Carbon/Nitrogen Ratio	15-35
Process Objectives	15-35
Pathogen Reduction	15-35
Maturation	15-35
Drying	15-36
Design of Composting Systems	15-36
Process Alternatives	15-36
Bulking Agents and Amendments	15-36
Temperature Control and Aeration	15-38
Retention Time	15-38
Alkaline Stabilization	15-38
Theory of Alkaline Stabilization	15-39
Design of Alkaline Stabilization Systems	15-40

Liquid Lime Stabilization	15-40
Dry Lime Stabilization	15-41
Sludge Combustion	15-41
Sludge Heat Values	15-41
Process Alternatives	15-42
Multiple-Hearth Furnace	15-43
Fluidized-Bed Furnace	15-44
Design of Sludge Combustion Systems	15-46
Emissions Control	15-46
Pollution Control Technology	15-46
Conclusions	15-47
References	15-47
Symbols Used in this Chapter	15-48
16 Beneficial Use and Ultimate Disposal	16-1
Introduction	16-1
The 40 CFR Part 503 Regulations	16-2
Land Application	16-2
Pollutant Limits	16-4
Pathogen and Vector-Attraction Reduction	16-4
Management Practices	16-4
Distribution and Marketing	16-5
Composting	16-6
Heat Drying	16-6
Lime Stabilization	16-6
Surface Disposal	16-6
Pathogen and Vector-Attraction Reduction	16-7
Class A Pathogen Requirements	16-8
Class B Pathogen Requirements	16-9
Pathogen Treatment Processes	16-10
Vector-Attraction Reduction Requirements	16-11
Combustion (Incineration)	16-12
Pollutant Limits	16-12
Design of Land Application Operations	16-13
Application Rates	16-14
Methods of Application	16-14
Odor Control	16-15
Design of Landfilling Operations	16-15
Design of Dedicated Land Disposal Operations	16-16
Application Rates	16-17
Methods of Application	16-17
Conclusions	16-18
References	16-18
Symbols Used in this Chapter	16-19
Index	i-1