



Disturbed soil properties and geotechnical design

Andrew Schofield



Thomas Telford

Contents

| | |
|---|-----------|
| Foreword | vii |
| Preface | x |
| Nomenclature | xiv |
| | |
| 1 Slip plane properties | 1 |
| 1.1 Maps of soil behaviour | 1 |
| 1.2 Masonry in Coulomb's Essay | 7 |
| 1.3 Marshal Vauban's fortress wall | 12 |
| 1.4 Soil properties in Coulomb's Essay | 15 |
| 1.5 Coulomb's law | 19 |
| | |
| 2 Interlocking, critical states (CS) and liquefaction | 22 |
| 2.1 An interlocking soil strength component | 22 |
| 2.2 Frictional dissipation of energy and the CS | 29 |
| 2.3 Reynolds' dilatancy and Hazen's liquefied soil | 32 |
| 2.4 Hazen's liquefaction and Casagrande | 35 |
| 2.5 Herrick's liquefaction | 41 |
| 2.6 Failure at low effective stress | 43 |
| | |
| 3 Soil classification and strength | 46 |
| 3.1 Casagrande's soil classification and soil plasticity | 46 |
| 3.2 Hvorslev's clay strength data and the CS line of clay | 50 |
| 3.3 CS interpretation of Hvorslev's shear box data | 58 |
| | |
| 4 Limiting stress states and CS | 65 |
| 4.1 Strain circle, soil stiffness and strength | 65 |
| 4.2 Rankine's soil mechanics | 73 |
| 4.3 Skempton's parameters A and B , and CS values of c and ϕ | 78 |
| | |
| 5 Plasticity and original Cam Clay (OCC) | 88 |
| 5.1 Baker's plastic design of steel frame structures | 88 |
| 5.2 The associated flow rule and Drucker's stability criterion | 91 |

| | | |
|----------|--|------------|
| 5.3 | Thurairajah's power dissipation function | 94 |
| 5.4 | The OCC yield locus | 96 |
| 5.5 | Test data, model modification and OCC teaching | 105 |
| 5.6 | Laboratory testing and geotechnical design | 110 |
| 6 | Geotechnical plastic design | 112 |
| 6.1 | The place of plastic analysis in design | 112 |
| 6.2 | Lessons from the geotechnical centrifuge | 114 |
| 6.3 | Herrick's liquefaction in models | 117 |
| 6.4 | Geotechnical centrifuge developments | 123 |
| 6.5 | Conclusions | 125 |
| | References | 129 |
| | Index | 134 |