Studies on the Development of Economical Drainage Systems for Multi-storeyed Buildings

Dr. S.P. Chakrabarti



1987 A.A. BALKEMA/ROTTERDAM



Contents

ACKN	NOWLEDGMENT		v
SUM	MARY		xi
CHAF	TER I. INTRODUCTION		1
1.1	Drainage Systems	ASTA	1
1.2	Limitations of Existing Design Procedure for Drainage Systems		2
	1.2.1 Peak hydraulic load in drainage stack		2
	1.2.2 Considerations concerning terminal velocity of water inside vertical drainage pipe in unvented system	214. (1) • • •	3
	1.2.3 Comments on the design of vented system		3
1.3	Present Study		4
CHAI	PTER II. SHORT RÉSUMÉ OF PERTINENT PREVIOUS RESEARCH	mm	5
2.1	Requirements for an Efficient Drainage System		5
2.2	Hydraulics of Air-Water Flow in Drainage Stack		5
2.3	Terminal Velocity in Stack		8
2.4	Terminal Length in Stack		12
2.5	Air-Water Flow Relationships		15
2.6	Empirical Approach to the Design of Unvented Drainage Stack		15
2.7	Rational Approach to the Design of Unvented Drainage Stack	10 10	18
2.8	Empirical Approach to the Design of Vent Stack		22

2.9 Rational Approach to the Design of Vent Stack	9409C-0	23
2.10 Hydraulic Loading in Drainage Stack		27
2.10.1 Theory of probability for predicting peak hydraulic load		28
2.10.1.1 Application of probability theory to a simple system		28
2.10.1.2 Design load for mixed system		29
2.11 Performance Study of Horizontal Branch		30
2.11.1 Fixture discharge characteristics		30
2.11.2 Seal-loss due to self-siphonage		30
2.12 Limitations of Existing Design Procedures for Unvented and Vented Drainage Systems	(and and a second s	31
CHAPTER III. ANALYSIS OF FLOW IN DRAINAGE STACK	alinti 	33
3.1 Computation of Suction Inside Drainage Stack		33
3.1.1 Unvented drainage system	1	33
3.1.2 Partially vented drainage system		36
3.1.2.1 Computation of head-losses		37
3.2 Water-Film Thickness		39
3.3 Velocity at Air-Water Interface	· · · · ·	41
3.4 Air Flow Inside Stack		41
CHAPTER IV. EXPERIMENTAL SET-UPS AND SCHEDULE OF EXPERIMENTAL WORK	D MANA Walioza	44
4.1 Validation of Analytical Model for Prediction of Suction Inside Stack	notarită () Licite ()	44
4.1.1 Peak discharge rates of sanitary appliances		44
4.1.2 Test loads	w. w.	48
4.2 Verification of Analytical Model for MOP-System	· · · ·	50
4.3 Limiting Capacities of Stacks in Different Systems of Drainage		52
4.4 Simultaneous Peak Flow	Divisio	52

52

5

- 4.4 Simultaneous Peak Flow
 - 4.4.1 Residential buildings

viii

		1X
4.4.2 Office buildings		55
4.5 Performance of Horizontal Drains		56
CHAPTER V. RESULTS AND DISCUSSIONS		58
5.1 Computation of Suction for Unvented Drainage System in Buildings through Analytical Model		58
5.2 Computation of Suction for Partially Vented MOP- System through Analytical Model		61
5.3 Peak Hydraulic Load in Residential Buildings		64
5.3.1 Use frequency pattern		64
5.3.1.1 Sanitary installations and their discharge rates		64
5.3.1.2 Frequency of use of appliances		64
5.3.1.3 Discharge unit values		68
5.3.1.4 Simultaneous flow-discharge unit curve for residential buildings		71
5.3.2 Water demand in residential buildings		71
5.4 Peak Hydraulic Load in Office Buildings		73
5.4.1 Use frequency pattern		73
5.4.1.1 Discharge rates		73
5.4.1.2 Use frequency of appliances		73
5.4.1.3 Discharge unit values		76
5.4.1.4 Peak flow curve for office buildings		77
5.5 Further Research Need on Peak Hydraulic Load in Buildings		77
5.6 Limiting Capacity of Unvented Drainage Stack		79
5.7 Limiting Capacity of Partially Vented Drainage Stack		84
5.8 Performance Study of Horizontal Branch		90
5.9 Economics of SS- and MOP-Systems		94
CHAPTER VI. CONCLUSIONS	• • •	95
REFERENCES		97
APPENDIX		100
NOMENCLATURE	• • •	101
GLOSSARY OF PLUMBING TERMS		102

:...