

PROCEEDINGS OF THE INTERNATIONAL SYMPOSIUM, ISSMGE TC 215, TORINO,
ITALY, 1-3 JULY 2013

Table of contents

Coupled Phenomena in Environmental Geotechnics

From theoretical and experimental research
to practical applications

Editors

Mario Manassero, Andrea Dominijanni, Sebastiano Foti &
Guido Musso

*Dipartimento di Ingegneria Strutturale, Edile e Geotecnica,
Politecnico di Torino, Torino, Italy*



CRC Press

Taylor & Francis Group

Boca Raton London New York Leiden

CRC Press is an imprint of the
Taylor & Francis Group, an Informa business

A BALKEMA BOOK

Table of contents

Organisers	XI
Preface	XIII
Committees	XV
Special papers	
Recent advances in understanding and improving the performance of lining and capping systems for landfill and mining applications <i>R.K. Rowe</i>	3
Coupled modelling of barriers for radioactive waste disposal <i>A. Gens</i>	21
Application of solid potassium permanganate to oxidize VOC vapours: Batch and column experiments <i>M.G. Mahmoodlu, S.M. Hassanizadeh, N. Hartog & A. Raoof</i>	35
General reports	
Membrane behavior in engineered bentonite-based containment barriers: State of the art <i>C. Shackelford</i>	45
Liquid and gas flow in municipal solid waste <i>J. Powrie, R.P. Beaven, D.S. Holmes & A.P. Hudson</i>	61
Experimental evidence of anisotropy in municipal solid waste <i>D. Zekkos</i>	69
Impact of subgrade water content on cation exchange and hydraulic conductivity of geosynthetic clay liners in composite barriers <i>C.H. Benson</i>	79
Advances in the analysis of thermo-active foundations <i>L. Laloui, T. Mimouni & F. Dupray</i>	85
Bio-geo-chemical processes for improvement of soil engineering properties with focus on microbially induced calcite precipitation <i>J.D. DeJong, B.C. Martinez, T.R. Ginn & D.C. Nelson</i>	103
Multiphase aspects of soil contamination by immiscible petroleum hydrocarbons <i>P. Delage</i>	119
Electrokinetic remediation of soils at complex contaminated sites: Technology status, challenges, and opportunities <i>K.R. Reddy</i>	131
Cement bentonite cutoff walls for polluted sites <i>K. Soga, K. Joshi & J.C. Evans</i>	149
Specific lectures	
Thermotropic phenomena in bentonites <i>A. Domínguez, M. Manassero & S. Puma</i>	169

Effect of mechanical settlement on biogas transfer in MSW landfills <i>L. Oxarango, J.P. Gourc, G. Stoltz & A.J. Tinet</i>	181
Mass loss and volume change: From sand-salt analogues to MSW <i>J.R. McDougall, I.R. Fleming, R. Thiel, P. Dewaele, D. Parker & D. Kelly</i>	189
Modeling the coupled chemo-hydro-mechanical behavior of compacted active clays <i>G. Musso, G. Della Vecchia & E. Romero</i>	199
Soil effective thermal conductivity from energy pile thermal tests <i>A. Bouazza, B. Wang & R.M. Singh</i>	211
Modification of clay consolidation properties using microbial gas production <i>A.M. Puzrin</i>	221
Injection of zero-valent iron micro- and nano-particles for groundwater remediation: Laboratory tests and transport modelling <i>T. Tosco, F. Gastone & R. Sethi</i>	223
Modelling gas and water flow in environmental problems <i>S. Olivella</i>	231
Migration of aggressive solutions through cement-bentonite slurry walls <i>E. Fratalocchi, V. Brianzoni, M. Di Sante, F. Mazzieri & E. Pasqualini</i>	243
<i>General papers</i>	
Landfill bottom and sides lining systems	
Comparison of natural, polymer treated, and sodium activated Ca-bentonites <i>G. Di Emidio, R.D.F. Verastegui & A. Bezuijen</i>	255
Dynamic shear behavior of geosynthetic-soil interface and numerical implementation considering chemical effect <i>C.W. Kwak, I.J. Park, J.B. Park & J.K. Kim</i>	261
Influence of membrane behavior on solute diffusion through GCLs <i>M. Malusis, J. Kang & C. Shackelford</i>	267
Hydraulic behaviour of activated calcium bentonite mixed with polyionic charged polymers for landfill and earthwork applications <i>A. Razakamanantsoa, I. Djeran-Maire & G. Barast</i>	275
Interaction between clogging of a leachate drainage layer and leakage through a composite liner <i>R.K. Rowe, Y. Yu & M.S. Hosney</i>	283
Some geotextiles properties useful for HDPE geomembrane puncture protection <i>G. Stoltz, D. Croissant & N. Touze-Foltz</i>	291
Landfill waste characterization	
Geotechnical characterization of waste dredged sediments for Algerian dams <i>M.A. Bourabah, B. Serbah, N. Abou-Bekr & S. Taibi</i>	299
Dynamic characterization of municipal solid waste by SDMT <i>F. Castelli & M. Maugeri</i>	307
Correlation between compressibility and degradation for a PTMB waste <i>M. Conte, J.P. Gourc, P. Carrubba & L. Oxarango</i>	313
A laboratory landfill simulator for physical, geotechnical, chemical and microbial characterization of solid waste biodegradation processes <i>X. Fei, D. Zekkos & L. Raskin</i>	321
Leachate recirculation using horizontal trenches considering the effect of MSW settlement <i>S.J. Feng & X. Zhang</i>	329

2011 East Japan earthquake and tsunami – Geoenvironmental challenges <i>T. Katsumi, T. Inui, A. Takai, K. Endo, H. Sakanakura, T. Yasutaka, Y. Otsuka, H. Suzuki, H. Sakamoto, M. Okawara & H. Imanishi</i>	335
Composition and degradation effects on the compaction characteristics of municipal solid wastes <i>H.F. Pulat & Y. Yukselen-Aksoy</i>	341
Shear strength of municipal waste materials from two landfills in Serbia <i>D. Rakić, L. Čaki & S. Čorić</i>	347
Stability and settlement analysis of landfills and natural slopes	
HydroMechanical coupled model for unsaturated phenomena in a rainfall-induced landslide <i>W. Arairo, I. Djéran-Maigre, F. Prunier & A. Millard</i>	357
A model for anaerobic degradation of municipal solid waste <i>Y.M. Chen, R.Y. Guo, Y.C. Li & L.T. Zhan</i>	365
Water retention and shrinkage properties of a cemented dredged material <i>A.C.F. Chiu, X.P. Hu, C.W.W. Ng & G.H. Lei</i>	371
<i>J</i> -integral as a useful fracture parameter for analysis of desiccation cracking in clayey soils <i>S. Costa, J. Kodikara & J. Xue</i>	377
Soil mass stability analysis using Euler-Lagrange coupling <i>M.S. Šerbulea, A. Andronic, D.M. Manoli & A. Priceputu</i>	383
Piggyback liner detection by means of spatially constrained inversion of SWM data <i>S. Stocco, C. Castiglia & D. Mainero</i>	387
Three-dimensional rotational-translational mechanism for the stability analysis of landfill <i>H. Wang & M. Huang</i>	393
Linings for radioactive waste and capping systems for landfills and polluted sites	
Environmental restoration with deep roots herbaceous species <i>N. Era & T. Verrascina</i>	401
Micropore vs. macropore flow: Implications for landfill final cover design <i>M.V. Khire & D.S. Saravanathiiban</i>	407
Coupled thermo-hydraulic pulse tests on two reference Belgian clay formations <i>A. Lima, E. Romero, A. Gens, J. Vaunat & X.L. Li</i>	413
Improved correction factor for indirect determination of permeability function <i>Priono, H. Rahardjo, E.C. Leong, J.Y. Wang & K. Chatterjee</i>	419
Capillary barrier system for landfill capping <i>H. Rahardjo, A. Satyanaga, FR. Harnas, J.Y. Wang & E.C. Leong</i>	425
Geosynthetic clay liner gas permeability relationship with moisture content and suction under pre-conditioning stresses <i>M.A. Rouf, R.M. Singh, A. Bouazza & R.K. Rowe</i>	435
Modeling of strain localization around the radioactive waste disposal galleries <i>F. Salehnia, R. Charlier & S. Levasseur</i>	443
Constitutive model for unsaturated soils based on the effective stress <i>H. Shin & S.R. Lee</i>	451
Crack control of landfill liner and cap materials using nano-alumina powder <i>M.R. Taha & O.M. Taha</i>	459
Underground energy issues	
Coupled phenomena induced by freezing in a granular material <i>F. Casini, A. Gens, S. Olivella & G.M.B. Viggiani</i>	467

Numerical study of the heating-cooling effects on the geotechnical behaviour of energy piles <i>A. Di Donna, F. Dupray & L. Laloui</i>	475
Effect of groundwater flow on the THM behavior of an energy pile <i>F. Dupray, M. Baehler & L. Laloui</i>	483
Thermal, hydraulic and mechanical performances of enhanced grouting materials for borehole heat exchanger <i>S. Erol & B. François</i>	491
Technical and economic feasibility study of different thermal energy supply systems scenarios for multi-residential buildings <i>R. Katzenbach, F. Clauss, D. Casini & H. Früchtenicht</i>	501
Long term performance of heat exchanger piles <i>C.G. Olgun, S.L. Abdelaziz & J.R. Martin</i>	511
A device for studying simultaneous heat and moisture movement through soils <i>B.H. Rao</i>	519
Soil thermal behavior of a horizontal ground source heat system <i>H.R. Thomas, B.D.P. Hepburn & M. Sedighi</i>	525
Natural and anthropogenic bio-chemical processes within soils and rocks	
Mechanical and hydraulic effects of deep roots planting on slope stability <i>M. Cecconi, V. Pane, P. Napoli & C. Zarotti</i>	533
Chemo-mechanical weathering of calcarenites: Experiments & theory <i>M.O. Ciantia, C. di Prisco & R. Castellanza</i>	541
Chemo-mechanical behaviour of a low activity clay <i>A. Ferrari, P. Witteveen & L. Laloui</i>	549
Exploiting physico-chemical modification of soils in closed face tunnelling <i>S.A. Jefferis & A.S. Merritt</i>	557
Combining biomineralization with chemically enhanced drainage in soils <i>P. Minder & A.M. Puzrin</i>	565
Characterization of polluted sites and related aquifers	
Characterization of LNAPL distribution in whole domains subject to precipitation by the simplified image analysis method <i>G. Flores, T. Katsumi, T. Inui & H. Ramli</i>	573
Interaction of metal adsorption and solubilization in a lateritic clay <i>S.G. Gabas & M.E.G. Bosco</i>	579
Factors affecting heavy metal leaching from excavated rocks with natural contamination <i>T. Inui, T. Katsumi, A. Takai & M. Kamon</i>	587
Novel techniques for simulating and monitoring impact of contaminants on geoenvironment <i>K.R. Iyer, P. Pathak & D.N. Singh</i>	593
Studying the effects of contamination on the geotechnical properties of clayey soil <i>M.O. Karkush, A.T. Zaboon & H.M. Hussien</i>	599
Batch equilibrium test methodology for estimating the retardation factor (R_d) using a hexachlorocyclohexane (HCH) solution <i>L.S. Macedo, F.P. Manéo & G. Mondelli</i>	609
The resistivity piezocene for high resolution geo-environmental site investigation: A Brazilian example <i>M.T. Riyis & H.L. Giacheti</i>	617
A case study of contaminant transport and fate at a landfill site in China <i>M. Sedighi, H.R. Thomas, H.J. Xie, Y.M. Chen & C. Guan</i>	625

Effect of geometrical sand drains on consolidation of soft contaminated marine clays using Oedometer <i>M.V. Shah & A.V. Shroff</i>	631
Geostatistical analysis of groundwater nitrates distribution in the Plaine d'Alsace <i>R.-L. Spacagna, C. de Fouquet & G. Russo</i>	637
Degradation extraction and inerting systems for the reclamation of polluted sites	
The use of lime in the stabilization and solidification of lateritic soil contaminated with tannery effluent <i>A.O. Eberemu</i>	647
Preliminary results on the stabilization of dredged sediments from the Port of Taranto <i>A. Federico, A. Murianni, E. Miccoli, C. Vitone, M. Nobile & G. Internò</i>	655
Sustainable remediation of contaminated sites <i>C.N. Mulligan, S. Dumais & R. Noel-de-Tilly</i>	663
Prediction of time to reduce tsunami sediment salinity by rainfall after the Great East Japan Earthquake <i>K. Tada, H. Komine & S. Murakami</i>	671
Green and sustainable remediation of contaminated Indian Ridge Marsh site in Chicago, USA <i>E.N. Yargicoglu & K.R. Reddy</i>	675
Active and passive barriers for polluted sites	
Critical aspects related to Fe ⁰ and Fe ⁰ /pumice PRB design <i>S. Bilardi, P.S. Calabro & N. Moraci</i>	685
Flow numerical modeling for efficiency assessment of vertical barriers in landfills <i>E. Koda, P. Osiński & T. Kołanka</i>	693
Design, installation and performance of containment system at a petroleum-release site <i>A. Sanzeni, M. Morando, E. Crescini & A. Guerini</i>	699
Hydraulic barrier performance of soil bentonite mixture cutoff wall <i>A. Takai, T. Inui, T. Katsumi, M. Kamon & S. Araki</i>	707
Author index	715