

# Mineral deposits of Europe

## Volume 3: Central Europe

Edited by F. W. Dunning and A. M. Evans

Non-metallic minerals editor A. J. G. Notholt

Production editor M. J. Jones

The Institution of Mining and Metallurgy

The Mineralogical Society



# Contents

Preface . . . . .	v	Mineral deposits . . . . .	19
Steering Committee . . . . .	vii	Lead-zinc . . . . .	19
Introduction by K. Schmidt and B. Kölbl . . . . .	1	Iron . . . . .	19
Fundamental geotectonic division and development of Central Europe . . . . .	1	Iron-manganese ores . . . . .	20
Geological-tectonic-minerogenetic characteristics of structural storeys (development stages) in summary . . . . .	5	Manganese ores . . . . .	20
Precambrian structural storeys . . . . .	5	Bauxite . . . . .	20
Caledonian structural storey . . . . .	5	Uranium . . . . .	20
Variscan geosynclinal-orogen structural storey . . . . .	7	Gypsum-anhydrite . . . . .	20
Post-Variscan platform superstructure . . . . .	8	Rock salt . . . . .	20
Alpine geosynclinal-orogen superstructure . . . . .	9	Copper . . . . .	21
Central Alps-Inner Carpathian zone . . . . .	10	Cu-Ni-Co ores . . . . .	22
Northern Kalkalpen (Calcareous Alps) . . . . .	10	Pyrite (with/without Cu, As, Pb) . . . . .	22
Flysch zone . . . . .	11	Iron deposits . . . . .	23
Molasse zone (Alpine and Carpathian foredeep) . . . . .	11	Manganese . . . . .	23
Superposed Tertiary basins . . . . .	11	Magnesite . . . . .	23
Austria by Herwig F. Holzer . . . . .	15	Scheelite-magnesite . . . . .	25
Metallogenic theories . . . . .	15	Cryptocrystalline magnesite . . . . .	25
Main tectonic-metallogenic units . . . . .	17	Barite . . . . .	25
Mineral deposits in Bohemian Massif (extra-Alpine basement) and its platform cover . . . . .	17	Talc . . . . .	25
Geology . . . . .	17	Graphite . . . . .	25
Mineral deposits . . . . .	17	Gold . . . . .	25
Iron . . . . .	17	Molybdenum . . . . .	26
Lead . . . . .	17	Tungsten (Scheelite) . . . . .	26
Graphite . . . . .	17	Geology and petrology . . . . .	26
Kaolin . . . . .	17	Ore mineralogy . . . . .	27
Feldspar and quartz . . . . .	18	Copper . . . . .	29
Vermiculite . . . . .	18	Antimony . . . . .	29
Mineral deposits in Alpine Foreland (Molasse Zone) and in intramontane basins . . . . .	18	Lead-zinc-fluorite . . . . .	30
Geology . . . . .	18	Kyanite . . . . .	31
Mineral deposits . . . . .	18	Uranium . . . . .	31
Phosphates . . . . .	18	Gypsum and anhydrite . . . . .	31
Diatomite . . . . .	18	Barite . . . . .	31
Bentonite, illite and trass . . . . .	18	Leucophyllite (mica-kaolin) . . . . .	31
Eastern Alps . . . . .	18	Talc . . . . .	31
Geology . . . . .	19	Iron . . . . .	31
		Mercury . . . . .	32
		Polymetallic deposits (Cu, Ni-Co-Bi, Pb-Zn, Sb) . . . . .	32
		Silver (Pb, Cu, Fe, barite) . . . . .	32
		Lead-zinc-copper . . . . .	33
		Pyrrhotite-arsenopyrite-pyrite deposits with precious metals . . . . .	33
		Lead (Ag)-zinc deposits . . . . .	33
		Pyrite (with/without Cu, As) . . . . .	33
		Lithium . . . . .	33
		Drauzug, Karawanken Range and Periadriatic Igneous Suite, Southern Alps . . . . .	33
		Lead-zinc . . . . .	33
		Mercury . . . . .	37



Switzerland by Felice C. Jaffé . . . . .	41	Silberberg, Bleiberg and Bärenbühl, Grisons . . . . .	49
Geological and metallogenic provinces . . . . .	41	Alp Taspin, Grisons . . . . .	49
Jura . . . . .	41	St Luc-Bella Tola, Wallis . . . . .	49
Iron . . . . .	41	Praz Jean, Wallis . . . . .	49
Delemont, Jura . . . . .	41	Manganese . . . . .	49
Herznach-Fricktal, Aargau . . . . .	43	Oberhalbstein, Grisons . . . . .	49
Molasse basin . . . . .	44	Nickel in ultrabasic rocks . . . . .	49
Placer gold . . . . .	44	Poschiavo, Grisons; Totalp, Grisons; and Palagnedra, Tessin . . . . .	49
Allondon, Geneva . . . . .	44	Nickel-cobalt . . . . .	49
Napf, Luzern . . . . .	44	Kaltenberg, Wallis . . . . .	49
Calcareous Alps . . . . .	44	Uranium . . . . .	49
Copper . . . . .	44	Isérables, Wallis . . . . .	49
Préalpes . . . . .	44	Non-metallics . . . . .	50
Mürtschenalp, Glarus . . . . .	44	Fluorspar . . . . .	50
Gold . . . . .	44	Les Trappistes, Wallis . . . . .	50
Calanda, Grisons . . . . .	44	Gypsum . . . . .	50
Iron . . . . .	44	Bex, Vaud; Granges, Wallis; Leissigen, Bern; Läufelfingen, Basel Land; Kienberg, Solothurn; Felsenau, Aargau; and Ennetmoos, Unterwald . . . . .	50
Chamoson, Wallis . . . . .	44	Nephrite . . . . .	50
Erzegg, Bern . . . . .	44	Scortaseo, Grisons . . . . .	50
Manganese . . . . .	45	Phosphates . . . . .	50
Gonzen, St-Gall . . . . .	45	Pizzo Corandoni, Tessin . . . . .	50
Uranium . . . . .	45	Quartz and other minerals in Alpine fissures . . . . .	50
Mürtschenalp, Glarus . . . . .	45	Salt . . . . .	51
Hercynian massifs . . . . .	45	Rheinfelden, Aargau-Schweizerhalle, Basel Land . . . . .	51
Copper . . . . .	45	Bex, Vaud . . . . .	51
Puntaiglas, Grisons . . . . .	45	Conclusions and outlook . . . . .	51
Gold . . . . .	45	Acknowledgement . . . . .	51
Salanfe, Wallis . . . . .	45	Poland by R. Osika . . . . .	55
Iron . . . . .	45	Tectonic-metallogenic regions of Poland . . . . .	55
Mont Chemin, Wallis . . . . .	45	Region of Góry Świętokrzyskie (Holy Cross Mountains) . . . . .	57
Lead-zinc . . . . .	46	Region of Lower Silesia . . . . .	59
Alp Nadèls, Grisons . . . . .	46	Region of Upper Silesia . . . . .	59
Bristenstock, Uri . . . . .	46	Region of the Carpathians . . . . .	59
Trachsellaunen, Bern . . . . .	46	Region of the Carpathian Foredeep . . . . .	60
Goppenstein, Wallis . . . . .	46	Region of the Precambrian platform . . . . .	60
Molybdenum . . . . .	46	Region of the Palaeozoic platform . . . . .	61
Baltschiederatal, Wallis . . . . .	46	Metallic ore deposits . . . . .	62
Other occurrences (Wallis) . . . . .	46	Iron ores . . . . .	62
Uranium . . . . .	46	Endogenous deposits . . . . .	62
Trun, Grisons . . . . .	46	Krzemianka ilmenite-magnetite ore deposit . . . . .	62
Naters, Wallis . . . . .	46	Kowary magnetite-quartzite ore deposit . . . . .	62
Le Chatelard and Les Marecottes, Wallis . . . . .	46	Veins and lenses of hematite, siderite and pyrite . . . . .	63
Penninic, Austroalpine and southern Alps . . . . .	47		
Copper . . . . .	47		
Alp Ursera, Grisons . . . . .	47		
Grimentz, Wallis . . . . .	47		
Gold . . . . .	47		
Astano, Tessin . . . . .	47		
Gondo, Wallis . . . . .	48		
Iron . . . . .	48		
Val Ferrera, Grisons . . . . .	48		
Lead-zinc . . . . .	48		
S-charl, Grisons . . . . .	48		

Exogenous deposits . . . . .	65	Exogenous deposits . . . . .	85
Sedimentary deposits . . . . .	65	Zechstein salt-bearing basin . . . . .	85
Ore deposits formed by weathering processes . . . . .	69	Miocene salt-bearing basin . . . . .	86
Copper ores . . . . .	69	Phosphorites . . . . .	88
Endogenous deposits . . . . .	69	Barite and fluorspar . . . . .	90
Vein copper ore deposits in the Sudetes . . . . .	69	Endogenous deposits . . . . .	90
Epigenetic copper ore deposits in the Góry Świętokrzyskie . . . . .	70	Boguszów barite deposit . . . . .	90
Exogenous deposits . . . . .	71	Stanisławów barite deposit . . . . .	90
Copper ores in Lower Permian terrestrial sediments . . . . .	71	Kletno fluorspar deposit . . . . .	90
Copper ores in Upper Permian marine sediments . . . . .	71	Exogenous deposits . . . . .	90
Zinc-lead ores . . . . .	73	Strawczynek barite deposit . . . . .	90
Endogenous deposits . . . . .	73	Other non-metallic deposits . . . . .	91
Veins of zinc and lead ore in the Sudetes . . . . .	73	Endogenous deposits . . . . .	91
Veins and pockets of lead ore in Góry Świętokrzyskie . . . . .	74	Quartz . . . . .	91
Exogenous deposits . . . . .	74	Feldspar . . . . .	91
Zinc-lead deposits in Triassic rocks of Silesia-Krakow Upland . . . . .	74	Exogenous deposits . . . . .	92
Chromium, arsenic, tin, nickel and aluminium ores . . . . .	77	Magnesite . . . . .	92
Endogenous deposits . . . . .	77	Gypsum and anhydrite . . . . .	94
Chromium . . . . .	77	Kaolin . . . . .	95
Arsenic . . . . .	78	Bentonite . . . . .	96
Tin . . . . .	79	Belgium by L. Dejonghe . . . . .	99
Exogenous deposits . . . . .	79	Geological framework . . . . .	99
Nickel . . . . .	79	Lead and zinc deposits . . . . .	99
Bauxite . . . . .	80	Vein-type deposits and associated irregular bodies (so-called 'amas') . . . . .	100
Important accessory metals in ores and rocks . . . . .	81	Other types of deposit . . . . .	102
Gold . . . . .	81	Ore deposits of karstic affinities . . . . .	102
Silver . . . . .	82	Ore deposits of sedimentary affinities . . . . .	103
Cadmium and thallium . . . . .	82	Hypotheses concerning source of metals . . . . .	103
Other metals . . . . .	82	Barite deposits . . . . .	104
Deposits of non-metallic minerals for the chemical industry . . . . .	82	Fluorite deposits . . . . .	105
Pyrite and marcasite . . . . .	82	Iron deposits . . . . .	105
Endogenous deposits . . . . .	82	Sedimentary deposits . . . . .	106
Rudki pyrite deposit . . . . .	82	Weathering deposits . . . . .	107
Wieściszowice pyrite-bearing schist deposit . . . . .	83	Ore deposits due to weathering of sediments . . . . .	107
Exogenous deposits . . . . .	83	Palaeozoic . . . . .	107
Pyrite deposits in dolomites of Silesia-Krakow Triassic . . . . .	83	Lias . . . . .	107
Pyrite deposits in Eocene shales in Carpathians . . . . .	83	Eocene . . . . .	107
Native sulphur . . . . .	83	Mio-Pliocene . . . . .	107
Exogenous deposits . . . . .	83	Pliocene . . . . .	107
Deposits in Carpathian Foredeep . . . . .	83	Holocene . . . . .	108
Rock salt and magnesium-potassium salts . . . . .	85	Gossans of sulphide lodes . . . . .	108
		Karstic deposits . . . . .	108
		Manganese deposits . . . . .	108
		Phosphate deposits . . . . .	109
		Copper deposits . . . . .	109
		Gold deposits . . . . .	109
		Kaolin deposits . . . . .	110
		Weathering deposits . . . . .	110
		Sedimentary deposits . . . . .	110
		The Netherlands by H. M. Harsveldt . . . . .	113



Palaeogeographic setting—Zechstein . . .	113	Geological conditions governing formation of the non-metallic raw material deposits . . . . .	138
Exploration history . . . . .	114	Graphite deposits . . . . .	139
Palaeogeographic setting—Upper Bunter . . . . .	115	Feldspar deposits . . . . .	140
Boekelo concession . . . . .	115	Fluorite deposits . . . . .	141
Exploration history . . . . .	115	Kaolin deposits . . . . .	142
Bitter salts . . . . .	115	Deposits of clays and claystones . . . . .	143
Gypsum . . . . .	116	Deposits of glass sands, quartz and dinas quartzites . . . . .	144
Postscript . . . . .	116	Mineral deposits of the Czechoslovak Carpathians (Ján Ilávský) . . . . .	146
Czechoslovakia by Zdeněk Pouba and Ján Ilávský . . . . .	117	History of mining and geological research . . . . .	146
Mineral deposits of the Bohemian Massif (Zdeněk Pouba) . . . . .	117	Some economic data on Slovak ore deposits . . . . .	147
Mining history . . . . .	117	Geology and structural history . . . . .	147
Economic importance of Bohemian ore deposits . . . . .	118	Metallogenic epochs . . . . .	150
Geology of Bohemian Massif . . . . .	118	Caledonian metallogenic epoch . . . . .	151
Metallogenic history of Bohemian Massif . . . . .	121	Geosynclinal stage . . . . .	151
Pre-Variscan mineralization . . . . .	121	Variscan metallogenic epoch . . . . .	151
Variscan mineralization . . . . .	122	Geosynclinal stage . . . . .	151
Post-Variscan (Alpine) mineralization . . . . .	123	Orogenic stage . . . . .	153
Precambrian ore deposits of Bohemian Massif . . . . .	124	Early post-orogenic stage . . . . .	154
Ni-Cu and Zn-Cu deposits in Staré Ransko Precambrian ultrabasic complex . . . . .	124	Late post-orogenic stage . . . . .	154
Chvaletice Precambrian FeS <sub>2</sub> -Mn sedimentary deposit . . . . .	124	Alpine metallogenic epoch . . . . .	154
Palaeozoic sedimentary deposits . . . . .	125	Geosynclinal stage . . . . .	154
Sedimentary Fe deposits in Barrandian area . . . . .	125	Early orogenic stage . . . . .	155
Palaeozoic stratiform deposits . . . . .	126	Late orogenic stage . . . . .	155
Tisová stratiform Cu deposit . . . . .	126	Early post-orogenic stage . . . . .	156
Zlaté Hory stratiform Cu-Pb-Zn deposit . . . . .	126	Late post-orogenic stage . . . . .	156
Horní Benešov stratiform Pb-Zn deposit . . . . .	128	Geological description of main types of mineral deposits . . . . .	156
Variscan hydrothermal deposits . . . . .	130	Iron ores . . . . .	156
Jílové Au deposit . . . . .	130	Stratiform siderite deposits in Gemeride zone . . . . .	156
Příbram Ag-Pb-Zn vein deposit . . . . .	130	Hydrothermal veins with siderite and sulphides . . . . .	157
Kutná Hora Ag-Pb-Zn vein deposit . . . . .	132	Skarn magnetite ores in Central Slovakian Neovolcanic zone . . . . .	158
Jáchymov vein deposit with Ag-Bi-Co-Ni-U ores . . . . .	134	Manganese ores . . . . .	158
Horní Slavkov-Krásno Sn-W deposits . . . . .	135	Cupriferous ores . . . . .	158
Cínovec (Zinnwald) Sn-W-Li deposit . . . . .	136	Stratiform cupriferous pyrite deposits in early Palaeozoic . . . . .	159
Regenerated deposits of outer part of Bohemian Massif . . . . .	137	Hydrothermal vein deposits of cupriferous siderite ores in pre-Permian formations . . . . .	161
Harrachov F-Pb vein deposit . . . . .	137	Stratiform volcanosedimentary copper deposits in Permian . . . . .	161
Post-Variscan (Mesozoic-Cenozoic) deposits . . . . .	138	Cupriferous and polymetallic deposits in Neovolcanics . . . . .	162
Křemže lateritic Ni deposit . . . . .	138	Lead-zinc ores . . . . .	163
Non-metallic mineral deposits of Bohemian Massif . . . . .	138	Hydrothermal veins of plutogenic type in crystalline massifs . . . . .	163
Economics of non-metallic mineral deposits . . . . .	138	Hydrothermal veins, skarns and metasomatic Pb-Zn ores in Neovolcanics . . . . .	163

Hydrothermal subvolcanic veins . . . . .	163	Some data on mine production . . . . .	182
Metasomatic lead-zinc ores . . . . .	165	Mineral deposits in the Variscan orogenic belt . . . . .	183
Skarn lead-zinc ores . . . . .	165	Moldanubian and Saxothuringian zones . . . . .	183
Antimony ores . . . . .	165	Pre-orogenic endogenic deposits . . . . .	183
Volcanogenic-sedimentary deposits of Sb ores in Palaeozoic rocks . . . . .	165	Northeast Bavaria (E. O. Teuscher and W. Weinelt) . . . . .	183
Hydrothermal veins of Sb and Au . . . . .	165	Black Forest (W. Wimmenauer) . . . . .	185
Subvolcanic hydrothermal veins in Miocene Neovolcanics . . . . .	167	Pre-orogenic sedimentary deposits (E. O. Teuscher and W. Weinelt) . . . . .	185
Tetrahedrite type of antimony ores . . . . .	167	Variscan epigenetic deposits . . . . .	186
Mercury ores . . . . .	168	Northeast Bavaria (E. O. Teuscher and W. Weinelt) . . . . .	186
Hydrothermal siderite-sulphide veins . . . . .	168	Black Forest (W. Wimmenauer) . . . . .	188
Mercury deposits in Miocene Neovolcanic rocks . . . . .	168	Odenwald (H. Maus) . . . . .	191
Gold and silver ores . . . . .	168	Spessart (W. Weinelt) . . . . .	191
Nickel-cobalt ores . . . . .	168	Saar-Nahe Depression (C. Rée) . . . . .	192
Pyrite ores . . . . .	168	Late Palaeozoic strata-bound deposits . . . . .	193
Barite . . . . .	168	Uranium deposit near Baden-Baden (W. Wimmenauer) . . . . .	193
Magnesite . . . . .	169	Rhenohercynian Zone and sub-Variscan Foredeep . . . . .	193
Deposits of crystalline magnesite in early Palaeozoic of the Gemerides . . . . .	169	Volcanosedimentary deposits of early Variscan age . . . . .	194
Deposits of crystalline magnesite and talc in Veporide crystalline complex . . . . .	169	Rammelsberg deposit (G. Gunzert) . . . . .	194
Deposits of crystalline magnesite in Upper Carboniferous of the Gemerides . . . . .	169	Meggen deposit (W. Fuchs) . . . . .	198
Talc . . . . .	170	Other sulphide barite deposits . . . . .	205
Asbestos . . . . .	171	Red iron deposits in the Lahn-Dill district (H.-J. Lippert) . . . . .	205
Gypsum-anhydrite . . . . .	171	Other red iron and manganese ore deposits . . . . .	207
Halite . . . . .	171	Stratiform copper and gold mineralization . . . . .	208
Kaolinitic clays . . . . .	172	Lead-zinc deposits in Palaeozoic carbonate rocks (R. Gussone) . . . . .	208
Bentonites . . . . .	172	Aachen-Stolberg district . . . . .	208
Halloysite . . . . .	172	Iserlohn-Schwelm district . . . . .	209
Vein quartz . . . . .	172	Brilon district . . . . .	209
Limnoquartzites . . . . .	172	Problems of age and genesis of mineralization in carbonate rocks . . . . .	209
Quartzites . . . . .	172	Nickel and copper mineralization in basic magmatites . . . . .	209
Foundry and glass sands . . . . .	172	Vein deposits of Variscan age . . . . .	209
Diatomites . . . . .	172	Iron ore mines of the Siegerland-Wied district (W. Fenchel, M. Lusznat and G. Stadler) . . . . .	209
Perlites . . . . .	172	Lead-zinc ore veins in the northern and central Rheinische Schiefergebirge . . . . .	214
Petrurgical basalt . . . . .	172	Bergisches Land district (J. Hessemann and H. Lehmann) . . . . .	215
Volcanic tuffs and tuffites . . . . .	172	Ramsbeck deposit (P. Podufal) . . . . .	218
Limestones, marls and dolomites . . . . .	173	Pb-Zn ore veins in the Southern Rheinische Schiefergebirge (H. W. Walther, K. H. Emmermann and C. Rée) . . . . .	226
Decorative stones . . . . .	173		
Federal Republic of Germany by H. W. Walther . . . . .	175		
Introduction . . . . .	175		
Geological and metallogenic summary . . . . .	175		
Variscan basement . . . . .	175		
Post-Variscan cover . . . . .	177		
Alps and Foreland . . . . .	179		
Mesozoic to Tertiary rift system . . . . .	179		
Weathering deposits . . . . .	181		
History of mining . . . . .	181		



Lead-zinc ore veins in the Western Harz Mountains (H. Sperling)	230	Genetic interpretation . . . . .	267
Lead-zinc ore veins in the Sub-Variscan Foredeep (Ruhr district: A. Pilger and F. Stolze).	236	Mining . . . . .	268
Venn district . . . . .	240	Manganese ore deposits (H. Gudden)	268
Marsberg copper stockwork deposit . . . . .	240	Iron ore deposits (J. H. Ziegler) . . . . .	269
Late Palaeozoic sedimentary iron ore deposits . . . . .	241	Mineral deposits bound to the Mesozoic and Tertiary rift system . . . . .	269
Sedimentary mineral deposits in the epi-Variscan platform cover . . . . .	241	Alpine mineralization in the Sauerland district, northeastern Rheinisches Schiefergebirge (R. Schaeffer) . . . . .	271
Evaporites (E. Hofrichter) . . . . .	241	Distribution of mineralization . . . . .	272
Summary . . . . .	241	Mineral succession . . . . .	274
Chlorides . . . . .	242	Economic importance . . . . .	274
Sulphates . . . . .	244	Strontianite veins of the Münsterland Bight . . . . .	275
Fluorite . . . . .	245	Mineralization of the Lower Saxony Block . . . . .	276
The Kupferschiefer deposit (H. W. Walther and H.-J. Lippert) . . . . .	245	Barite-fluorite veins . . . . .	276
Synopsis . . . . .	245	Barite-fluorite veins in the Black Forest, Odenwald and Spessart . . . . .	276
Kupferschiefer ore seam in Hessian Depression . . . . .	246	Barite veins in Hessian Depression and adjacent areas . . . . .	279
Richelsdorf deposit . . . . .	248	Fluorite-barite veins in westernmost Bohemian Massif . . . . .	280
Other copper orefields and prospects in Hessian Depression . . . . .	249	Cobalt-nickel-bismuth paragenesis . . . . .	281
Non-ferrous metal mineralization in the Triassic . . . . .	251	Lead-zinc ore deposits . . . . .	282
Copper ores in the Bunter . . . . .	251	Vein and impregnation deposits in northern Eifel Mountains . . . . .	282
Sulphidic ores in the Middle and Upper Triassic . . . . .	251	Lead(-zinc) and copper veins in Devonian rocks . . . . .	282
Northern Germany (P. Simon) . . . . .	251	Lead-zinc impregnation deposits of Maubach and Mechernich (D. Schachner) . . . . .	284
Southern Germany . . . . .	251	Wiesloch deposit . . . . .	287
Mineralization in the Oberpfalz (Upper Palatinate) Bight and Freihung lead deposit (H. Gudden) . . . . .	253	Other lead-zinc mineralization . . . . .	288
Iron ore deposits (P. Simon) . . . . .	254	Copper and uranium impregnations . . . . .	289
Ores of the Lower Jurassic . . . . .	256	Niobium mineralization in carbonatites of the Kaiserstuhl . . . . .	289
Ores of the Middle Jurassic (Dogger) . . . . .	256	Mineral deposits associated with Ries impact . . . . .	289
Ores of the Upper Jurassic (Malm) . . . . .	256	Weathering deposits . . . . .	290
Ores of the Lower Cretaceous . . . . .	257	Gossans . . . . .	290
Ores of the Upper Cretaceous . . . . .	257	Iron and manganese . . . . .	290
Caenozoic ores . . . . .	258	Bauxite . . . . .	291
Industrial minerals . . . . .	258	Phosphorite . . . . .	291
Quartz, quartzite, silica sand and siliceous rocks . . . . .	258	Kaolin . . . . .	291
Vein quartz and quartzites . . . . .	258	Placer deposits . . . . .	292
Silica sand and silica sandstone . . . . .	260	Other mineral concentrations by superficial enrichment . . . . .	293
Unconsolidated siliceous rocks . . . . .	260	German Democratic Republic by L. Baumann, B. Köbel, M. Kraft, S. Lächelt, J. Rentzsch and K. Schmidt . . . . .	303
Feldspar and feldspar sand . . . . .	261	Geotectonic-minerogenetic survey of the German Democratic Republic . . . . .	303
Ball clay and mudstone . . . . .	262	Geotectonic-minerogenetic subdivision . . . . .	303
Sulphur and iron sulphides . . . . .	263		
Phosphate rocks . . . . .	263		
Ore deposits in the Alpine orogenic belt . . . . .	264		
Lead-zinc ore deposits (H.-J. Schneider) . . . . .	264		
Geological setting . . . . .	265		
Paragenesis and orebodies . . . . .	267		

Geotectonic-minerogenetic stages of development . . . . .	307
Minerogenetic units in the GDR . . . . .	310
The Fichtelgebirge-Erzgebirge Anticline (sub-zone I) . . . . .	310
Central Saxony Lineament (sub-zone II) . . . . .	310
The Granulitgebirge (sub-zone III) . . . . .	311
East Thuringian-North Saxony Synclinorium (sub-zone IV) . . . . .	312
Central European Rise (sub-zone V) . . . . .	312
Elbtal Zone (sub-zone VI) . . . . .	312
Lausitz Block (sub-zone VII) . . . . .	312
Harz and Flechtingen-Roßlau Block (sub-zone VIII) . . . . .	313
Trough in the northern GDR (sub-zone IX) . . . . .	313
Sub-Hercynian Basin, Thuringian Basin, South Thuringian-Franconian Basin (sub-zones X, XI, XII) . . . . .	313
Minerogeny (metallogeny) of the GDR territory with regard to typical mineralization . . . . .	313
Pre-Variscan Stages . . . . .	314
Variscan geosynclinal-orogen and molasse stage . . . . .	314
Post-Variscan Platform Stage . . . . .	318
Sedimentogene mineralization and deposits . . . . .	318
Magmatogene mineralization and deposits . . . . .	324
Fe-Mn-Ba association . . . . .	324
F (-Ba) association . . . . .	325
Polymetallic F-Ba association . . . . .	326
Co-Ni-Ag-As association . . . . .	327
Name index . . . . .	331
Subject index . . . . .	337