

probabilistic design of flood defences

CENTRE FOR CIVIL ENGINEERING RESEARCH AND CODES
TECHNICAL ADVISORY COMMITTEE ON WATER DEFENCES



CONTENTS

	NOTATION AND ABBREVIATIONS	8
Chapter 1	INTRODUCTION	15
1.1	Reason for the research.	15
1.2	Present design practice and its shortcomings	16
1.3	Principle of risk analysis and its advantages	18
1.4	Interim report of the study undertaken by TAW working group 10	18
Chapter 2	METHODS AND DEFINITIONS	20
2.1	Elements of a risk analysis	20
2.2	Calculations at level III, II and I	24
2.3	Series system and parallel system	34
2.4	Failure probability and reality.	38
Chapter 3	CALCULATION OF FAILURE PROBABILITIES.	40
3.1	Introduction	40
3.1.1	Statement of the problem.	40
3.1.2	Arrangement of Chapter 3	41
3.2	Overflowing and wave overtopping	42
3.2.1	Mechanism of overflowing	42
3.2.2	Reliability function for overflowing	43
3.2.3	Mechanism of wave overtopping	44
3.2.4	Reliability function for wave overtopping	45
3.2.5	Effect of exceeding the limit state	50
3.3	Macro-instability	51
3.3.1	Mechanism	51
3.3.2	Reliability function	54
3.3.3	Variation of the basic variables to be taken into account	55
3.3.4	Effect of exceeding the limit state	56
3.3.5	Effect of other mechanisms on macro-instability	56
3.3.6	Development of phreatic water pressures in a river dyke during a flood wave	57
3.4	Micro-instability	58
3.4.1	Mechanism	58
3.4.2	Reliability function	59
3.4.3	Effect of exceeding the limit state	60
3.5	Piping	61

3.5.1	Mechanism	61
3.5.2	Reliability functions	62
3.5.3	Effect of exceeding the limit state	66
3.6	Length effect	67
3.6.1	Introduction	67
3.6.2	Discrete dyke segments	67
3.6.3	Methods based on a continuous model	73
Chapter 4	CALCULATION OF THE INUNDATION CHARACTERISTICS	76
4.1	Introduction	76
4.2	Calculation of the inundation behaviour for a given breach in a river dyke and for overflowing	76
4.2.1	Inundation depth and inundation speed	76
4.2.2	Basic equations for river discharge and lateral discharge via a spillway	78
4.2.3	Discrete approximation for very short spillways	79
4.2.4	Discrete approximation for long spillways	80
4.2.5	Analytical approximation	81
4.3	Time-dependence of upstream discharge and lateral discharge	82
4.3.1	Form and duration of water levels associated with flood discharge	82
4.3.2	Development of a gap in a dyke	83
Chapter 5	CALCULATION OF DAMAGE IN THE EVENT OF A GIVEN INUNDATION	85
5.1	Introduction	85
5.2	Factors determining inundation damage	85
5.3	Number of deaths in the event of an inundation	87
5.4	Material damage associated with an inundation	89
5.4.1	Classification of property into categories	90
5.4.2	Damage factors	91
Chapter 6	DESIGN CRITERIA	96
6.1	Introduction	96
6.2	Personally acceptable level of risk	96
6.3	Socially acceptable level of risk	99
6.4	A concept of acceptable risk	111
6.5	Some practical considerations in connection with the standard of appraisal adopted	113
Chapter 7	WORKED EXAMPLE	118
7.1	Statement of problem	118
7.2	Stochastic variables	120
7.3	Calculation procedure	123

7.3.1	Optimization of the dyke design	123
7.3.2	Cost of construction	123
7.3.3	Capitalized loss expectation.	124
7.3.4	Loss as a function of inundation depth	124
7.3.5	Inundation depth	125
7.3.6	Probability density function for inundation depth.	125
7.3.7	Computational scheme	126
7.4	Results per mechanism	126
7.4.1	Overflowing	126
7.4.2	Macro-instability of inner slope	129
7.4.3	Piping	131
7.4.4	Micro-instability of inner slope	135
7.5	Combined failure probability of the dike	137
7.6	Optimal dyke design	137
7.7	Conclusions	138
Chapter 8	APPLICATIONS IN PRACTICE	139
8.1	Introduction	139
8.2	Eurocodes	139
8.3	TAW Guide to the Design of River Dykes	140
8.4	TAW Recommendations for Dunes	141
8.5	Safety considerations relating to the lock at Vlaardingen	142
8.6	Eastern Scheldt Storm Surge Barrier	143
8.7	Dykes around the Eastern Scheldt (Barcon).	143
8.8	Pumped Storage Scheme in the IJsselmeer	144
Chapter 9	SUMMARY, CONCLUSIONS AND RECOMMENDATIONS	146
9.1	Summary	146
9.2	Conclusions	149
9.3	Recommendations	150
	REFERENCES	152