



# PIPEJACKING AND MICROTUNNELLING

By

James C. Thomson, C. Eng., Eur. Ing.  
Chairman  
Jason Consultancy Group  
London - Geneva - Washington DC



**BLACKIE ACADEMIC & PROFESSIONAL**

An Imprint of Chapman & Hall

London · Glasgow · Weinheim · New York · Tokyo · Melbourne · Madras

# Contents

|          |   |           |
|----------|---|-----------|
| <b>1</b> | <b>Development of trenchless technology</b>                   | <b>1</b>  |
| 1.1      | Recent growth of trenchless technology                        | 1         |
| 1.1.1    | Categories of trenchless technology                           | 2         |
| 1.2      | Defining pipejacking and microtunnelling                      | 3         |
| 1.2.1    | Pipejacking   | 3         |
| 1.2.2    | Microtunnelling   | 6         |
| 1.3      | A historical perspective                                      | 6         |
| 1.3.1    | Pipejacking   | 6         |
| 1.3.2    | Microtunnelling   | 13        |
| <b>2</b> | <b>Pipejacking and microtunnelling methods</b>                | <b>15</b> |
| 2.1      | Elements of pipe jacking                                      | 15        |
| 2.1.1    | The face  | 15        |
| 2.1.2    | The line  | 17        |
| 2.1.3    | The jacking pit   | 20        |
| 2.1.4    | Top side—surface equipment                                    | 22        |
| 2.2      | Applications of pipejacking and microtunnelling               | 23        |
| 2.2.1    | Line installation   | 23        |
| 2.2.2    | Installation of ducts   | 26        |
| 2.2.3    | Crossings   | 28        |
| 2.2.4    | Pipe excavation techniques                                    | 29        |
| 2.3      | Advantages and limitations of pipejacking and microtunnelling | 30        |
| 2.3.1    | Working in a wide range of soil conditions                    | 31        |
| 2.3.2    | Minimising damage to property and existing services           | 31        |
| 2.3.3    | Minimising disruption to the public and the environment       | 32        |
| 2.3.4    | Safe working for operatives and public safety                 | 32        |
| 2.3.5    | Installing to owner's satisfaction                            | 33        |
| 2.3.5    | Providing a cost-effective solution                           | 34        |
| <b>3</b> | <b>Equipment: shields and tunnel boring machines</b>          | <b>35</b> |
| 3.1      | Introduction  | 35        |
| 3.2      | Classes of equipment  | 35        |
| 3.2.1    | Conventional (open) shields                                   | 36        |
| 3.2.2    | Compressed-air shields  | 40        |
| 3.2.3    | Auger-type shields  | 41        |
| 3.2.4    | Pressure chamber shields                                      | 41        |
| 3.2.5    | Design and construction of shields                            | 47        |
| 3.3      | Spoil cutting   | 48        |
| 3.3.1    | Manual excavation   | 48        |
| 3.3.2    | Partially-mechanised excavation                               | 48        |
| 3.3.3    | Rotary cutting arms and wheels                                | 50        |

|          |  |            |
|----------|--|------------|
| 3.3.4    | Full face machines                               | 51         |
| 3.3.5    | Crushing heads                                   | 53         |
| 3.3.6    | Rock heads                                       | 54         |
| 3.4      | Shield location, guidance and monitoring         | 55         |
| 3.4.1    | Location   | 55         |
| 3.4.2    | Guidance   | 60         |
| 3.4.3    | Monitoring additional information                | 61         |
| <b>4</b> | <b>Pipejacking: line, drive pit, top side</b>    | <b>62</b>  |
| 4.1      | Spoil removal                                    | 62         |
| 4.1.1    | Wheeled systems                                  | 62         |
| 4.1.2    | Belt and chain conveyors                         | 64         |
| 4.1.3    | Positive displacement pumps                      | 64         |
| 4.1.4    | Pumped slurry                                    | 64         |
| 4.1.5    | Screw conveyors                                  | 66         |
| 4.1.6    | Vacuum extraction                                | 67         |
| 4.2      | Jacking equipment                                | 67         |
| 4.2.1    | Jacking rigs                                     | 67         |
| 4.2.2    | Intermediate jacking stations (IJSs)             | 70         |
| 4.3      | Top side: surface equipment                      | 73         |
| 4.3.1    | Spoil handling and disposal                      | 73         |
| 4.3.2    | Pipe and other material handling                 | 75         |
| 4.3.3    | Power supplies: air, hydraulic and electric      | 76         |
| <b>5</b> | <b>Equipment: microtunnelling</b>                | <b>77</b>  |
| 5.1      | Classifying microtunnelling equipment            | 77         |
| 5.2      | Pilot-bore microtunnelling                       | 78         |
| 5.2.1    | Stage one, the pilot bore                        | 78         |
| 5.2.2    | Stage two, enlarging the bore                    | 81         |
| 5.3      | Auger-bore microtunnelling                       | 83         |
| 5.3.1    | Drive types                                      | 83         |
| 5.3.2    | Head variations                                  | 85         |
| 5.3.3    | Line installation                                | 89         |
| 5.3.4    | Equipment manufacturers and suppliers            | 90         |
| 5.4      | Pressure balance microtunnelling equipment       | 91         |
| 5.4.1    | Water balance machines                           | 92         |
| 5.4.2    | Bentonite slurry machines                        | 94         |
| 5.4.3    | Earth pressure balance machines                  | 95         |
| 5.4.4    | Manufacturers and suppliers                      | 96         |
| 5.5      | Displacement methods of microtunnelling          | 96         |
| 5.6      | Microtunnellers for on-line replacement          | 97         |
| 5.7      | Microtunnellers for house connections            | 98         |
| 5.8      | Site equipment                                   | 100        |
| <b>6</b> | <b>Design concepts</b>                           | <b>102</b> |
| 6.1      | Role of client, engineer and contractor          | 102        |
| 6.1.1    | Traditional approaches to design                 | 102        |
| 6.1.2    | Global trends                                    | 102        |
| 6.1.3    | The changing nature of work                      | 103        |
| 6.1.4    | Integrated design                                | 103        |
| 6.2      | Conceptual design for sewer installation         | 104        |
| 6.2.1    | Line installation: alignment, gradient and depth | 104        |
| 6.2.2    | Subsurface considerations                        | 107        |
| 6.2.3    | Construction considerations                      | 107        |
| 6.2.4    | Traffic, social and environmental considerations | 108        |
| 6.3      | Location of crossings                            | 109        |

|           |  |            |
|-----------|--|------------|
| 6.3.1     | Planning and design                            | 109        |
| 6.3.2     | Investigation                                  | 109        |
| 6.3.3     | Crossing waterways                             | 109        |
| <b>7</b>  | <b>Subsurface and site investigation</b>       | <b>111</b> |
| 7.1       | Subsurface investigation                       | 111        |
| 7.1.1     | Cost of investigation                          | 112        |
| 7.1.2     | Borehole sampling and laboratory testing       | 112        |
| 7.1.3     | Borehole and field testing                     | 114        |
| 7.1.4     | In-situ test methods                           | 115        |
| 7.1.5     | Geophysical techniques                         | 117        |
| 7.1.6     | Information from testing                       | 118        |
| 7.2       | Site investigation                             | 120        |
| 7.2.1     | Types of investigation                         | 120        |
| 7.2.2     | Points of conflict with underground structures | 121        |
| <b>8</b>  | <b>Design: permanent works</b>                 | <b>123</b> |
| 8.1       | Pipes and pipe connections                     | 123        |
| 8.1.1     | Requirements for jacking pipes                 | 123        |
| 8.1.2     | Concrete pipes                                 | 124        |
| 8.1.3     | Glass-reinforced plastic pipes (GRP)           | 129        |
| 8.1.4     | Asbestos cement pipes                          | 132        |
| 8.1.5     | Clay pipes                                     | 133        |
| 8.1.6     | Plastic pipes                                  | 135        |
| 8.1.7     | Ductile iron — pressure applications           | 135        |
| 8.2       | Structural design principles and methods       | 137        |
| 8.2.1     | Principles of pipe analysis                    | 137        |
| 8.2.2     | Loads on buried pipes in service               | 142        |
| 8.2.3     | Design of pipes                                | 146        |
| 8.3       | Protective linings and coatings                | 148        |
| 8.3.1     | Plastic sheet linings                          | 148        |
| 8.3.2     | Composite pipes                                | 148        |
| 8.4       | Permanent access shafts                        | 149        |
| 8.5       | Sewer connections                              | 150        |
| 8.5.1     | Direct connections of laterals                 | 150        |
| 8.5.2     | Connection via shafts                          | 151        |
| 8.6       | Installation of a pipe within a sleeve         | 153        |
| 8.6.1     | Differences in practice                        | 153        |
| 8.6.2     | Filling the annular space                      | 155        |
| 8.6.3     | Cable installation                             | 155        |
| <b>9</b>  | <b>Design: choice of method</b>                | <b>156</b> |
| 9.1       | Types of failure                               | 156        |
| 9.2       | Theory of face stability                       | 157        |
| 9.2.1     | Factors influencing face stability             | 157        |
| 9.2.2     | Stability of granular soils                    | 160        |
| 9.3       | Ground deformation                             | 165        |
| 9.4       | Control of face stability                      | 170        |
| 9.4.1     | Ground treatment                               | 171        |
| 9.4.2     | Choosing a shield or TBM                       | 172        |
| 9.5       | Rock   | 176        |
| <b>10</b> | <b>Temporary work design: the line</b>         | <b>178</b> |
| 10.1      | Jacking loads                                  | 178        |
| 10.1.1    | Face resistance                                | 179        |

|           |   |            |
|-----------|---|------------|
| 10.1.2    | Line friction loads                     | 182        |
| 10.2      | Factors influencing jacking forces      | 185        |
| 10.2.1    | Soil stability and ground water         | 185        |
| 10.2.2    | Delays                                  | 188        |
| 10.2.3    | Lubrication                             | 189        |
| 10.2.4    | Coatings and membranes                  | 194        |
| 10.2.5    | Overcut ratio                           | 196        |
| 10.2.6    | Pipe external surface                   | 197        |
| 10.2.7    | Misalignment                            | 198        |
| 10.3      | Pipe loads                              | 200        |
| 10.4      | Curved drives                           | 200        |
| <b>11</b> | <b>Drive and reception pits</b>         | <b>202</b> |
| 11.1      | Dimensions                              | 201        |
| 11.1.1    | Drive shafts                            | 201        |
| 11.1.2    | Reception pits                          | 201        |
| 11.2      | Shaft construction                      | 201        |
| 11.2.1    | Stable ground and shallow depths        | 202        |
| 11.2.2    | Unstable ground and deep shafts         | 205        |
| 11.3      | Safe entry and exit from shafts         | 209        |
| 11.3.1    | Stabilisation outside the shafts        | 210        |
| 11.3.2    | Sealing eyes within the shaft           | 210        |
| 11.3.3    | Key issues for entry and exit of shafts | 212        |
| 11.4      | Reaction walls                          | 212        |
| 11.4.1    | Reaction walls in shafts                | 212        |
| 11.4.2    | Reaction structures at ground level     | 214        |
| <b>12</b> | <b>Design: contract documents</b>       | <b>216</b> |
| 12.1      | Responsibility for documentation        | 216        |
| 12.2      | Conditions of contract                  | 216        |
| 12.2.1    | Standard forms                          | 216        |
| 12.2.2    | Time for completion                     | 217        |
| 12.2.3    | Limitations                             | 217        |
| 12.2.4    | Allocation of risk                      | 217        |
| 12.3      | Legal considerations                    | 219        |
| 12.3.1    | Safety legislation                      | 219        |
| 12.3.2    | Environmental legislation               | 221        |
| 12.4      | Specification                           | 222        |
| 12.5      | Drawings                                | 225        |
| 12.6      | Bills of quantities                     | 225        |
| 12.7      | Submissions                             | 226        |
| <b>13</b> | <b>Site control and supervision</b>     | <b>228</b> |
| 13.1      | Site organisation and management        | 228        |
| 13.1.1    | Site responsibilities                   | 228        |
| 13.1.2    | Operator training                       | 229        |
| 13.2      | Site works shafts and machines          | 229        |
| 13.2.1    | Shafts                                  | 229        |
| 13.2.2    | Machine considerations                  | 230        |
| 13.2.3    | Set-up efficiency                       | 230        |
| 13.2.4    | Turnarounds                             | 230        |
| 13.2.5    | Driving                                 | 231        |
| 13.2.6    | Adding new sections                     | 231        |
| 13.2.7    | Obstructions                            | 232        |
| 13.2.8    | Working in rock                         | 233        |
| 13.3      | Monitoring and control                  | 233        |

|           |   |            |
|-----------|---|------------|
| 13.3.1    | Controlling line and level              | 233        |
| 13.3.2    | Angular deviation                       | 234        |
| 13.3.3    | Steering systems                        | 234        |
| 13.4      | Safety                                  | 235        |
| 13.4.1    | Man-entry diameters                     | 235        |
| 13.4.2    | Explosion                               | 236        |
| 13.4.3    | Ventilation                             | 236        |
| 13.4.4    | Lighting and communications             | 236        |
| 13.4.5    | Shaft area                              | 236        |
| 13.4.6    | Use of chemicals and additives          | 237        |
| 13.4.7    | Hazardous spoil                         | 237        |
| <b>14</b> | <b>Economic considerations</b>          | <b>238</b> |
| 14.1      | Variability of costs                    | 238        |
| 14.2      | Project cost appraisal                  | 238        |
| 14.2.1    | Direct costs                            | 239        |
| 14.2.2    | Indirect costs                          | 240        |
| 14.2.3    | Social costs                            | 241        |
| 14.2.4    | Alternative approaches to social costs  | 243        |
| 14.3      | Estimating costs                        | 244        |
| 14.4      | Key cost factors                        | 245        |
| 14.4.1    | Pipe                                    | 245        |
| 14.4.2    | Shafts and pits                         | 249        |
| 14.4.3    | Installation                            | 249        |
| 14.5      | Budget costs                            | 254        |
| 14.6      | Costs of crossings                      | 254        |
| 14.6.1    | Casings 900 mm or less                  | 254        |
| 14.6.2    | Pipejacking                             | 255        |
| 14.7      | Comparison with open cut                | 256        |
| 14.7.1    | Traditional open cut sewer installation | 256        |
|           | <b>References</b>                       | <b>260</b> |
|           | <b>Glossary</b>                         | <b>265</b> |
|           | <b>Index</b>                            | <b>270</b> |