

Earth reinforcement and soil structures

Colin J. F. P. Jones, BSc, MSc, PhD, CEng, FICE

Professor of Geotechnical Engineering
University of Newcastle upon Tyne, UK



Thomas Telford

**ASCE
PRESS**



Contents

1	Introduction	1
1.1	Reference	6
2	History	7
2.1	Ancient structures	7
2.2	Modern structures	10
2.3	References	14
3	Application areas	17
3.1	Introduction	17
3.2	Bridgeworks	17
3.2.1	Bridge abutment	17
3.2.2	Bridge abutment with piled bank seat	17
3.2.3	Bridge abutment and support to bank seat	18
3.2.4	Sloping bridge abutment	18
3.2.5	Reinforced embankment in place of viaduct	19
3.2.6	Geosynthetic reinforced railway bridge abutments	19
3.2.7	Bridge approach piling	20
3.3	Dams	20
3.3.1	Earth fill dam	20
3.3.2	Reinforced earth dam	21
3.3.3	Reinforced soil structure used to raise the height of an existing dam	21
3.4	Embankments	21
3.4.1	Reinforced embankment	21
3.4.2	Geocell mattress used to increase embankment stability	22
3.4.3	Geogrid vertical web foundation used to produce embankment stability	22
3.4.4	Tied embankment	22
3.5	Foundations	23
3.5.1	Geogrid web or column foundations for embankments on weak subsoil	23
3.5.2	Excavations in urban conditions	24
3.5.3	Tension membrane spanning voids or potential voids	24
3.5.4	Reinforced footings beneath structures	24
3.5.5	Reinforced foundations beneath storage tanks	24
3.6	Highways	25
3.6.1	Reinforced embankments supporting carriageways	25
3.6.2	Reinforced soil support to embankments in mountainous regions	26

3.6.3	Reinforced embankments supporting highways	26
3.6.4	Repair of embankment failures	26
3.6.5	Formation of reinforced cutting using soil nailing or the lateral earth support system	27
3.6.6	Reinforced soil repair of cutting failure	28
3.6.7	Formation of a reinforced soil block to permit widening of a cutting	28
3.7	Housing	28
3.7.1	Reinforced soil used to form terraced housing on sloping sites	28
3.8	Industrial	29
3.8.1	Rock crushing plant	29
3.8.2	Mineral storage bunkers	30
3.8.3	Settlement tanks and lagoons	30
3.8.4	Containment dykes	30
3.8.5	Roof support packs in underground mining	30
3.9	Military	30
3.9.1	Army bunkers, traverses and blast shelters	30
3.10	Pipeworks	31
3.10.1	To provide side support to buried pipe structures	31
3.11	Railways	31
3.11.1	Reinforcement of railway embankments to provide stability over poor subsoil and to protect embankments from washout caused by typhoon rains	31
3.11.2	Railway embankment	32
3.12	Root pile systems	32
3.12.1	Foundation supports and repair systems	32
3.13	Sports structures	32
3.13.1	Ski jumping slopes	32
3.14	Quays and sea walls and waterway structures	34
3.14.1	Sea wall	34
3.14.2	Islands constructed underwater	34
3.14.3	Wall adjacent to river or forming the sides of a canal or quay	34
3.15	Underground structures	34
3.15.1	Vaults	34
3.16	Land reclamation	35
3.16.1	In coastal areas to reclaim land covered by sludge, very soft industrial waste or extremely soft clay	35
3.17	References	35
4	Theory	37
4.1	Introduction	37
4.2	General theory	40
4.2.1	Stress-strain relationship of reinforced soil	40

4.2.1.1	Vertical structures or walls	40
4.2.1.2	Sloping embankment	42
4.2.1.3	Reinforcement below footings	43
4.3	Factors affecting the performance and behaviour of reinforced soil	43
4.3.1	Reinforcement	47
4.3.1.1	Form	47
4.3.1.2	Surface properties	49
4.3.1.3	Dimensions	50
4.3.1.4	Strength	50
4.3.1.5	Stiffness	51
4.3.2	Reinforcement distribution	53
4.3.2.1	Location	53
4.3.2.2	Orientation	54
4.3.2.3	Spacing	54
4.3.3	Soil	55
4.3.3.1	Particle size	56
4.3.3.2	Grading	56
4.3.3.3	Mineral content	56
4.3.3.4	Index properties	56
4.3.4	Soil state	56
4.3.4.1	Density	56
4.3.4.2	Overburden	58
4.3.4.3	State of stress	59
4.3.4.4	Degree of saturation	59
4.3.5	Construction	60
4.3.5.1	Geometry of structure	60
4.3.5.2	Compaction	60
4.3.5.3	Construction systems	61
4.3.5.4	Durability	62
4.4	Design theories	62
4.4.1	General	62
4.4.2	Vertically faced structures	63
4.4.2.1	Limit analyses	63
4.4.2.2	Tension failures	65
4.4.2.3	Adhesion failures	67
4.4.2.4	Logarithmic spiral	69
4.4.2.5	Elastic analysis	70
4.4.2.6	Energy method	71
4.4.2.7	Semi-empirical methods	73
4.4.2.8	Tie-back hypothesis	75
4.4.3	Overall stability—vertically-faced structures	77
4.4.3.1	Stiff foundation	77
4.4.3.2	Soft foundation	78
4.4.4	Embankments and cuttings	80
4.4.4.1	Embankments	80
4.4.4.2	Reinforced cuttings and soil nailing	82
4.4.5	Composite reinforcing systems	83

4.5	Seismic effects	85
4.5.1	Seismic designs	85
	4.5.1.1 Prediction of dynamic tension method	86
	4.5.1.2 Displacement method	87
4.6	Mining subsidence	91
4.7	Repeated loading	92
4.8	References	92

5 Materials 97

5.1	Introduction	97
5.2	Soil/fill	97
5.2.1	Cohesionless fill	98
	5.2.1.1 Material properties	98
5.2.2	Cohesive frictional fill	102
	5.2.2.1 Material properties	102
5.2.3	Cohesive fill	103
	5.2.3.1 Vertically faced structures	104
	5.2.3.2 Embankment structures	104
5.2.4	Chalk	104
5.2.5	Waste materials	104
	5.2.5.1 Mine waste	105
	5.2.5.2 Pulverized fuel ash	105
5.2.6	Improved fills	106
5.3	Reinforcement	107
5.3.1	Types of reinforcing material	107
	5.3.1.1 Strips	107
	5.3.1.2 Planks	108
	5.3.1.3 Grids and geogrids	108
	5.3.1.4 Sheet reinforcement (geotextiles)	109
	5.3.1.5 Composite reinforcement	109
	5.3.1.6 Anchors	110
5.3.2	Properties	111
	5.3.2.1 Coefficient of friction	111
	5.3.2.2 Durability	113
	5.3.2.3 Properties of polymeric reinforcing materials	113
5.3.3	Proprietary reinforcing materials	122
	5.3.3.1 Glass-fibre reinforced plastic	126
	5.3.3.2 Geogrid—Tensar	126
	5.3.3.3 Paragrid	126
	5.3.3.4 Paralink	128
	5.3.3.5 Engtex	128
5.4	Facings	128
5.5	References	134

6 Design and analysis 137

6.1	Idealization	137
------------	---------------------	------------

6.2	Conceptual design	137
6.2.1	Walls, abutments and retained embankments	138
6.2.2	Environmental or special problems	140
6.2.3	Reinforced embankments	142
6.3	Analysis	142
6.3.1	Cornerstones of analysis	142
6.3.2	Vertical walls and abutments	145
6.3.2.1	Analytical procedure	149
6.3.2.2	General design case—tie-back analysis	151
6.3.2.3	Rigid structures—coherent gravity analysis	158
6.3.2.4	Tie-back analysis—geogrids	163
6.3.2.5	Anchored earth structures	164
6.3.2.6	Multi-anchored walls	166
6.3.2.7	Serviceability related to strain of reinforcing materials	167
6.3.3	Sloping structures and embankments	169
6.3.3.1	Reinforced embankments (cohesive soils)	169
6.3.3.2	Sloping structures	171
6.3.4	Foundations	174
6.3.4.1	Foundation mattresses for embankments	172
6.3.4.2	Geogrid mattresses or geocells	173
6.3.4.3	Structural footings	175
6.3.5	Cuttings	179
6.3.5.1	Slopes and slope failures	179
6.3.6	Soil nailing	179
6.4	Computer-aided design and analysis	183
6.4.1	Finite element analysis/finite difference	185
6.4.2	Iterative techniques	187
6.5	Seismic design	189
6.5.1	General	189
6.5.2	External stability	190
6.5.3	Internal stability	191
6.5.3.1	General case—tie-back analysis	191
6.6	Tension membranes	193
6.6.1	Embankments over voids	193
6.6.1.1	Analytical methods	195
6.6.1.2	Modelling the design problem	200
6.6.1.3	Reinforcement orientation	201
6.6.2	Reinforcement on embankment piles	201
6.6.3	Land reclamation	202
6.7	References	203
7	Construction	207
7.1	Introduction	207
7.2	Construction methods	210
7.2.1	Concertina method	210

7.2.2	Telescope method	210
7.2.3	Sliding method	211
7.3	Reinforcing systems	211
7.3.1	Anchored earth	211
7.3.2	Soil nailing	214
7.3.3	Lateral earth support systems	219
7.3.4	Polymer impregnation	219
7.4	Labour and plant	220
7.5	Rate of construction	221
7.6	Damage and corrosion	222
7.7	Distortion	222
7.7.1	Concertina construction	222
7.7.2	Telescope construction	222
7.7.3	Sliding method construction	223
7.8	Logistics	224
7.9	Contractor's construction sequence	225
7.10	Construction tolerances and serviceability limits	225
7.10.1	Settlements	227
7.11	Propping forces	227
7.12	Pressure relieving systems	228
7.13	Influence of construction practice on reinforced soil	229
7.13.1	Reinforcement	230
7.13.2	Facings	231
7.13.3	Backwall friction	232
7.13.4	Three-dimensional structures	234
7.14	Trends in construction practice	235
7.14.1	Proliferation of systems	235
7.14.2	Improved forms of reinforcement anchorage	236
7.14.3	Use of cohesive fills	236
7.14.4	Ease of construction	236
7.14.5	Aesthetics	237
7.14.6	Hybrid structures	238
7.14.7	Vertical reinforcement system	238
7.15	Education	239
7.16	References	239

8	Construction details	243
8.1	Introduction	243
8.2	Foundations	243
8.2.1	Geocell mattress	243
8.2.1.1	Assembly of geocell mattress	243
8.3	Drainage	249

8.3.1	Drainage behind the soil structure	249
8.3.2	Drainage beneath the structure	249
8.3.3	Combined drainage and geocell mattress	249
8.3.4	Wall drainage	249
8.3.5	Drainage above a reinforced soil structure	249
8.4	Facings	249
8.4.1	Full height facing	249
8.4.1.1	Double-tee concrete beam	249
8.4.1.2	Prestressed concrete unit	255
8.4.1.3	King post and panel	255
8.4.2	Elemental facing units	260
8.5	Bridge abutments and bank seats	261
8.5.1	Abutment details of footbridge	261
8.5.2	Abutment details for highway bridge	261
8.6	Reinforcements and reinforcement connections	261
8.6.1	Strip reinforcement	261
8.6.2	Grid reinforcement	261
8.6.3	Anchor reinforcement	261
8.6.4	Combined strip/anchor reinforcement	261
8.6.5	Fabric reinforcement	261
9	Costs and economics	277
9.1	Economic advantage	277
9.2	Estimating costs	278
9.3	Total cost	279
9.4	Distribution of costs	280
9.4.1	Design consideration	280
9.4.2	Construction considerations	281
9.4.3	Start-up costs and competition	281
9.5	Cost differentials	284
9.6	Ecology audit	284
9.7	References	288
10	Durability	289
10.1	Introduction	289
10.2	Corrosion	289
10.2.1	Electrochemical corrosion	290
10.2.2	Bacterial corrosion	292
10.3	Degradation (polymeric reinforcement)	293
10.3.1	Effect of ultraviolet light	294
10.3.2	Effect of oxidation on polyolefins; polyethylene (PE) and polypropylene (PP)	295
10.3.3	Effect of hydrolysis on polyester; polyethylene-terephthalate (PET)	295

10.3.4	Humidity	296
10.3.5	Polyester structure	296
10.3.6	Temperature	296
10.3.7	Externally applied loads	297
10.4	Physical damage	297
10.4.1	Polymeric materials	297
10.5	Material compatibility	299
10.6	Miscellaneous factors	299
10.7	Construction factors influencing the corrosion of reinforcement and facings	299
10.7.1	Cohesionless fill	299
10.7.2	Cohesive fill	302
10.7.3	Soil nailing	302
10.8	Measurement of corrosion factors	304
10.8.1	Resistivity	305
10.8.2	Redox potential	307
10.8.3	Water content	309
10.8.4	pH	309
10.9	Durability of existing reinforcing materials	310
10.9.1	Mild steel and galvanized steel	310
10.9.2	High-alloy steel	312
10.9.3	Glass-fibre reinforcing elements	314
10.9.4	Tyres	316
10.9.5	Comparative performances	316
10.10	References	317
II	Worked examples	319
11.1	Introduction	319
11.2	<i>Example 1.</i> The design of a vertical retaining wall	319
11.3	<i>Example 2.</i> The design of a reinforced soil abutment of a bridge	335
11.4	<i>Example 3.</i> The design of a foundation mattress beneath an embankment	360
11.5	<i>Example 4.</i> The design of a tension membrane supporting an embankment over an area prone to subsidence	364
11.6	<i>Example 5.</i> Checking the design of a bridge abutment for seismic conditions	371
11.7	References	374