
Tables for the hydraulic design of pipes, sewers and channels

Sixth edition – Volume II

HR Wallingford and D.I.H. Barr



Thomas Telford, London



Contents

INTRODUCTION	Page
The Wallingford Charts and the Wallingford Tables	1
The Additional Tables	1
This 6th Edition of the Wallingford Tables in two volumes	1
Arrangement and functions of Volume II	2
REVIEW OF HYDRAULIC RESISTANCE	
The Colebrook-White equation	2
The linear measure of surface roughness	4
Simplified forms of the Colebrook-White equation	4
The Manning equation arranged for parallel usage	8
Formation of Tables D and Tables E	8
Proportioning exponents arising from the structure of the Manning equation	9
ARRANGEMENT AND USE OF TABLES D AND TABLES E	9
General	10
DESIGN OF CIRCULAR SECTION PIPELINES AND SEWERS	
Use of the Tables D and E to find velocity, V , and discharge, Q	10
Solutions for gradient and for pipe diameter	12
Interpolation between entries in Tables D	12
Solution involving an intermediate roughness size	13
Multiplying factors on tabulated values of mQ for standard but non-tabulated diameters	14
Perimeters involving dissimilar roughness	14
NON-CIRCULAR CROSS-SECTIONS OF FLOW	
Calculation of discharge and velocity in part-full circular pipes	16
Calculation of depth in part-full circular pipes	16
Hydraulic equivalence	16
'Unit size' measures for shapes of conduits and channels	17
Tables of properties of unit sections (Tables C)	17
Finding discharge in a rectangular open channel	19
SOLUTIONS FOR EGG-SHAPE SEWER	
Finding (i) discharge, or (ii) gradient, or (iii) size where proportional depth is stipulated	20
Finding depth of flow in a conduit of specified boundary shape and size, with discharge, gradient and roughness size fixed	23
SOLUTIONS FOR TRAPEZOIDAL OPEN CHANNEL	23
MANNING-WILLIAMSON SOLUTIONS FOR PRECEDING EXAMPLES	25
OTHER SOURCES OF RESISTANCE	26
Calculating with additional head losses present	26
CHECKS ON MEAN VELOCITY, REYNOLDS NUMBER AND FROUDE NUMBER	28
VISCOSITIES OTHER THAN THAT OF WATER AT 15°C	28

Contents (continued)

CRITICAL DEPTH AND CRITICAL DISCHARGE	28
USE OF TABLES WITH DATA FROM NATURAL CHANNELS ...	29
GRADUALLY VARIED FLOW IN PRISMATIC CHANNELS	30
Solution for gradually varied flow in a trapezoidal channel	31
RAPIDLY VARIED FLOW	31
REVIEW	33
References	34
Nomenclature	37

Tables within text

Table 1: Overall solution paths for uniform flow problems	3
Table 2: Values of multiplying factor for SU Colebrook-White equations	7
Table 3: Values of m_w from Manning-Williamson equation	11
Table 4: Values of m_c for smooth turbulent flow	11
Table 5: Predictions of proportional depth in Form 1 egg-shape with range of extreme combinations of conditions	24
Table 6: Computation of M1 flow profile in trapezoidal channel ..	32

Figures within text

Fig. 1: Colebrook-White equation and direct solution approximations	5
Fig. 2: Solution of Colebrook-White equation in simplified usage mode (SU)	6
Fig. 3: Solution routes for uniform flow in non-circular cross-sections	21

Appendix 1: Recommended roughness values	40
---	----

Appendix 2: Values of coefficient m_M, for use with Tables D	42
--	----

Appendix 3: Velocity correction for variation in temperature	44
---	----

Appendix 4: Multiplying factors for discharges in pipes and lined tunnels	45
--	----

Tables C

*Tables of properties of unit sections (with separate proportional flow
tables for circular pipes only)*

Table C1: Circular pipe	46
Table C1(a): Proportional discharges in part-full circular pipes	48
Table C1(b): Corrections to assessed proportional depths for circular pipes, as based on shift of θ ratio ..	49

Contents (continued)

Tables C (continued)*Tables of properties of unit sections*

Table C2: Form 1 egg-shape (3:2 old type)	50
Table C3: Form 1 egg-shape with 5% lining	52
Table C4: Form 1 egg-shape with 10% lining	53
Table C5: Form 2 egg-shape (3:2 new type)	54
Table C6: Form 2 egg-shape with 3% lining	56
Table C7: Form 2 egg-shape with 6% lining	57
Table C8: 4:3 egg-shape (WRc)	58
Table C9: 4:3 egg-shape with 3% lining	60
Table C10: 4:3 egg-shape with 6% lining	61
Table C11: U-shaped (free surface)	62
Table C12: U-shaped capped (running full - modified table)	64
Table C13: Oval (running full - modified table)	65
Table C14: Rectangular (free surface)	66
Table C15: Rectangular capped (running full - modified table)	68
Table C16: Arch culvert - radius 0.5 breadth (running full - modified table)	70
Table C17: Arch culvert - radius 0.75 breadth (running full - modified table)	71
Table C18: Box culvert (9% splays) (free surface)	72
Table C19: Box culvert (9% splays) (running full - modified table)	73
Table C20: Box culvert (16% splays) (free surface)	74
Table C21: Box culvert (16% splays) (running full - modified table)	75
Table C22: Box culvert upright (23% splays) (free surface) .	76
Table C23: Box culvert upright (30% splays) (free surface) .	77
Table C24: Standard Horseshoe	78
Table C25: Metcalf and Eddy (M and E) Horseshoe	80
Table C26: Babbitt and Bauman (B and B) Horseshoe	81
Table C27: M and E Semi-elliptical	82
Table C28: B and B Catenary	83
Table C29: M and E Basket-handle	84
Table C30: B and B Basket-handle	85
Table C31: B and B Barrel	86
Table C32: Medial Semi-circular	87
Table C33: 7% deposit in circular pipe	88
Table C34: 14% deposit in circular pipe	89
Table C35: 21% deposit in circular pipe	90
Table C36: 28% deposit in circular pipe	91
Table C37: 1.30 Pipe arch (corrugated sheet metal)	92
Table C38: 1.35 Pipe arch (corrugated sheet metal)	93
Table C39: 1.40 Pipe arch (corrugated sheet metal)	94
Table C40: 1.45 Pipe arch (corrugated sheet metal)	95
Table C41: 1.50 Pipe arch (corrugated sheet metal)	96
Table C42: 1.55 Pipe arch (corrugated sheet metal)	97
Table C43: 1.60 Pipe arch (corrugated sheet metal)	98
Table C44: 1.65 Pipe arch (corrugated sheet metal)	99

(continued)

Contents (continued)

Tables C (continued)*Tables of properties of unit sections*

Table C45: 1·70 Pipe arch (corrugated sheet metal)	100
Table C46: 1·75 Pipe arch (corrugated sheet metal)	101
Table C47: 1·35 Horizontal ellipse (cor. sheet metal)	102
Table C48: 1·45 Horizontal ellipse (cor. sheet metal)	103
Table C49: 1·55 Horizontal ellipse (cor. sheet metal)	104
Table C50: 1·65 Horizontal ellipse (cor. sheet metal)	105
Table C51: Trapezoidal channel - 0·125 to 1 side-slope . . .	106
Table C52: Trapezoidal channel - 0·25 to 1 side-slope . . .	108
Table C53: Trapezoidal channel - 0·375 to 1 side-slope . . .	110
Table C54: Trapezoidal channel - 0·50 to 1 side-slope . . .	112
Table C55: Trapezoidal channel - 0·625 to 1 side-slope . . .	114
Table C56: Trapezoidal channel - 0·75 to 1 side-slope . . .	116
Table C57: Trapezoidal channel - 0·875 to 1 side-slope . . .	118
Table C58: Trapezoidal channel - 1·0 to 1 side-slope	120
Table C59: Trapezoidal channel - 1·25 to 1 side-slope	122
Table C60: Trapezoidal channel - 1·5 to 1 side-slope	124
Table C61: Trapezoidal channel - 1·75 to 1 side-slope	126
Table C62: Trapezoidal channel - 2·0 to 1 side-slope	128
Table C63: Trapezoidal channel - 2·5 to 1 side-slope	130
Table C64: Trapezoidal channel - 3·0 to 1 side-slope	132
Table C65: Regime trapezoidal 1·5 to 1 side-slope	134
Table C66: Regime trapezoidal 2·0 to 1 side-slope	135
Table C67: Regime trapezoidal 2·5 to 1 side-slope	136
Table C68: Regime trapezoidal 3 to 1 side-slope	137
Table C69: Regime trapezoidal 4 to 1 side-slope	138
Table C70: Regime trapezoidal 5 to 1 side-slope	139
Table C71: Wide rectangular channel (free surface)	140
Table C72: Wide open channel (bottom friction)	141
Table C73: Arc invert (free surface)	142
Table C74: 10% concave bed river	143
Table C75: 5% concave bed river	144
Table C76: 3% concave bed river	145
Table C77: 2% concave bed river	146
Table C78: 1·5% concave bed river	147
Table C79: 1·25% concave bed river	148
Table C80: 1·0% concave bed river	149
Table C81: 0·75% concave bed river	150
Table C82: 0·625% concave bed river	151
Table C83: 0·50% concave bed river	152
Table C84: 0·40% concave bed river	153
Table C85: 0·30% concave bed river	154
Table C86: 0·20% concave bed river	155
Table C87: 1·0 to 1 tangent river	156
Table C88: 1·5 to 1 tangent river	157
Table C89: 2·0 to 1 tangent river	158
Table C90: 2·5 to 1 tangent river	159
Table C91: 3·0 to 1 tangent river	160
Table C92: 4·0 to 1 tangent river	161
Table C93: 5 to 1 tangent river	162
Table C94: 7 to 1 tangent river	163

Contents (continued)

Tables C (continued)*Tables of properties of unit sections*

Table C95: 10 to 1 tangent river	164
Table C96: 15 to 1 tangent river	165
Table C97: Triangular open channel (modified table)	166
Table C98: Miscellaneous standard shapes (running full - modified tables)	167

Tables D*Values of mV and mQ deriving from the Manning equation*

Table D1: Diameters 20 mm to 110 mm	168
Table D2: Diameters 110 mm to 350 mm	172
Table D3: Diameters 350 mm to 700 mm	176
Table D4: Diameters 700 mm to 1125 mm	182
Table D5: Diameters 1125 mm to 1575 mm	186
Table D6: Diameters 1575 mm to 2050 mm	190
Table D7: Diameters 2050 mm to 2650 mm	194
Table D8: Diameters 2650 mm to 4000 mm	198
Table D9: Diameters 4.000 m to 7.500 m	202
Table D10: Diameters 7.500 m to 13.50 m	206
Table D11: Diameters 13.50 m to 28.00 m	210
Table D12: Diameters 28.00 m to 60.00 m	215

Tables E*Values of m_C deriving from the Colebrook-White equation and of Ackers' parameter θ for part-full flows in circular pipes*

Table E1: $k_s = 0.003 \text{ mm}$	220
Table E2: $k_s = 0.006 \text{ mm}$	221
Table E3: $k_s = 0.015 \text{ mm}$	222
Table E4: $k_s = 0.030 \text{ mm}$	224
Table E5: $k_s = 0.060 \text{ mm}$	226
Table E6: $k_s = 0.150 \text{ mm}$	228
Table E7: $k_s = 0.30 \text{ mm}$	230
Table E8: $k_s = 0.60 \text{ mm}$	232
Table E9: $k_s = 1.50 \text{ mm}$	234
Table E10: $k_s = 3.0 \text{ mm}$	236
Table E11: $k_s = 6.0 \text{ mm}$	238
Table E12: $k_s = 15.0 \text{ mm}$	240
Table E13: $k_s = 30.0 \text{ mm to } 6000 \text{ mm}$	242

Annexure: Hazen-Williams solutions from Tables D*Values of m_H deriving from the Hazen-Williams equation*

Table H1: $C = 140$	243
Table H2: $C = 135$	244
Table H3: $C = 130$	244
Table H4: $C = 125$	245
Table H5: $C = 120$	245

(continued)

Contents (continued)

Tables H (continued)*Values of m_H deriving from the Hazen-Williams equation*

Table H6: $C = 115$	246
Table H7: $C = 110$	246
Table H8: $C = 105$	247
Table H9: $C = 100$	247
Table H10: $C = 95$	248
Table H11: $C = 90$	248
Table H12: $C = 85$	249
Table H13: $C = 80$	249
Table H14: $C = 75$	250
Table H15: $C = 70$	250
Table H16: $C = 65$	251
Table H17: $C = 60$	251
Table H18: $C = 50$	252
Table H19: $C = 40$	252