

PROCEEDINGS OF IS-TOKYO'96/THE SECOND INTERNATIONAL CONFERENCE
ON GROUND IMPROVEMENT GEOSYSTEMS /TOKYO/14-17 MAY 1996

Grouting and Deep Mixing

Edited by

RYOZO YONEKURA

Toyo University, Japan

MASAAKI TERASHI

Nikken Sekkei Nakase Geotechnical Institute, Japan

MITSUHIRO SHIBAZAKI

Japan Chemical Grouting Association

VOLUME 1



A. A. BALKEMA / ROTTERDAM / BROOKFIELD / 1996



Table of contents

Preface	XV
Organization	XVII
1 <i>Grouting: Engineering properties of materials and improved soil</i>	
A comparison between mixing and grouting approaches for treating calcareous expansive clay <i>S.N.Abduljawwad, K.S.Al-Yahyai & O.M.Abu-Hujair</i>	3
Experience in use of finely dispersed cement grouts <i>V.A.Ashikhmen & L.E.Pronina</i>	9
Stabilization of soils and grouting of model driven piles in calcareous sands <i>A.Bennabi & D.Levacher</i>	15
Properties and applications of polyurethane for grouting <i>B.-S.Chun & D.-S.Ryu</i>	21
Engineering properties of residual soil-cement mixtures <i>N.C.Consoli, F.Schnaid, P.D.M.Prietto & J.A.Rohlfes Jr</i>	25
Properties of microfine cement grout and grouting tests using the simulated soil <i>S.Fujii, O.Matsuo, J.Koseki & M.Shimoda</i>	31
The seepage resistance of suspension-type grouts in soils <i>S.Honma & M.Inada</i>	37
New method for determining a compaction grout <i>Y.Iagolnitzer, R.Katzenbach, Y.Lacour & A.Monnet</i>	41
Application of alkaline activated waterglass for chemical grouting <i>M.Kojo, I.Kurita & K.Shimoda</i>	47
Pulverized fly ash – Groutability and effectiveness <i>I.N.Markou & D.K.Atmatzidis</i>	53
Development of grouting material for cement powder grouting <i>N.Matsumoto, A.Nakamura, Y.Yamaguchi, E.Onuma, T.Hashimoto & H.Yamagata</i>	59

Microfine cement grouting as a countermeasure against liquefaction <i>M.Sano, O.Matsuo, J.Koseki & M.Shimoda</i>	65
Study on long-term strength properties of suspension grouts with ultra-fine-grain materials <i>H.Shibata</i>	71
Rheological properties of microfine cement dust grouts <i>A.V.Shroff, N.H.Joshi & D.L.Shah</i>	77
Applicability of Cement Powder Grouting Method <i>S.Takebayashi, T.Fujisawa, N.Yasuda, M.Kobayashi, Y.Yoneda & N.Tahara</i>	83
Basic test of low mobility grout for compaction grouting <i>M.Tamura, H.Shibata, N.Jinnai & K.Kobayashi</i>	89
A study of eliminating the toxicity of chemical grouting with antagonism <i>Tan Risheng</i>	93
A new high grade permeable non-cement suspension grout <i>Y.Terado, K.Teramoto, K.Matsui & K.Kosuge</i>	97
Laboratory element tests on the effect of fracturing grouting on cyclic liquefaction resistance <i>K.Uchida, H.Ohmori, T.Takeda & M.Shimoda</i>	103
Permeating properties of ultra-fine cement grout <i>S.Yoneda, S.Okabayashi, O.Baba, M.Tamura & A.Mori</i>	107
 2 Design and execution of grouting	
Permeation grouting and fracturing in sandy soil <i>H.G.Choi & E.Yanagisawa</i>	117
Monitoring of chemical injection mode by Electrical Resistivity Method <i>H.Fujisawa & K.Kuwabara</i>	123
Quality assessment of cement-mixed soil ground by S-wave tomography <i>E.Hane & H.Saito</i>	129
Ground behaviour during soil improvement by Jet Grouting <i>H.Imanishi & Y.Yamauchi</i>	133
Double packer grouting method under artesian pressure <i>A.Kamide, N.Nishimura, S.Matsuo, J.Kawai, T.Yamamoto & H.Tanimuro</i>	137
Estimation method of underground improvement by temperature measurement in grouting <i>T.Kawachi</i>	143
Study on evaluation of grouting effects using artificial neural network <i>T.Kawamura, T.Yasuda, M.Matsushima, N.Yasuda, K.Kumagai & T.Iijima</i>	147
Variants of jet grout technology without loss of grout <i>M.F.Khassine</i>	153
Applicability limit of resistivity to evaluate improved region <i>H.Komine & K.Nishi</i>	159

Design of grouting cylinder for a deep alpine tunnel <i>K. Kovári & G. Anagnostou</i>	165
Grouting for a piperofed underpass construction <i>H.J. Liao & S.C. Shu</i>	171
Basic study grouted sand specimen preparation methods and compressive strength <i>S. Matsui, Y. Nakazato, T. Tokoro & N. Takahashi</i>	177
On a quantitative management of dam foundation grouting by real time analysis <i>K. Mihashi, K. Takahashi, T. Tashiro & K. Hayashi</i>	183
A report of a cutoff work in Ryukyu limestone layer by chemical grouting <i>T. Mikami, K. Sakamoto, I. Sakaguchi & M. Hosokawa</i>	189
Differences of p-q and p-t curves from pressure loss of sleeve grouting equipment <i>T. Miyamoto</i>	195
The use of the electrosilication method at the foundation consolidations for old architectural monuments in Iași, Romania <i>P. Raileanu, V. Musat & I. Lungu</i>	201
Water extraction/chemiluminescence detection of grout in soil <i>H. Sakai, O. Murata & H. Tarumi</i>	205
Allowable grouting pressure during installation of non-circular sewer linings <i>S.M. Seraj & U.K. Roy</i>	209
Development of a new method by using double tube and percussive drilling machine <i>N. Takahashi, S. Koike, T. Tokoro & M. Murata</i>	215
Development of a new injection method by utilizing liquid carbon dioxide <i>N. Tanzawa, S. Kashima, A. Horiba, M. Murata & T. Tokoro</i>	221
Evaluation of grouted zone by Resistivity Method <i>H. Tarumi, H. Iwasa & N. Sekiguchi</i>	225
Compaction grouting for correcting building settlement <i>L.W. Wong, M.C. Shau & H.T. Chen</i>	231
Penetration mechanism of immiscible grout through saturated soil <i>L.H. Zhang, H.J. Xiong & Q. Zhang</i>	237
 3 Application of grouting	
Compaction grouting for buildings suffering uneven settlement <i>T. Akiyama, K. Ohsawa & M. Watanabe</i>	243
Abatement of soil liquefaction under existing structures <i>H.R. Al-Alusi</i>	249
The peculiarity of grouting of rock foundation with low water permeability <i>E. S. Argal</i>	255
Application of jet-grouting in the Three Gorges Project <i>Zhenheng Cha & Yidong Zhang</i>	259

Grouting in near surface tunnelling in gravel layer <i>Y.-C.Chen & Y.-S.Hsieh</i>	263
Tunnelling through an alluvial deposit <i>B.-S.Chun, D.-K.Chung, S.-R.Kim, M.-R.Oh & Y.-I.Koh</i>	269
Effectiveness of grouting for river crossing tunnelling <i>B.-S.Chun, C.-S.Choi, C.-B.Shin & S.-R.Kim</i>	275
Compaction grouting in the UK – A review <i>R.M.Crockford & A.L.Bell</i>	279
Jet grouting allows passage of a 9,8 m shield under a building in Lisbon <i>V.D.Altan & P.Mosiici</i>	285
Jet grouting and pipe jacking in a shallow urban tunnel construction <i>G.Guatteri, T.Harada, L.E.Sozio, A.Koshima & P.Mosiici</i>	291
Case of jet grouting for 10.8 m diameter shield <i>H.Noda, Y.Noguchi, M.Hara & K.Kai</i>	295
Chemical grouting contributed to the urban development in Hiroshima City <i>K.Hayashi & Y.Matsubayashi</i>	299
Placement of deep sea caissons assisted by chemical grouting <i>I.Kurohara, T.Kawasaki, I.Nakaii & K.Nakano</i>	303
Grouting and drainage in Ingury hydro arch dam foundation <i>L.I.Malyshev</i>	309
Improvement of foundation soils of built-up banks laid on peat layers <i>A.Mazzucato & A.Dei Svaldi</i>	315
Chemical grouting applied to widen Tokyo Metropolitan Expressway <i>T.Minamiyama & M.Kikuchi</i>	321
Application of jet grouting to join shield tunnels <i>N.Morihara, Y.Shinozuka & T.Motohashi</i>	325
Chemical grouting of shield crossing just under JR Tokaido Main Line <i>N.Nagato & Y.Motoki</i>	329
Applications of MJS Method (Metro Jet System) – All-around type reinforcing and consolidating method in the ground <i>K.Nakashima, T.Kashima, T.Sakuma & T.Murakami</i>	333
Case study: Prevention of pile corrosion by chemical grouting <i>S.Ohta & T.Komagata</i>	337
Protection of shield machine launch by jet grouting and freezing <i>T.Okabe, T.Yamamoto, T.Kashiwagi & K.Tomizawa</i>	341
Jet grouting for the solution of tunnelling problems in soft clays <i>G.Pellegrino & D.A.Bruce</i>	347
Large-scale jet grouting for pre-strutting in soft clay <i>S.Sugawara, S.Shigenawa, H.Gotoh & T.Hosoi</i>	353

Jet grouting process in expanding the diameter of improved body <i>H.Takeshima</i>	357
Curtain grouting under highly confined groundwater <i>S.Tokorozaki & K.Murai</i>	361
A case study on overcoming the problem by distorting jet grouting <i>Wang Jie, Du Jiahong, Xu Bicheng, Fu Qiang, Han Shaoguang, Wen Guilu & Zhang Yu</i>	365
Deep open cut base improvement injection influenced by artesian water <i>R.Yonekura, S.Shimada, M.Taku & K.Hayashi</i>	369
Jet grouting for construction of a RC canal in soft marine clay <i>D.M.Yong, K.Hayashi & B.H.Chia</i>	375
Geotechnical grouting application in China <i>Zhang Zuomei, Xue Tao & Jiang Guocheng</i>	381
 <i>4 Deep mixing: Engineering properties of materials and improved soil</i>	
Stress dependent parameters of cement and lime stabilised soils <i>H.Åhnberg</i>	387
Deep Mixing Method of soil stabilization using coal ash <i>J.Asano, K.Ban, K.Azuma & K.Takahashi</i>	393
Study on soil properties affecting the strength of cement treated soils <i>M.Gotoh</i>	399
Development of solidifying material for Underground Mixing Column Row Consolidation Method in boulder and gravel soil <i>H.Hatakeda & E.Fukazawa</i>	405
On the stabilization of organic soils <i>E.Huttunen & K.Kujala</i>	411
Effect of humus on the binding reaction in stabilized soils <i>K.Kujala, M.Mäkikyrö & O.Lehto</i>	415
Studies on soil improvement adjusted at low compressive strength in Deep Mixing Method <i>T.Matsuo, K.Nisibayashi & Y.Hosoya</i>	421
Geotechnical aspects of industrial waste utilization – Indian experience <i>P.Mishra & R.K.Srivastava</i>	425
Predicting strength development by cement admixture based on water content <i>T.S.Nagaraj, N.Miura, P.P.Yaligar & A.Yamadera</i>	431
Influence of some pollutants on lime treated marine clay <i>G.Rajasekaran, K.Murali, B.Dhanaseelan & R.Srinivasaraghavan</i>	437
Lime column technique for the improvement of soft marine clay <i>G.Rajasekaran & S.N.Rao</i>	443
Strength characteristics of soil-lime columns sections <i>M.A.Sabry, Kh.I.Abdel-Ghani & A.M.El Nahas</i>	447

Deformation and strength characteristics of cement-treated soils in Trans-Tokyo Bay Highway Project <i>F.Tatsuoka, Y.Kohata, K.Uchida & K.Imai</i>	453
Shear strength of improved soils at lap-joint-face <i>S.Yoshida</i>	461
5 Design and application of deep mixing	
Open cut excavation of soft ground using the DCM Method <i>R.Babasaki & K.Suzuki</i>	469
Design methods of the cement-soil retaining wall <i>X.L.Chen, Y.H.Liu & S.D.Zhang</i>	475
Design strength of soil-cement columns as foundation ground for structures <i>M.Futaki, K.Nakano & Y.Hagino</i>	481
Development and application of Deep Mixing Soil Stabilization Method to control displacement of adjacent ground <i>T.Hirai, J.Ise, T.Kusakari, M.Gotou & Y.Hibi</i>	485
Method of Deep Mixing at Tianjin Port, People's Republic of China <i>H.Hosomi, S.Nishioka, S.Takei & C.C.Qing</i>	491
A new computing method for deformation of super earth wall <i>H.Hongliang</i>	495
Analysis of deformation of axially loaded flexible single pile <i>Duan Ji-wei</i>	499
Bearing capacity of improved ground with column type DMM <i>M.Kitazume, T.Ikeda, S.Miyajima & D.Karastanev</i>	503
Model tests on failure pattern of cement treated retaining wall <i>M.Kitazume, T.Tabata, S.Ishiyama & Y.Ishikawa</i>	509
Evaluation of ground deformation due to deep mixing in adjacent construction activities <i>T.Masuda, M.Shimizu & F.Aizawa</i>	515
Deep Mixing Method as a liquefaction prevention measure <i>O.Matsuo, T.Shimazu, Y.Goto, Y.Suzuki, R.Okumura & M.Kuwabara</i>	521
Application of Offshore Cement Deep Mixing Method in the construction of Yantai Port <i>Tang Min</i>	527
A study on horizontal resistance force of the ground improved by cement treated soil columns <i>M.Miyake & M.Wada</i>	533
Construction control system of the improved ground by Deep Mixing Method and its monitoring procedure <i>N.Noriyasu, S.Hayashi, M.Tahara & N.Shintani</i>	537
Evaluation of material properties for soil improvement in excavation <i>C.Y.Ou & T.S.Wu</i>	545

Settlement calculation of deep stabilized peat and clay <i>O.Ravaska & K. Kujala</i>	551
Required strength of cement improved ground <i>S.Saitoh, S.Nishioka, Y.Suzuki & R.Okumura</i>	557
Slope stability using the Admixture Method <i>M.Shiomi, K.Ito, D.Nishimura, H.Tanaka & M.Tanaka</i>	563
Effects of measures against lateral soil flow using multi-cell blocks improved by the Square Deep Mixing Method <i>N.Tsuchiya, T.Kubota, H.Kawasaki, S.Yamagata & M.Takayama</i>	569
Deep-cement-mixing piles stabilizing the saturated loess <i>Zan Yuewen</i>	573
6 Executing and application of deep mixing	
Mechanism of machine for Dry Jet Mixing Method <i>M.Aoi & T.Tsuji</i>	579
Experimental study on behaviour of composite ground improved by Deep Mixing Method under lateral earth pressure <i>J.Dong, K.Hiroi & K.Nakamura</i>	585
Application of DJM Method under special conditions <i>T.Fujita</i>	591
Monitoring of subsidence of building on ground improved by Deep Mixing Method <i>S.Hibino</i>	595
Quality assessment of cement stabilized soil by S-wave logging <i>A.Hiraide, H.Azuma & K.Baba</i>	603
Assessment of the quality of stabilized peat and clay <i>E.Huttunen, K. Kujala & H.Vesa</i>	607
Evaluation of soil improvement using borehole resistivity profiler <i>S.Imamura, A.Nakajima & S.Mitsuishi</i>	613
Large scales deep soil mixing and quality control <i>K.Isobe, Y.Samaru, C.Aoki, K.Sogo & T.Murakami</i>	619
Behaviour of nearby soil during improvement works by Deep Mixing Method <i>Y.Kakihara, A.Hiraide & K.Baba</i>	625
Deep mixing by Spreadable Wing Method <i>K.Kawasaki, H.Kotera, K.Nishida & T.Murase</i>	631
Assessment of the quality of soil-cement columns of square and rectangular shapes formed by a Deep Mixing Method <i>T.Mizutani, S.Kanai & M.Fujii</i>	637
Energy consideration of the Dry Jet Mixing Method <i>K.Nishida, Y.Koga & N.Miura</i>	643

Strength evaluation based on logging in ground stabilized by Deep Mixing Method <i>J.Nishikawa, S.Tada & S.Yamaguchi</i>	649
New core sampler with planet gear for investigating the cement-mixed ground <i>N.Sugawara, Y.Ito & M.Kawai</i>	653
Use of non-destructive method for the evaluation of reclaimed soil column <i>M.Tamura, M.Futaki & A.Abe</i>	659
Development of a ground monitoring system in Deep Mixing Method <i>K.Tateyama, R.Fukagawa & T.Tsujii</i>	665
Ground improvement by cement-treatment in Trans-Tokyo Bay Highway Project <i>K.Uchida, K.Imai, F.Tatsuoka & Y.Kohata</i>	669
Prevention of displacements while using the DJM Method <i>K.Uchiyama</i>	675
Centralized control system of CDM-Method <i>S.Yano, S.Tokunaga, M.Shima & K.Kamimura</i>	681
 <i>7 New concept and applications of grouting and deep mixing</i>	
Development of fracture direction controlled grouting <i>T.Fujisawa, A.Nakamura, Y.Yamaguchi & T.Matsui</i>	689
Fundamental tests on stabilized sand using acid silica sol <i>K.Hayashi, T.Miyoshi, H.Yoneya, K.Zen & H.Yamazaki</i>	695
Study on dynamic injection into small fractures <i>A.Ohashi, J.Nishihama, O.Taira, Y.Sawa, Y.Terado & W.Liu</i>	701
Development of a soil improvement method utilizing cross jet <i>M.Shibazaki, H.Yoshida & Y.Matsumoto</i>	707
A new method for soil stabilization by water jet and dry consistency grout <i>T.Tokoro, S.Chida & K.Kitsuda</i>	711
Strainer grouting: Step-down grouting with strainer tube <i>M.Yagi</i>	717
Development and practical applications of Large Diameter Soil Improvement Method <i>H.Yoshida, S.Jimbo & S.Uesawa</i>	721
Preliminary studies of solidification and chemical fixation of liquid waste containing methylene blue <i>A.Al-Tabbaa & G.D.Moore</i>	727
Feasibility of the newly developed large diameter short reinforced anchor <i>K.Goto</i>	733
Study on characteristics of deformation absorption method at DMM <i>T.Ito, K.Nishibayashi, T.Ueno & S.Takahashi</i>	737
Test of solidified columns using a combined system of mechanical churning and jetting <i>A.Miyoshi & K.Hirayama</i>	743

Under-railway excavation to which new Horizontal Expansion-Mixing Soil Improvement Method is applied <i>T.Sugiki & Y.Maeda</i>	749
Development of vibration reduction measure wave impeding block <i>H.Takemiya, A.Nishimura, T.Naruse, K.Hosotani & M.Hashimoto</i>	753
Development of a large diameter short reinforced anchor by Cement-Mixing Method <i>M.Tateyama, H.Tarumi & A.Fukuda</i>	759
Development of a high-pressure Jet Mixing Method for displacement-reducing <i>H.Ueki, K.Hasegawa, K.Suzuki & M.Bessho</i>	767
Formation of piles with set strength characteristics <i>V.M.Ulitsky & S.G.Bogov</i>	773
Deep Mixing Method at Ukishima Site of the Trans-Tokyo Bay Highway Project <i>K.Unami & M.Shima</i>	777
Development and application of new Deep Mixing Soil Improvement Method to form a rectangular stabilized soil mass <i>T.Watanabe, S.Nishimura, M.Moriya & T.Hirai</i>	783
Removal of volatile organic compounds from clay layer <i>H.Yabuta, K.Higaki, M.Ujiie & T.Iwasaki</i>	787
Author index	793