

PROCEEDINGS OF THE SECOND INTERNATIONAL SYMPOSIUM ON PRE-FAILURE
DEFORMATION CHARACTERISTICS OF GEOMATERIALS – IS TORINO 99
TORINO/ITALY/28 – 30 SEPTEMBER 1999

Pre-failure Deformation Characteristics of Geomaterials

M. Jamiolkowski, R. Lancellotta & D. Lo Presti

Department of Structural and Geotechnical Engineering, Politecnico di Torino, Italy

VOLUME 1



A.A. BALKEMA/ROTTERDAM/BROOKFIELD/1999

Table of contents

Introduction	XIII
<i>Laboratory tests</i>	
Anisotropy of small strain stiffness of undisturbed and reconstituted clays <i>D.C.F.Lo Presti, O.Pallara, M.Jamiolkowski & A.Cavallaro</i>	3
Assessment of sample disturbance in the laboratory <i>D.C.F.Lo Presti, M.Jamiolkowski, O.Pallara & M.L.Tordella</i>	11
Mechanical behavior of the Bisaccia clay shale in cyclic tests <i>L.Olivares</i>	19
Initial stiffness of K_0 -normally consolidated Boston Blue Clay measured in the triaxial apparatus <i>M.C.Santagata, J.T.Germaine & C.C.Ladd</i>	27
Observed behavior of reconstituted clay along stress paths typical of excavations <i>A.Amorosi, L.Callisto & S.Rampello</i>	35
Stiffness of soft rocks from laboratory tests <i>M.Barla, G.Barla, D.C.F.Lo Presti, O.Pallara & N.Vandenbussche</i>	43
Characterising shear modulus and damping from in situ and laboratory tests for the seismic area of Catania <i>A.Cavallaro, M.Maugeri, D.C.F.Lo Presti & O.Pallara</i>	51
Measurement of deformation during heating of a normally consolidated clay <i>D.W.Airey & S.L.Chiu</i>	59
Stiffness of geomaterials from small strain triaxial and field geophysical tests <i>C.R.I.Clayton & G.Heymann</i>	65
The measurement of G_{max} in a resonant column, bender element, torsional shear apparatus <i>T.M.Connolly & R.Kuwano</i>	73
Strain rate and temperature dependency of the modulus of frozen Manchester fine sand <i>G.Da Re, J.T.Germaine & C.C.Ladd</i>	81
Sand behavior in very small to medium strain domains <i>H.Di Benedetto, B.Cazacliu, H.Geoffroy & C.Sauzéat</i>	89

Pre-failure evolution of sand structure <i>J.D.Frost, J.-Y.Park, C.-C.Chen & D.-J.Jang</i>	97
System calibration for reliable deformation measurements using synthetic specimens <i>D.-S.Kim & G.-C.Kweon</i>	107
Effect of sample disturbance on G_{\max} of Holocene clay deposits <i>T.N.Lohani, G.Imai & S.Shibuya</i>	115
A simple experimental procedure for the complete characterization of small strain stiffness of gravels <i>G.Modoni, A.Flora, L.Q.Anh Dan, C.Mancuso, J.Koseki, K.Balakrishnaiyer & F.Tatsuoka</i>	123
Effects of stress path and ageing in reconsolidation on deformation characteristics of stiff natural clays <i>J.N.Mukabi & F.Tatsuoka</i>	131
Small-strain stiffness and creep of Toyoura sand measured by a hollow cylinder apparatus <i>Y.Nakamura, J.Kuwano & S.Hashimoto</i>	141
Young's and shear moduli under different principal stress directions of sand <i>S.Yamashita & T.Suzuki</i>	149
Some aspects of the pre-failure behavior of unsaturated soil <i>Z.Cabarkapa, T.Cuccovillo & M.Gunn</i>	159
Some remarks on the behavior of Venetian silts <i>S.Cola & P.Simonini</i>	167
The influence of state on the very small strain stiffness of sands <i>M.R.Coop & V.Jovicic</i>	175
Soil-structure interface behavior under cyclic loading <i>V.De Gennaro & P.Lerat</i>	183
Small strain deformation characteristics of sedimentary soft mudstone from true triaxial tests <i>K.Hayano, F.Tatsuoka, J.Koseki & T.Sato</i>	191
Effects of stress histories and cyclic number on cyclic deformation characteristics of clays <i>M.Katagiri, H.Itoh & K.Saitoh</i>	199
Shear stiffness anisotropy measured by multi-directional bender element transducers <i>R.Kuwano, T.M.Connolly & J.Kuwano</i>	205
Small-strain cyclic behavior of Augusta clay in simple shear <i>G.Lanzo, M.Doroudian & M.Vucetic</i>	213
Single particle crushing and the mechanical behavior of sand <i>Y.Nakata, Y.Kato, M.Hyodo, H.Murata & A.F.L.Hyde</i>	221
The dependence of anisotropic G_0 shear moduli on void ratio and stress state for reconstituted Gault clay <i>D.F.T.Nash, D.S.Pennington & M.L.Lings</i>	229
Laboratory measurement of dynamic properties of natural soils <i>Th.Tika, P.Kallioglou & K.Pitilakis</i>	239

Local measurement of radial strain in triaxial apparatus: A new device <i>S.Zlatović & A.Szavits-Nossan</i>	245
Experimental apparatus to investigate the long term response of sand <i>G.Bosco, L.Mongiovì & A.Tarantino</i>	249
Effects of micro-structure on the stress-strain behavior of two natural clays <i>A.d'Onofrio, F.Silvestri & F.Vinale</i>	257
Deformation characteristics of rocks containing a single discontinuity <i>A.Fahimifar</i>	265
Small strain stiffness of sands in isotropic compression and liquefaction tests <i>S.Goto, S.Matsueda, Y.Morii & T.Sueoka</i>	275
Deformation of ballast under static and dynamic loading <i>B.Indraratna & D.Ionescu</i>	283
Small strain deformation characteristics at low pressure of dense gravel <i>G.-L.Jiang, Y.Kohata, M.Tateyama & F.Tatsuoka</i>	291
Large scale triaxial tests on elastic properties of undisturbed gravel containing fines <i>J.Koseki, K.Balakrishnaiyer & F.Tatsuoka</i>	299
Experimental investigation of the strain factor <i>Ch.N.Marangos</i>	305
Time effects on stress-strain properties at small strains of sedimentary soft mudstone <i>M.Matsumoto, K.Hayano, T.Sato, J.Koseki & F.Tatsuoka</i>	313
Prediction of strength-deformation properties of cement-stabilized soils by nondestructive testing <i>K.Omine, H.Ochiai, N.Yasufuku & H.Sakka</i>	323
Effect of principal stress ratio and stress history on V_s for undisturbed sand and gravel samples <i>Y.Taya, M.Hatanaka & A.Uchida</i>	331
Strain rate effect on the Young's modulus of Augusta clay <i>A.Cavallaro, M.Maugeri, D.C.F.Lo Presti & O.Pallara</i>	335
Experimental investigation of settlement on soft clay deposits based on probable deformation mode of soil <i>C.Y.Kim & C.K.Chung</i>	341
<i>In situ tests</i>	
Evaluation of deformation characteristics of siltstone by plate loading test <i>T.Okada, Y.Tanaka, K.Tani & K.Momose</i>	351
Proposal of new in-situ test methods to investigate strength and deformation characteristics of rock masses <i>K.Tani</i>	357

Shear-wave velocities and attenuation from Rayleigh waves <i>C.Nunziata, G.Costa, M.Natale, A.Vuan & G.F.Panza</i>	365
In situ log (G_{max})-Log(σ') relationships using a borehole SASW tool <i>M.E.Kalinski, K.H.Stokoe II, Y.L.Young & J.M.Roesset</i>	371
In-situ horizontal loading tests on gravelly subsoil and their numerical simulations <i>T.Ogata, Y.Kurachi, M.Oishi, M.Ouchi, Y.Maeda & J.Koseki</i>	379
Deformation-strength properties of crushable soils estimated by laboratory and in-situ testing <i>S.Miura, H.Tanaka & K.Yagi</i>	387
Advances in spectral analysis for SASW test <i>A.Audisio, S.Bonani & S.Foti</i>	395
Impulse shear testing of a stiff residual soil deposit <i>W.K.Henke & R.Henke</i>	403
Inversion of multi-mode effective dispersion curves <i>C.G.Lai & G.J.Rix</i>	411
Small- and large-strain soil properties from seismic flat dilatometer tests <i>P.W.Mayne, J.A.Schneider & G.K.Martin</i>	419
Stiffness of very soft clays at Athlone, Ireland <i>M.M.Long</i>	427
Development of a pulsating stiffness probe <i>M.A.Viergever</i>	435
<i>Stress-strain behavior</i>	
A model for the variable stiffness of undrained clay <i>G.T.Houlsby</i>	443
Small strain stiffness: A micromechanical experimental study <i>J.C.Santamarina & M.Aloufi</i>	451
Time dependent behavior of sand <i>H.Di Benedetto, E.Ibraim & B.Cazacu</i>	459
Elastic behavior of geologic materials and its modelling based on a modified stress <i>T.Hoshikawa, M.Hinokio & T.Nakai</i>	467
Explicit stress-strain relations for an artificially cemented carbonate sand <i>M.D.Liu, D.W.Airey, J.P.Carter & K.J.Xu</i>	475
Evaluation of a small strain model for overconsolidated clays <i>A.M.Puzrin & U.Kirshenboim</i>	483
Isotach behavior of geomaterials and its modelling <i>F.Tatsuoka, F.Santucci de Magistris, M.Momoya & N.Maruyama</i>	491
Optical analysis of stress and strain in a number of shear devices <i>H.G.B.Allersma</i>	501

Effects of stress state during curing on stress-strain behavior of cement-mixed sand <i>E.R. Barbosa-Cruz & F.Tatsuoka</i>	509
Modelling the behavior of composite soil-piles via homogenization techniques: Theoretical approach and practical applications <i>G.Bosco, V.De Gennaro & M.Molinari</i>	517
Verification of a hypoplastic model with static liquefaction tests on Hostun RF sand <i>I.Herle & T.Doanh</i>	525
Elastic-properties-based modelling of non-linear deformation characteristics of gravels <i>Y.Kohata, G.L.Jiang, O.Murata & F.Tatsuoka</i>	533
Experimental investigation of an anisotropic hardening model for soft clays <i>A.Näätänen, S.Wheeler, M.Karstunen & M.Lojander</i>	541
Numerical analysis of tunnel construction under an ancient massive structure <i>S.Rampello & L.Callisto</i>	549
Time effects on the stress-strain behavior of Metramo silty sand <i>F.Santucci de Magistris & F.Tatsuoka</i>	555
A simple bounding surface model for bonded clays <i>C.Tamagnini & M.D'Elia</i>	565
On the influence of soil non-linearity on ground movements induced by excavations in cohesive soils <i>C.Tamagnini & V.Pane</i>	573
Hypoplasticity for modelling soil non-linearity in excavation problems <i>G.Viggiani & C.Tamagnini</i>	581
A unified elastoplastic model of sand dependent on stress level and void ratio <i>Y.P.Yao, H.Matsuoka & D.A.Sun</i>	589
Effect of surface roughness on small-strain modulus: Micromechanics view <i>S.Yimsiri & K.Soga</i>	597
Controllability of deformation by plastic strain control and stability problem <i>S.Kiyama & T.Hasegawa</i>	603
Nonlinear finite element analysis and constitutive model of geomaterials <i>X.An, H.Takahashi & M.Matsushima</i>	611
Stress-strain characteristics of soils interesting the serviceability of geotechnical structures <i>J.Biarez, A.Gomes Correia, H.Liu & S.Taïbi</i>	617
Seismic bearing capacity and settlements of shallow foundations <i>T.Crespellani, C.Madiati & G.Vannucchi</i>	625
A rheological model to describe the time-dependent behavior of Vallericca clay <i>A.d'Onofrio & L.Pagano</i>	633
Evolution of the 'elastic' and 'plastic' strain components of dense gravels in monotonic and cyclic triaxial tests <i>A.Flora & G.Modoni</i>	639

Numerical analysis for pre-failure deformations of extensible geo-reinforcements in pullout tests <i>N.Gurung, Y.Iwao & M.R.Madhav</i>	647
Stress distribution in railway formation – A simulated study <i>V.K.Jain & K.Keshav</i>	653
The influence of the stress path on the characteristic stress state <i>K.R.Jakobsen, U.Praastrup & L.B.Ibsen</i>	659
Pre-failure loading response of foundations on sand <i>J.-H.Lee & R.Salgado</i>	667
Sand behavior in cyclic lateral plane strain loading and modelling the hysteretic stress-strain relations <i>T.Masuda, F.Tatsuoka & S.Yamada</i>	675
Time effects on the pre-peak deformation properties of sands <i>M.Matsushita, F.Tatsuoka, J.Koseki, B.Cazaciu, H.Benedetto & S.J.M.Yasin</i>	681
Local measurement of displacements field near a cylindrical inclusion <i>J.-Ch.Sartoris & P.Chambon</i>	691
Experimental energy criteria of dynamic soil instability <i>E.A.Voznesensky</i>	697
Stress history-dependency of sand deformation in plane strain <i>S.J.M.Yasin & F.Tatsuoka</i>	703
Effect of pile constraint condition on the behavior of laterally loaded pile in clay <i>S.-W.Lee, Y.-S.Kim & B.-T.Kim</i>	711
Factors affecting the permanent deformation of subgrade soils <i>N.D.Dennis, Jr., Y.Qiu & R.P.Elliott</i>	719
Ground deformation mechanism around a shield tunnel by the passage of the tail void <i>Y.Katoh, M.Miyake, M.Wada, C.Yatomi & Y.Suzuki</i>	725
<i>Applications and case histories</i>	
Non linear elastic approaches in foundation design <i>R.Berardi</i>	733
Observed and predicted behavior of a silo founded on a cemented soft clayey soil <i>M.D'Elia, S.Miliziano, F.M.Soccodato & C.Tamagnini</i>	741
Large scale geotechnical experiments on soil-foundation interaction <i>M.Jamiolkowski, D.C.F.Lo Presti, I.Puci, P.Negro, G.Verzeletti, J.F.Molina, E.Faccioli, S.Pedretti, S.Pedroni & P.Morabito</i>	749
Effectiveness of trenches filled with geomaterials in the reduction of surface vibration amplitudes <i>S.Sica, F.Silvestri & F.Vinale</i>	759

Three-dimensional finite element analysis on interaction between closely spaced tunnels <i>C.Yoo & H.Lee</i>	767
Use of appropriate soil models in soil structure interaction analyses <i>K.G.Higgins, N.Kovacevic & D.M.Potts</i>	773
Experimental and analytical studies on the cyclic deformation characteristics of railroad ballast <i>T.Ishikawa, M.Kamon & A.Namura</i>	783
Soil and structure deformations due to reconstruction of an old lock built on unsaturated submerged clay <i>H.-J.Köhler, I.Feddersen & R.Schwab</i>	793
Prediction and performance of axially loaded piles under working loads <i>C.Mancuso, A.Mandolini, F.Silvestri & C.Viggiani</i>	801
Deformation of sedimentary soft rock in deep excavation <i>K.Miyazaki, K.Hayano, F.Tatsuoka & J.Koseki</i>	809
Evaluation of nonlinear deformability of soft rock foundation for dams <i>Y.Yamaguchi, H.Yoshida, N.Okabe & M.Kawasaki</i>	819
Application of non-linearity of ground at small strain to a shield tunnelling <i>Y.Akiba, K.Okadome & S.Sakajo</i>	827
Observed and predicted behavior of column-reinforced composite ground <i>M.Alamgir & N.Miura</i>	833
Proposal on the improvement of Terzaghi and Buisman settlement prediction method of shallow foundations <i>C.N.Marangos</i>	841
Non-linear analysis of soil-structure interaction for a building on sand <i>M.R.Massimino & M.Maugeri</i>	849
A design method for abutment foundations by considering effect of lateral flow <i>H.Mochiduki, Y.Yukawa, H.Nakahara, T.Hara, Y.Yu & K.Ugai</i>	857
Back analysis and prediction of lateral movement of an abutment <i>H.Mochiduki, Y.Yukawa, H.Nakahara, Y.Yu, T.Hara & K.Ugai</i>	865
Inverse analysis of a soft soil foundation based on test embankment measurements <i>A.Murakami, S.Aoyama, Y.Inada & T.Hasegawa</i>	873
Settlement behavior and analysis of a tall building supported by friction piles <i>T.Nagao, A.Enami, M.Majima & Y.Wakame</i>	877
A theoretical model for load-displacement relationship of pile foundation subjected to uplift load <i>H.Sato, M.Matsushima & H.Takahashi</i>	883
The effect of reinforcement due to choice of geogrid <i>M.Vanggaard</i>	891

Miscellaneous

Effects of nonuniform stresses and strains on measured characteristic states <i>L.B. Ibsen & P.V. Lade</i>	897
Estimating ground deformation parameters based on the information entropy minimization principle <i>Y. Honjo & N. Kudo</i>	905
Influence of structure on prefailure deformation of fissured clays <i>A. Chirica, A. Olteanu & M.S. Serbulea</i>	913
Effects of different accelerogram filtering techniques on the earthquake-induced displacement estimate <i>T. Crespellani, J. Facciorusso, C. Madiai & G. Vannucchi</i>	919
Estimation on scale effect of strength of jointed rock <i>H. Takahashi, X. An & M. Matsushima</i>	927
Validation of unsaturated self-weight consolidation model <i>B.G.H.M. Wichman & L.W.A. Zwang</i>	935
Author index	943