

PROCEEDINGS

of the

TENTH

WORLD

CONFERENCE

on

EARTHQUAKE

ENGINEERING

19-24 July 1992

Madrid

Spain

Organized by


Asociación Española de Ingeniería Sísmica

Sponsored by

International Association for Earthquake Engineering

Published by

A.A.Balkema / Rotterdam / Brookfield / 1992



© 1992 A. Balkema, Rotterdam
Printed in the Netherlands

Contents of Volume 2

4 Strong ground motion: Site effects

4.1 Ground motion characteristics

| | |
|---|-----|
| Characteristics of vertical ground motions recorded during recent California earthquakes <i>M. Lew</i> | 573 |
| A study on the characteristics of seismic vertical motion <i>N. Fujii, T. Annaka, H. Ohki, M. Fujitani & N. Yasuda</i> | 577 |
| Probing characteristics of vertical strong motions <i>Y. Akao, S. Fukushima & M. Mizutani</i> | 583 |
| Some features of near-field strong ground motions in the central part of Japan <i>K. Kudo, M. Sakaue & Z. Wang</i> | 589 |
| Characteristics of long-period ground motions in Tokyo Bay area, Japan <i>S. Zama</i> | 593 |
| Relatively long period ground motions expected in the Tokyo bay region <i>T. Minami & M. Otori</i> | 599 |
| Directional behavior of strong ground motions during the Loma Prieta earthquake <i>T. Kaneko, T. Mikami, T. Hayashikawa & Y. Matsui</i> | 605 |
| Ground motions from intraplate earthquakes <i>H. Bungum, A. Dahle, G. Toro, R. McGuire & O.T. Gudmestad</i> | 611 |
| Relation between maximum amplitude ratio (a/v , ad/v^2) and spectral parameters of earthquake ground motion <i>T. Sawada, K. Hirao, O. Tsujihara & H. Yamamoto</i> | 617 |
| Influence of size of plains on earthquake motion characteristics <i>S. Ohba & I. Toriumi</i> | 623 |
| Amplitude of surface waves in ground motion on alluvial basin <i>J. Shibuya</i> | 629 |
| Results of observation of torsional ground motions and response analysis <i>C. S. Yeh, C. H. Loh & G. W. Su</i> | 635 |
| Energy input rate spectra of earthquake ground motions <i>K. Ohi, Y. Homma & H. Kondo</i> | 641 |

| | |
|--|-----|
| Inelastic response spectra for narrow band earthquakes <i>F.Tarquis & J.M.Roesset</i> | 645 |
| Spatial variation study on earthquake ground motion observed by the Chiba array <i>F.Yamazaki & T.Türker</i> | 651 |
| Estimated strong ground motions during the Spitak, Armenia earthquake of December 7th, 1988 <i>H.Kobayashi</i> | 657 |
| Computer simulation of wave propagation characteristics near a source using a framework model <i>M.Abe, T.Kikuchi & T.Sato</i> | 663 |
| Effects of geological irregularities on ground motion characteristics <i>K.Tokida, K.Tamura & H.Fukada</i> | 669 |
| | |
| 4.2 Strong motion attenuation | |
| On the attenuation of ground accelerations in Europe <i>N.N.Ambraseys & J.J.Bommer</i> | 675 |
| Attenuation of waves in ground with fading memory <i>S.Xue, J.Tobita, M.Izumi & T.Hanzawa</i> | 679 |
| Attenuation of shear waves in a sediment <i>S.Kinoshita</i> | 685 |
| A study on the evaluation of Q-value and the attenuation characteristics of 1 second or shorter period earthquake ground motion in and around the Tokyo metropolitan area of Japan <i>S.Nagahashi</i> | 691 |
| Energy analysis for the non-linear earthquake responses of structures <i>Z.Huang, S.Wang & M.Lai</i> | 697 |
| | |
| 4.3 Synthesis of earthquake ground motion | |
| Expected ground motion at a site based on hypothetical fault models in Greece <i>D.I.Makaris, G.N.Stavrakakis & J.C.Drakopoulos</i> | 703 |
| Prediction of strong ground motions due to earthquake faulting in Japan <i>Y.Kitagawa & T.Nishide</i> | 709 |
| Ground motion study by fault model for tall building design <i>M.Niwa, T.Ohta, T.Ikeura, S.Ohno, T.Nozawa & M.Takemura</i> | 715 |
| Near-fault site effects: Some theoretical results <i>J.C.Gariel</i> | 721 |
| The construction of large earthquake by a superposition of small events <i>K.Irikura</i> | 727 |
| Importance of source effects on strong-motion seismograms <i>S.Hartzell & M.Iida</i> | 731 |
| A stochastic rupture process model for synthetic S-waves accelerograms computations and associated response spectra for large faults <i>A.Herrero, P.Bernard & P.Mouroux</i> | 737 |

| | |
|--|-----|
| Study on forward prediction model of earthquake ground motion for seismic design of structural systems <i>M.Kawano, H.Dohi, Y.Osada & T.Kobori</i> | 741 |
| Separation of source, propagation and local site effects from accelerographs and its application to predict strong ground motion by summing small events <i>M.Tai, Y.Iwasaki & M.Oue</i> | 747 |
| Study on characteristics of near-field seismic motions in a three-dimensional sedimentary basin due to a fault source using Aki and Lerner method <i>H.Uebayashi, Y.Takeuchi & M.Horike</i> | 751 |
| Multi-event inversion analysis for simpler representation of source mechanism <i>S.Sawada, C.-S.Fu, T.Kitano & S.Yoshikawa</i> | 757 |
| A numerical study on characteristics of Q values in two-dimensional inhomogeneous soil deposits <i>I.Suetomi, S.Nakamura & N.Yoshida</i> | 761 |
| Prediction of response spectra at any site in Mexico City <i>E.Reinoso, L.E.Pérez-Rocha, M.Ordaz & A.Arciniega</i> | 767 |
| Influence of the magnitude, distance and natural period of soil in the strong ground motion <i>B.Benito, D.Rinaldis, V.Gorelli & A.Paciello</i> | 773 |
| Band limited duration and spectral energy: Empirical dependence on frequency, magnitude, hypocentral distance and site conditions <i>V.Caillot & P.Y.Bard</i> | 781 |
| Risk spectrum taking into account fault rupture mechanisms <i>J.Kiyono & T.Sato</i> | 787 |
| Spectral curves -versus- distance and dynamic site-periods <i>J.L.Alonso</i> | 793 |
| 4.4 Stochastic modelling of ground motion | |
| Prediction of site-specific strong ground motion using semi-empirical methods <i>K.Kamae & K.Irikura</i> | 801 |
| Generation of simulated earthquake motions compatible with multi-damping response spectra <i>M.Hirasawa & M.Watabe</i> | 807 |
| Stochastic wave model of seismic ground motion <i>T.Harada</i> | 811 |
| A two dimensional nonstationary optimized accelerogram scaled for magnitude, distance and soil conditions <i>M.Hammoutene, B.Tiliouine & P.Y.Bard</i> | 817 |
| A new algorithm for simulating strong motion records <i>M.Grigoriu & S.Balopoulou</i> | 823 |
| Nonstationary models of earthquake accelerograms <i>F.Carli</i> | 829 |
| Stochastic characterization of ground motion and applications to structural response <i>K.Papadimitriou & J.L.Beck</i> | 835 |

| | |
|--|-----|
| Spectral estimation of bivariate non-stationary processes <i>P.D.Spanos, W.Y.Tein & R.Ghanem</i> | 839 |
| Generation of spatially incoherent strong motion time histories <i>N.A.Abrahamson</i> | 845 |
| Ground motion simulation by using simplified three-dimensional finite element method <i>T.Toshinawa & T.Ohmachi</i> | 851 |
| The use of ARMA models in strong motion modelling <i>S.Ólafsson</i> | 857 |
| Random field models of spatially varying ground motions and the estimation of differential ground motions <i>K.Tamura, S.R.Winterstein & H.C.Shah</i> | 863 |
| Statistical parameters of AM and PSD functions for the generation of site-specific strong ground motions <i>A.T.Y.Tung, J.N.Wang, A.S.Kiremidjian & E.Kavazanjian</i> | 867 |
| Ground motion analysis using dynamic stochastic finite element method <i>H.Ukon, Y.Okimi, T.Yoshikiyo & T.Matsumoto</i> | 873 |
| A stochastic ground motion model with geophysical consideration <i>S.Suzuki & A.S.Kiremidjian</i> | 879 |
| Simulation of seismic ground motion in the New Madrid area using analytically derived frequency-wave number Fourier amplitudes <i>G.Deodatis & A.Theoharis</i> | 885 |
| Non-stationary models of ground motion <i>R.T.Duarte & A.Campos-Costa</i> | 891 |
| Artificial accelerograms consistent with the 1980 Irpinia earthquake <i>G.Bosco, M.Dolce & M.Marino</i> | 895 |
| Spectral analysis of earthquake accelerations as realizations of a non-stationary stochastic process <i>J.Valerio</i> | 901 |
| 4.5 Topographical effects | |
| Comparison of seismic motions in two- and three-dimensional sedimentary basins <i>M.Horike & Y.Takeuchi</i> | 911 |
| The local effects of curved and parallel soil medium to seismic waves <i>P.-L.Chen</i> | 917 |
| Effects of canyon topographic conditions on ground motion due to harmonic P and SV wave incidences <i>C.Zhao & S.Valliappan</i> | 923 |
| Topographical site response for harmonic and pseudo-earthquake motions <i>H.Takemiya & T.Tomono</i> | 929 |
| High frequency response of a sediment-filled valley for seismic waves <i>S.Yuzo</i> | 935 |

| | |
|--|------|
| Seismic response of alluvial valleys for incident P, S and Rayleigh waves: A boundary integral formulation <i>F.J.Sánchez-Sesma, J.Ramos-Martínez & M.Campillo</i> | 941 |
| Site effects of earthquake ground motions <i>E.Kuribayashi, T.Niuro, S.Nishioka, K.Sonoda & T.Jiang</i> | 947 |
| The extended quasi-three-dimensional ground model <i>T.Suzuki</i> | 953 |
| Three-dimensional earthquake site response on a CM-2 <i>X.Li, J.Bielak & O.Ghattas</i> | 959 |
| | |
| 4.6 <i>Site effects: Estimation and observation</i> | |
| The spatial variation of earthquake ground motion and effects of local site conditions <i>J.F.Schneider, N.A.Abrahamson & J.C.Stepp</i> | 967 |
| Hybrid non-linear response of soft soils <i>L.E.Pérez-Rocha & F.J.Sánchez-Sesma</i> | 973 |
| An empirical method for identifying non-linear soil amplification of strong earthquake motions <i>M.Kamiyama</i> | 979 |
| Three dimensional underground structure of Tokyo Metropolitan area <i>E.Shima</i> | 985 |
| Microtremor analysis as prediction tool for site dependent strong ground motion <i>M.Haile</i> | 991 |
| Local site effects detected by microtremor measurements on the damage due to the 1990 Philippine earthquake <i>T.Ohmachi & Y.Nakamura</i> | 997 |
| Bedrock motion characteristics during the 1989 Loma Prieta earthquake in the northwest area from the epicenter <i>J.Ejiri, K.Wakamatsu, T.Fujimori, T.Nakayama, Y.Goto & Y.Yasui</i> | 1003 |
| Site effect characterization using records of dense strong motion earthquake seismometer array in Sendai <i>I.Okawa, T.Kashima & Y.Kitagawa</i> | 1009 |
| Modeling nonlinear ground motion amplification factor by local soil parameters <i>M.Sugito, S.King, A.S.Kiremidjian & H.C.Shah</i> | 1015 |
| Site effects evaluated by detailed seismic intensity, peak acceleration and velocity, ground vibration by aftershock and microtremor, surface geology, and theoretical amplification on the ground in Akita City, Japan <i>M.Nogoshi & N.Nakajima</i> | 1019 |
| Preliminary results from a vertical array in Garner Valley, California <i>B.Mohammadioun, G.Mohammadioun & J.C.Gariel</i> | 1025 |
| Site effects on strong-motion records of the 1985 Chile earthquake and their nonlinear behavior <i>S.Midorikawa</i> | 1031 |

| | |
|--|------|
| Site amplification through measurement of long period microtremors: Predominant period of motion <i>M. Dravinski, H. Yamanaka & H. Kagami</i> | 1037 |
| Larger soil amplification for stronger ground motion from SMART-1 records <i>S. Figueras, A. Roca, X. Goula & R. Blázquez</i> | 1043 |
| Analysis of frequency dependence of some strong motion parameters for different soil conditions <i>M. Herráiz & B. Benito</i> | 1049 |
| Shear stack tests on soil-structure interaction <i>T. Matsuda, H. Tomura, M. Hayashi, T. Furihata & S. Nakayama</i> | 1057 |
| Response spectrum of ground shear strain <i>C.-H. Chen & P.-C. Hou</i> | 1063 |
| Site response in the Granada basin (Southern Spain) based on microtremor measurements <i>J. Morales, K. Seo, T. Samano, J.A. Peña, J.M. Ibañez & F. Vidal</i> | 1069 |
| Damage scenarios induced by the major seismic events from XV to XIX century in Naples city with particular reference to the seismic response <i>E. Esposito, G. Luongo, S.M. Petrazzuoli & S. Porfido</i> | 1075 |
| Site effects modelling experiment <i>P. Teves-Costa & L.A. Mendes-Victor</i> | 1081 |
| Site effects during Andalusian earthquake (12/25/1884) <i>C. López Casado, J. Delgado, J.A. Peláez, M.A. Peinado & J. Chacón</i> | 1085 |
| 4.7 Wave propagation | |
| Propagation characteristics of seismic motion in Ashigara Valley, Japan <i>S. Higashi & K. Kudo</i> | 1093 |
| Is Mexico's long lasting ground motion made of gravity waves? <i>F.J. Chávez-García & P.Y. Bard</i> | 1099 |
| Surface wave propagation analysis in the Kanto basin <i>M. Motosaka, M. Kamata, O. Sugawara & M. Niwa</i> | 1105 |
| Study on generation of surface wave from side into plain <i>H. Yokoyama</i> | 1111 |
| A simple numerical method for the earthquake response analysis of surface ground <i>J. Zheng & C. Tamura</i> | 1117 |
| Frequency-wave number Fourier amplitudes of seismic ground motion in a multiple-layered half-space due to a Haskell-type source <i>A. Theoharis, G. Deodatis & A. Papageorgiou</i> | 1121 |
| Simulations of long period strong ground motions during the 1990 Upland earthquake, California <i>S. Yamamoto, Y. Hisada & S. Tani</i> | 1127 |
| Author index for Volume 2 | 1133 |