


PROCEEDINGS
of the
TENTH
WORLD
CONFERENCE
on
EARTHQUAKE
ENGINEERING

19-24 July 1992
Madrid
Spain

Organized by
Asociación Española de Ingeniería Sísmica
Sponsored by
International Association for Earthquake Engineering

Published by
A.A.Balkema / Rotterdam / Brookfield / 1992



Contents of Volume 7

10 Structural analysis and design

10.1 Seismic analysis and design: General considerations

- | | |
|---|------|
| A new approach for the integral solution of building design
<i>H.Giuliani</i> | 3619 |
| Interaction between the engineering seismologist and the structural engineer
<i>N.C.Donovan & N.F.Forell</i> | 3623 |
| Engineering visualization for seismic structure analysis
<i>T.Shiomi, Y.Ishikawa & H.Tsunekawa</i> | 3629 |
| Drift design of tall buildings
<i>A.Wada</i> | 3635 |
| Loading path dependency
<i>K.Yoshida, M.Iizuka & N.Ando</i> | 3641 |
| Effects of earthquake frequency nonstationarity on inelastic structural response
<i>J.P.Conte</i> | 3645 |
| Damage and reserve capacity evaluation of structures subjected to strong earthquake ground motion
<i>S.L.McCabe & W.J.Hall</i> | 3653 |
| Ductility and seismic design criteria
<i>P.Labbé & H.Noé</i> | 3659 |
| Nonlinear response of buildings, a parametric study
<i>E.F.Cruz & S.Cominetti</i> | 3663 |
| Double spline approximation in nonlinear dynamic response analysis
<i>H.Shen, M.Yener & C.Gong</i> | 3667 |
| Structural safety assessment of building structures under earthquake hazard by the stochastic equivalent linearization method
<i>Á.A.M.F.Cunha</i> | 3671 |
| Generalized optimal active control algorithm for nonlinear seismic structures
<i>F.Y.Cheng & P.Tian</i> | 3677 |

Structural design based on the optimum seismic reliability <i>K.Asano & N.Tsuda</i>	3683
A method for prediction of hysteretic response to earthquake excitations <i>M.Hosseini & M.Ghafory-Ashtiany</i>	3689
A new approach to analyzing the earthquake response of structural systems with parameter uncertainties <i>H.A.Jensen & W.D.Iwan</i>	3695
Stochastic model for response of slightly damped system obtained by long-term field observation <i>H.Shibata, T.Shigeta & H.Komine</i>	3701
Development of SLP for identification of structural systems <i>O.Tsujihara & T.Sawada</i>	3709
Extended Kalman filter – Weighted local iteration method for dynamic structural identification <i>M.Hoshiya & A.Sutoh</i>	3715
Probabilistic system identification and health monitoring of structures <i>J.L.Beck & L.S.Katafygiotis</i>	3721
Behavior versus ductility factors in earthquake resistant design <i>S.A.Anagnostopoulos & D.A.Nikolaou</i>	3727
Study on probabilistic response by Monte Carlo method <i>T.Hirai, M.Nakata & K.Noguchi</i>	3733
High-reliability aseismic design <i>A.Baratta & G.Zuccaro</i>	3739
Random response of hysteretic systems with viscous damping to white excitations <i>Y.Matsushima</i>	3745
Numerical study on experimental error propagation of systems with complex hysteretic properties in pseudo-dynamic testing <i>M.Kanda, N.Shirai & T.Sato</i>	3751
Optimal nonlinear analysis by bayesian methods <i>M.Ritto-Corrêa & R.T.Duarte</i>	3757
Structural reliability analysis under earthquake loading <i>M.Yener & H.Shen</i>	3763
 10.2 Structural modelling in seismic analysis	
Frequency domain analysis of undamped systems using the exponential window method <i>E.Kausel & J.M.Roësset</i>	3771
Earthquake response analysis by numerical spline approximation <i>C.Gong, M.Yener & H.Shen</i>	3775
On the importance of band limited excitation in direct integration analysis of structures <i>S.Basu, Pankaj & A.Kumar</i>	3779
Estimation on response of hysteretic non-linear system using momentary energy spectrum <i>S.Yabana & Y.Hagiwara</i>	3787

Simulation of collapse of structures due to earthquakes using the extended distinct element method <i>K.Meguro & M.Hakuno</i>	3793
Eliminating apparent limitations in modal combination <i>J.Vásquez</i>	3797
A reduced degree of freedom approach in the pseudodynamic test method <i>P.Negro, P.M.Jones & A.V.Pinto</i>	3803
Considering earthquake direction on seismic analysis <i>P.González</i>	3809
A substructure technique for spatial analysis of multistorey buildings <i>St.H.Jerca & C.I.Amariei</i>	3815
Higher order peaks in response of multistoried buildings <i>V.K.Gupta & M.D.Trifunac</i>	3819
Effect of distribution of yield-shear-force-coefficient on the probabilistic seismic safety of existing tall buildings <i>S.H.Zhang, J.Kanda & R.Iwasaki</i>	3825
Modeling frames with shear walls: Linear or finite elements <i>J.R.Piqué & C.G.Matos</i>	3829
Random response of plane SCWB frames under severe seismic excitation <i>Y.Lei & F.Ziegler</i>	3833
Characterization and identification of the non-linear behaviour of buildings <i>P.Argoul, H.Afra & P.Y.Bard</i>	3841
P-delta effects in multi-storey structural design <i>B.J.Davidson, R.C.Fenwick & B.T.Chung</i>	3847
Seismic response of horizontal setback buildings <i>S.K.Jain & U.K.Mandal</i>	3853
Effect of torsional coupling on the stability of structures <i>E.Sordo & D.Bernal</i>	3859
Strength distribution for torsionally unbalanced structures <i>W.K.Tso & T.J.Zhu</i>	3865
Torsional response characteristics of regular buildings under different seismic excitation levels <i>H.Sedarat & S.Gupta</i>	3869
A proposed simple model for the study of seismic inelastic torsional coupling <i>M.Bruneau</i>	3875
Investigation of coupled lateral-torsional response in multistory buildings <i>R.L.Boroschek & S.A.Mahin</i>	3881
Earthquake induced pounding in adjacent buildings <i>K.V.Spiliopoulos & S.A.Anagnostopoulos</i>	3887
Seismic pounding effects – Survey and analysis <i>K.Kasai, B.F.Maison, V.Jeng, P.C.Patel & J.A.Munshi</i>	3893

Dynamic analysis of impacting structural systems <i>J.P.Conoscente, R.O.Hamburger & J.J.Johnson</i>	3899
Seismic interaction between adjacent buildings under second-order geometric effects <i>A.A.Liolios & E.G.Galoussis</i>	3905
Pseudostatic testing related to damage potential of earthquakes <i>M.Rodríguez</i>	3911
On the use of residual shapes in modal analysis <i>R.Alvarez & J.J.Benito</i>	3915
An approximate method for seismic damage analysis of buildings <i>P.Gašperšič, P.Fajfar & M.Fischinger</i>	3921
Earthquake response of arbitrarily shaped structures in fluid <i>T.Nakamura, Y.Tanaka & Y.Motora</i>	3927
Inelastic spectra for eccentric systems <i>M.De Stefano, G.Faella & R.Ramasco</i>	3933
Torsional vibration of a building with stepped heights <i>Y.Fukada, T.Kobayashi, M.Adachi, M.Nagata & Y.Hayashi</i>	3939
Floor-plan shape influence on the response to earthquakes <i>L.T.Guevara, J.L.Alonso & E.Fortoul</i>	3945
Torsional vibration and in-plane floor vibration of a long-in-plan building <i>K.Ohami, M.Murakami & H.Nemoto</i>	3951
Pulse response analysis of asymmetric structures <i>Z.Ya & M.Yamada</i>	3957
Nonlinear seismic response of soft-first-storey buildings subjected to narrow-band accelerograms <i>L.Esteva</i>	3961
Inelastic seismic response of building structures with flexible diaphragm <i>M.Dolce, V.D.Lorusso & A.Masi</i>	3967
On the dynamics of rigid block motion under harmonic forcing <i>S.J.Hogan</i>	3973
Seismic response of multiblock structures with unilateral constraints <i>A.Ercolano</i>	3979
Methodology for optimum EBF link design <i>E.P.Popov, J.M.Ricles & K.Kasai</i>	3983
A study on aseismic properties of the five-storied pagodas <i>H.Kubota & K.Yamabe</i>	3989
Behavior of a large concrete dam due to an actual maximum credible earthquake <i>M.T.Ahmadi, Gh.Khoshrang, A.Mokhtarzadeh & A.Jalalzadeh</i>	3995
R/C flat slab-column frame connections: Analytical modelling <i>D.N.Farhey, M.A.Adin & D.Z.Yankelevsky</i>	4001
Sliding response spectrum for the design of nuclear polar cranes <i>H.Noé & P.Labbé</i>	4007

Analysis method of multi-rigid-body model for earthquake responses of shear-type structure <i>M.Lai, Y.Li & C.Zhang</i>	4013
Wave dispersion in the discrete analysis and proposal of optimal mass modeling <i>N.Fukuwa, H.Katukura & S.Nakai</i>	4019
Comparative analysis of seismic elastoplastic behaviour of reinforced concrete and steel frames <i>B.Calderoni, R.Landolfo, P.Lenza & F.M.Mazzolani</i>	4025
 10.3 Case studies	
The movement of tall building on surface ground in Osaka by principal shock and 'Atoyuré' vibration <i>H.Mukai, T.Hisatoku & I.Toriumi</i>	4033
Highlights of Loma Prieta responses of four tall buildings <i>M.Çelebi</i>	4039
Seismic analysis of a 16 story building in Armenia <i>J.C.Anderson & M.S.Agbabian</i>	4045
A study of earthquake induced structural response: Measurements and prediction <i>J.Th.Snaebjörnsson, G.Th.Gardarsdóttir & R.Sigbjörnsson</i>	4051
Travelling wave effects on a tall and narrow shape building based on observed data <i>T.Sugiyama, S.Doi & M.Kaneko</i>	4057
Experimental investigation on ductility of the 105-storey hotel R.C. building structure <i>H.R.Li, J.M.Pang, S.B.Jong, M.N.Han, D.H.Jang & B.Simeonov</i>	4061
Tall building design in the low seismicity area: The case of Korea <i>C.-K.Choi & H.-K.Chung</i>	4065
The design and analysis of a building with atrium and large cantilever <i>M.Asano & S.Torii</i>	4071
Quake-response modelling on an actual building and its resultant consideration compared with measurements <i>F.Suto</i>	4077
Hysteresis model for the shear behaviour of R/C structures and its application in the nonlinear response analysis of the 9-storey frame buildings with diaphragms heavily damaged in the 1988 Spitak earthquake <i>M.G.Melkumian</i>	4083
Dynamic design procedure for buildings in waterfront area <i>T.Sugano, J.Ohkawa & Y.Maeda</i>	4089
Seismic design of the VA Palo Alto replacement hospital <i>J.O.Malley</i>	4095
Scattering of the anelastic response to simulated ground motions <i>S.Sorace & G.Terenzi</i>	4099
Seismically stable buildings on hillsides <i>A.N.Tetior</i>	4105

10.4 Analysis and design of structures with seismic control

The use of energy balance in nonlinear seismic analysis <i>A.Filiatrault, R.Tinawi & P.Léger</i>	4111
A mode superposition procedure for seismic analysis of nonlinear base-isolated structures <i>B.Mohraz, Y.C.Jian & C.J.Chang</i>	4117
Friction-dampers for aseismic design of Canadian Space Agency <i>S.Vezina, P.Proulx, R.Pall & A.Pall</i>	4123
Seismic performance of friction damped asymmetric structures <i>O.A.Pekau & E.Mastrangelo</i>	4129
On the seismic design of dissipative bracings <i>V.Ciampi, A.Paolone & M.De Angelis</i>	4133
Design of supplemental steel damping devices for buildings <i>R.D.Hanson, C.Xia & Y.-F.Su</i>	4139
Design of a building with 20% or greater damping <i>M.Miyazaki & Y.Mitsusaka</i>	4143
Application of joint damper to thermal power plant buildings <i>T.Sakurai, K.Shibata, S.Watanabe, A.Endoh, K.Yamada, N.Tanaka & H.Kobayashi</i>	4149
Earthquake energy partitioning in bridge structures with seismic isolators <i>H.Iemura, K.Ohshima & T.Nakata</i>	4155
Optimal damper control for 3-dimensional tall buildings under earthquake excitations <i>Z.-X.Li, C.Franciosi & Y.-A.He</i>	4159
A design method and development of damping amplifier system for passive response-controlled structure <i>N.Kani, K.Ogura, O.Tsujita, O.Hosozawa & Y.Shinozaki</i>	4165
Augmentation of inherent damping in buildings with damped resonant appendages <i>R.Villaverde & L.A.Koyama</i>	4171
Performance verification of actual seismic response controlled structure with AVS system <i>S.Hiehata, K.Ogasawara, M.Takahashi, T.Nasu, N.Niwa & T.Kobori</i>	4177
Modeling and evaluation of ductile cladding connection systems for seismic response attenuation in buildings <i>J.I.Craig, B.J.Goodno, J.-P.Pinelli & C.Moor</i>	4183
Nonlinear earthquake response of R/C space frame with triaxial interaction <i>K.-N.Li</i>	4189
Use of advanced cladding systems for passive control of building response in earthquakes <i>B.J.Goodno, J.I.Craig, L.El-Gazairly & C.-C.Hsu</i>	4195
Seismic response of multi-storey frames equipped with energy absorbing story on its top <i>T.Miyama</i>	4201
Author index for Volume 7	4207