ELSEVIER OCEAN ENGINEERING BOOK SERIES

VOLUME 3

PIPELINES AND RISERS

YONG BAI

Stavanger University College, N-4091 Stavanger, Norway
and
American Bureau of Shipping, Houston, TX 77060, USA

OCEAN ENGINEERING SERIES EDITORS

R. Bhattacharyya
US Naval Academy,
Annapolis, MD, USA

M.E. McCormick
The Johns Hopkins University,
Baltimore, MD, USA

2001
ELSEVIER
Amsterdam – London – New York – Oxford – Paris – Shannon – Tokyo

TABLE OF CONTENTS

Series Preface v
Foreword vii
Preface ix

Chapter 1 Introduction 1

1.1 Introduction 1
1.2 Design Stages and Process 1
1.2.1 Design Stages 1
1.2.2 Design Process 4
1.3 Design Through Analysis (DTA) 7
1.4 Pipeline Design Analysis 9
1.4.1 General 9
1.4.2 Pipeline Stress Checks 9
1.4.3 Span Analysis 10
1.4.4 On-bottom Stability Analysis 11
1.4.5 Expansion Analysis 14
1.4.6 Buckling Analysis 14
1.4.7 Pipeline Installation 17
1.5 Pipeline Simulator 19
1.6 References 22

Chapter 2 Wall-thickness and Material Grade Selection 23

2.1 General 23
2.1.1 General 23
2.1.2 Pipeline Design Codes 23
2.2 Material Grade Selection 24
2.2.1 General Principle 24
2.2.2 Fabrication, Installation and Operating Cost Considerations 25
2.2.3 Material Grade Optimization 25
2.3 Pressure Containment (hoop stress) Design 26
2.3.1 General 26
2.3.2 Hoop Stress Criterion of DNV (2000) 27
2.3.3 Hoop Stress Criterion of ABS (2000) 28
2.3.4 API RP1111 (1998) 29
2.4 Equivalent Stress Criterion 31
2.5 Hydrostatic Collapse 32
2.6 Wall Thickness and Length Design for Buckle Arrestors 34
2.7 Buckle Arrestor Spacing Design 35
2.8 References 36

Chapter 3 Buckling/Collapse of Deepwater Metallic Pipes 39

3.1 General 39
3.2 Pipe Capacity under Single Load 40
3.2.1 General 40
3.2.2 External Pressure 41
3.2.3 Bending Moment Capacity 44
3.2.4 Pure Bending 46
3.2.5 Pure Internal Pressure 46
3.2.6 Pure Tension 46
3.2.7 Pure Compression 47

3.3 Pipe Capacity under Couple Load 47
3.3.1 Combined Pressure and Axial Force 47
3.3.2 Combined External Pressure and Bending 48
3.4 Pipes under Pressure Axial Force and Bending 49
3.4.1 Case 1 – Corroded Area in Compression 49
3.4.2 The Location of the Fully Plastic Neutral Axis 51
3.4.3 The Bending Moment 51
3.5 Finite Element Model 55
3.5.1 General 55
3.5.2 Analytical Solution Versus Finite Element Results 56
3.5.3 Capacity of Pipes Subjected to Single Loads 56
3.5.4 Capacity of Pipes Subjected to Combined Loads 58
3.6 References 61

Chapter 4 Limit-state based Strength Design 63

4.1 Introduction 63
4.2 Out of Roundness Serviceability Limit 64
4.3 Bursting 65
4.3.1 Hoop Stress vs. Equivalent Stress Criteria 65
4.3.2 Bursting Strength Criteria for Pipeline 65
4.4 Local Buckling/Collapse 67
4.5 Fracture 70
4.5.1 PD6493 Assessment 70
4.5.2 Plastic Collapse Assessment 72
4.6 Fatigue 73
4.6.1 General 73
4.6.2 Fatigue Assessment based on S-N Curves 74
4.6.3 Fatigue Assessment based on $\Delta\varepsilon$-N Curves 74
4.7 Ratcheting 75
4.8 Dynamic Strength Criteria 75
4.9 Accumulated Plastic Strain 75
4.10 Strain Concentration at Field Joints Due to Coatings 76
4.11 References 76

Chapter 5 Soil and Pipe Interaction 79

5.1 General 79
5.2 Pipe Penetration in Soil 79
5.2.1 Verley and Lund Method 79
5.2.2 Classical Method 80
5.2.3 Buoyancy Method 81
5.3 Modeling Friction and Breakout Forces 82
5.3.1 Anisotropic Friction 82
5.3.2 Breakout Force 82
5.4 References 83

Chapter 6 Hydrodynamics around Pipes 85

6.1 Wave Simulators 85
6.2 Choice of Wave Theory 85
6.3 Mathematical Formulations used in the Wave Simulators 85
6.3.1 General 85
6.3.2 2D Regular Long-Crested Waves 86
6.3.3 2D Random Long-Crested Waves 87
6.4 Steady Currents 90

6.5 Hydrodynamic Forces 91
6.5.1 Hydrodynamic Drag and Inertia Forces 91
6.5.2 Hydrodynamic Lift Forces 94
6.6 References 95

Chapter 7 Finite Element Analysis of In-situ Behavior 97

7.1 Introduction 97
7.2 Description of the Finite Element Model 98
7.2.1 Static Analysis Problems 98
7.2.2 Dynamic Analysis Problems 100
7.3 Steps in an Analysis and Choice of Analysis Procedure 101
7.3.1 The Static Analysis Procedure 101
7.3.2 The Dynamic Analysis Procedure 101
7.4 Element Types used in the Model 102
7.5 Non-linearity and Seabed Model 104
7.5.1 Material Model 104
7.5.2 Geometrical non-linearity 105
7.5.3 Boundary Conditions 105
7.5.4 Seabed Model 105
7.6 Validation of the Finite-Element Model 106
7.7 References 106

Chapter 8 On-bottom Stability 109

8.1 General 109
8.2 Force Balance: The Simplified Method 110
8.3 Acceptance Criteria 110
8.3.1 Allowable Lateral Displacement 110
8.3.2 Limit-state Strength Criteria 110
8.4 Special Purpose Program for Stability Analysis 111
8.4.1 General 111
8.4.2 PONDUS 111
8.4.3 PIPE 113
8.5 Use of FE Analysis for Intervention Design. 114
8.5.1 Design Procedure 114
8.5.2 Seabed Intervention 114
8.5.3 Effect of Seabed Intervention 115
8.6 References 116

Chapter 9 Vortex-induced Vibrations (VIV) and Fatigue 117

9.1 General 117
9.2 Free-span VIV Analysis Procedure 119
9.2.1 Structural Analysis 119
9.2.2 Hydrodynamic Description 120
9.2.3 Soil Stiffness Analysis 121
9.2.4 Vibration Amplitude and Stress Range Analysis 124
9.2.5 Fatigue Model 124
9.3 Fatigue Design Criteria 124
9.3.1 Accumulated Fatigue Damage 124
9.3.2 S-N Curves 125
9.4 Response Amplitude 125
9.4.1 In-line VIV in Current Dominated Conditions 125
9.4.2 Cross-flow VIV in Combined Wave and Current 128
9.5 Modal Analysis 129
9.5.1 Introduction 129

9.5.2 Single Span Modal Analysis 130
9.5.3 Multiple Span Modal Analysis 130
9.6 Example Cases 131
9.6.1 General 131
9.6.2 Fatigue Assessment 133
9.7 References 135

Chapter 10 Force Model and Wave Fatigue 137

10.1 Introduction 137
10.2 Fatigue Analysis 138
10.2.1 Fatigue of Free-spanning Pipelines 138
10.2.2 Fatigue Damage Assessment Procedure 140
10.2.3 Fatigue Damage Acceptance Criteria 141
10.2.4 Fatigue Damage Calculated using Time-Domain Solution 142
10.2.5 Fatigue Damage Calculated Using Frequency Domain Solution 142
10.3 Force Model 144
10.3.1 The Equation of In-line Motion for a Single Span 144
10.3.2 Modal Analysis 145
10.3.3 Time Domain Solution 147
10.3.4 Frequency Domain Solution 150
10.4 Comparisons of Frequency Domain and Time Domain Approaches 152
10.5 Conclusions and Recommendations 153
10.6 References 154

Chapter 11 Trawl Impact, Pullover and Hooking Loads 155

11.1 Introduction 155
11.2 Trawl Gears 155
11.2.1 Basic Types of Trawl Gear 155
11.2.2 Largest Trawl Gear in Present Use 156
11.3 Acceptance Criteria 156
11.3.1 Acceptance Criteria for Impact Response Analyses 156
11.3.2 Acceptance Criteria for Pullover Response Analyses 157
11.4 Impact Response Analysis 157
11.4.1 General 157
11.4.2 Methodology for Impact Response Analysis 157
11.4.3 Steel Pipe and Coating Stiffness 160
11.4.4 Trawl Board Stiffness, Mass and Hydrodynamic Added Mass 163
11.4.5 Impact Response 165
11.5 Pullover Loads 166
11.6 Finite Element Model for Pullover Response Analyses 168
11.6.1 General 168
11.6.2 Finite Element Models 168
11.6.3 Analysis Methodology 169
11.7 Case Study 170
11.7.1 General 170
11.7.2 Trawl Pull-Over For Pipelines on an Uneven Seabed 170
11.8 References 175

Chapter 12 Installation Design 177

12.1 Introduction 177
12.2 Pipeline Installation Vessels 178
12.2.1 Pipelay Semi-Submersibles 178
12.2.2 Pipelay Ships and Barges 182

12.2.3 Pipelay Reel Ships 183
12.2.4 Tow or Pull Vessels 184
12.3 Software OFFPIPE and Code Requirements 185
12.3.1 OFFPIPE 185
12.3.2 Code Requirements 186
12.4 Physical Background for Installation 186
12.4.1 S-lay Method 186
12.4.2 Static Configuration 188
12.4.3 Curvature in Sagbend 188
12.4.4 Hydrostatic Pressure 191
12.4.5 Curvature in Overbend 192
12.4.6 Strain Concentration and Residual Strain 193
12.4.7 Rigid Section in the Pipeline 193
12.4.8 Dry weight/Submerged weight 194
12.4.9 Theoretical Aspects of Pipe Rotation 196
12.4.10 Installation Behaviour of Pipe with Residual Curvature 201
12.5 Finite Element Analysis Procedure for Installation of In-line Valves 204
12.5.1 Finding Static Configuration 204
12.5.2 Pipeline Sliding on Stinger 207
12.5.3 Installation of In-line Valve 208
12.6 Two Medium Pipeline Design Concept 209
12.6.1 Introduction 209
12.6.2 Wall-thickness Design for Three Medium and Two Medium Pipelines 210
12.6.3 Implication to Installation, Testing and Operation 211
12.6.4 Installing Free Flooding Pipelines 211
12.6.5 S-Lay vs. J-Lay 213
12.6.6 Economic Implication 215
12.7 References 216

Chapter 13 Reliability-Based Strength Design of Pipelines 219

13.1 General 219
13.2 Reliability-based Design 220
13.2.1 General 220
13.2.2 Deterministic vs. Probabilistic Design 220
13.2.3 Load Effects and Combinations 220
13.2.4 LRFD Design Format 221
13.2.5 Calculation of Failure Probability 221
13.3 Uncertainty Measures 222
13.3.1 General 222
13.3.2 Classification of Uncertainties 222
13.3.3 Selection of Distribution Functions 223
13.3.4 Determination of Statistical Values 223
13.4 Calibration of Safety Factors 223
13.4.1 General 223
13.4.2 Target Reliability Levels 224
13.5 Buckling/Collapse of Corroded Pipes 224
13.5.1 Buckling/Collapse 224
13.5.2 Analytical Capacity Equation 225
13.5.3 Design Format 225
13.5.4 Limit-State Function 225
13.5.5 Calibration of Safety Factors 226
13.6 Conclusions 227
13.7 References 227

Chapter 14 Remaining Strength of Corroded Pipes 229

14.1 Introduction 229
14.2 Review of Existing Criteria 230
14.2.1 NG-18 Criterion 230
14.2.2 B31G Criterion 231
14.2.3 Evaluation of Existing Criteria 232
14.2.4 Corrosion Mechanism 232
14.2.5 Material Parameters 235
14.2.6 Problems excluded in the B31G Criteria 236
14.3 Development of New Criteria 237
14.4 Evaluation of New Criteria 240
14.5 Reliability-based Design 240
14.5.1 Target Failure Probability 241
14.5.2 Design Equation and Limit State Function 241
14.5.3 Uncertainty 243
14.5.4 Safety Level in the B31G Criteria 245
14.5.5 Reliability-based Calibration 245
14.6 Example Applications 246
14.6.1 Condition Assessment 249
14.6.2 Rehabilitation 254
14.7 Conclusions 254
14.8 References 254

Chapter 15 Residual Strength of Dented Pipes with Cracks 257

15.1 Introduction 257
15.2 Fracture of Pipes with Longitudinal Cracks 258
15.2.1 Failure Pressure of Pipes with Longitudinal Cracks 258
15.2.2 Burst Pressure of Pipes Containing Combined Dent and Longitudinal Notch 259
15.2.3 Burst Strength Criteria 261
15.2.4 Comparisons with Test 261
15.3 Fracture of Pipes with Circumferential Cracks 262
15.3.1 Fracture Condition and Critical Stress 262
15.3.2 Material Toughness, K_{mat} 263
15.3.3 Net Section Stress, σ_n 263
15.3.4 Maximum Allowable Axial Stress 263
15.4 Reliability-based Assessment and Calibration of Safety Factors 263
15.4.1 Design Formats vs. LSF 264
15.4.2 Uncertainty Measure 265
15.4.3 Reliability Analysis Methods 266
15.4.4 Target Safety Level 267
15.4.5 Calibration 267
15.5 Design Examples 267
15.5.1 Case Description 267
15.5.2 Parameter Measurements 268
15.5.3 Reliability Assessments 268
15.5.4 Sensitivity Study 272
15.5.5 Calibration of Safety Factor 273
15.6 Conclusions 274
15.7 References 274

Chapter 16 Risk Analysis applied to Subsea Pipeline Engineering 277

16.1 Introduction 277
16.1.1 General 277

16.1.2 Risk Analysis Objectives 277
16.1.3 Risk Analysis Concepts 278
16.2 Acceptance Criteria 279
16.2.1 General 279
16.2.2 Individual Risk 280
16.2.3 Societal Risk 280
16.2.4 Environmental Risk 281
16.2.5 Financial Risks 282
16.3 Identification of Initiating Events 283
16.4 Cause Analysis 283
16.4.1 General 283
16.4.2 Fault Tree Analysis 284
16.4.3 Event Tree Analysis 284
16.5 Probability of Initiating Events 284
16.5.1 General 284
16.5.2 HOE Frequency 285
16.6 Causes of Risks 287
16.6.1 General 287
16.6.2 1st Party Individual Risk 287
16.6.3 Societal, Environmental and Material Loss Risk 288
16.7 Consequence Analysis 288
16.7.1 Consequence Modeling 288
16.7.2 1st Party Individual and Societal Risk 291
16.7.3 Environmental Risks 291
16.7.4 Material Loss Risk 291
16.8 Example 1: Risk analysis for a Subsea Gas Pipeline 292
16.8.1 General 292
16.8.2 Gas Releases 292
16.8.3 Individual Risk 294
16.8.4 Societal Risk 295
16.8.5 Environmental Risk 297
16.8.6 Risk of Material Loss 297
16.8.7 Risk Estimation 298
16.9 Example 2: Dropped Object Risk Analysis 298
16.9.1 General 298
16.9.2 Acceptable Risk Levels 298
16.9.3 Quantitative Cause Analysis 299
16.9.4 Results 301
16.9.5 Consequence Analysis 302
16.10 References 303

Chapter 17 Route Optimization, Tie-in and Protection 305

17.1 Introduction 305
17.2 Pipeline Routing 305
17.2.1 General Principle 305
17.2.2 Fabrication, Installation and Operational Cost Considerations 306
17.2.3 Route Optimization 306
17.3 Pipeline Tie-ins 307
17.3.1 Spoolpieces 307
17.3.2 Lateral Pull 309
17.3.3 J-Tube Pull-In 310
17.3.4 Connect and Lay Away 310
17.3.5 Stalk-on 315
17.4 Flowline Trenching/Burying 315
17.4.1 Jet Sled 315
17.4.2 Ploughing 317

22.2.1 1st Order Wave Loading and Floater Motion Induced Fatigue 413
22.2.2 2nd Order Floater Motion Induced Fatigue 415
22.2.3 VIV Induced Fatigue 416
22.2.4 Other Fatigue Causes 417
22.3 Riser VIV Analysis Program 418
22.4 Flexible Riser Analysis Program 419
22.5 Vortex-induced Vibration Prediction 421
22.6 Fatigue Life 422
22.6.1 Estimate of Fatigue Life 422
22.6.2 Effect of Inspection on Fatigue Analysis 422
22.7 Vortex-Induced Vibration Suppression Devices 423
22.8 Fatigue of Deepwater Metallic Risers 423
22.8.1 General 423
22.8.2 Riser Fatigue 424
22.8.3 Conclusions 430
22.9 References 430

Chapter 23 Piping Systems 433

23.1 Introduction 433
23.2 Design Criteria 433
23.2.1 General 433
23.2.2 Allowable Stress/Strain Levels 435
23.3 Load Cases 436
23.4 Finite Element Models 437
23.5 References 439

Chapter 24 Pipe-in-Pipe and Bundle Systems 441

24.1 General 441
24.2 Pipe-in-Pipe System 441
24.2.1 Introduction 441
24.2.2 Why Pipe-in-Pipe Systems 442
24.2.3 Configuration 443
24.2.4 Structural Design and Analysis 444
24.2.5 Wall-thickness Design and Material Selection 446
24.2.6 Failure Modes 447
24.2.7 Design Criteria 447
24.2.8 Insulation Considerations 449
24.2.9 Fabrication and Field Joints 449
24.2.10 Installation 450
24.3 Bundle System 451
24.3.1 General 451
24.3.2 Bundle Configurations 452
24.3.3 Design Requirements for Bundle System 453
24.3.4 Bundle Safety Class Definition 453
24.3.5 Functional Requirement 454
24.3.6 Insulation and Heat-Up System 454
24.3.7 Umbilicals in Bundle 455
24.3.8 Design Loads 456
24.3.9 Installation by CDTM 463
24.4 References 465

Chapter 25 LCC Modeling as a Decision Making Tool in Pipeline Design 467

25.1 Introduction 467
25.1.1 General 467

25.1.2 Probabilistic vs. Deterministic LCC models 468
25.1.3 Economic Value Analysis 468
25.2 Initial Cost 469
25.2.1 General 469
25.2.2 Management 470
25.2.3 Design/Engineering Services 471
25.2.4 Materials and Fabrication 472
25.2.5 Marine Operations 472
25.2.6 Operation 472
25.3 Financial Risk 472
25.3.1 General 472
25.3.2 Probability of Failure 473
25.3.3 Consequence 473
25.4 Time value of Money 475
25.5 Fabrication Tolerance Example Using the Life-Cycle Cost Model 476
25.5.1 General 476
25.5.2 Background 476
25.5.3 Step 1- Definition of Structure 476
25.5.4 Step 2- Quality Aspect Considered 476
25.5.5 Step 3- Failure Modes Considered 476
25.5.6 Step 4- Limit State Equations 476
25.5.7 Step 5- Definition of Parameters and Variables 479
25.5.8 Step 6- Reliability Analysis 482
25.5.9 Step 7- Cost of Consequence 482
25.5.10 Step 8- Calculation of Expected Costs 483
25.5.11 Step 9- Initial Cost 484
25.5.12 Step 10- Comparison of Life-Cycle Costs 484
25.6 On-Bottom Stability Example 485
25.6.1 Introduction 485
25.6.2 Step 1- Definition of System 485
25.6.3 Step 2– Quality Aspects Considered 485
25.6.4 Step 3- Failure Modes 485
25.6.5 Step 4- Limit State Equations 486
25.6.6 Step 5- Definition of Variables and Parameters 486
25.6.7 Step 6- Reliability Analysis 486
25.6.8 Step 7- Cost of Consequence 486
25.6.9 Step 8- Expected Cost 486
25.6.10 Step 9- Initial Cost 487
25.6.11 Step 10- Comparison of Life-Cycle Cost 487
25.7 References 487

Chapter 26 Design Examples 489

26.1 General 489
26.2 Åsgard Flowlines Project 489
26.2.1 General 489
26.2.2 Challenges and Engineering Innovations 489
26.2.3 Design Approach 490
26.2.4 Limit-state Design 492
26.3 Åsgard Transport Project 492
26.3.1 General 492
26.3.2 Design Approach 493
26.3.3 Limit-state Design 494
26.4 References 495

Subject Index 497