

# **Guide to EUROPEAN VALVES**

---

**FOR CONTROL, ISOLATION  
AND SAFETY**

## **Second Edition**

The practical reference book covering valves, their design, selection, applications, and uses.

Including a comprehensive buyers guide to European manufacturers and suppliers.

**Edited by Brian Nesbitt**  
Mechanical Engineering Consultant



**Professional  
Engineering  
Publishing**

Professional Engineering Publishing,  
Bury St Edmunds and London UK

Published in  
association with

**ROLES  
& associates**

# Contents

<b>Chapter 1 — Isolating valves</b>			
<b>1.1 Explanation of terms</b>	3	2.2 Non-return valves in the system	55
<b>1.2 Isolating valves in the system</b>	7	2.3 Non-return valve design	57
<b>1.3 Isolating valve design</b>	8	2.4 Types of non-return valve	57
<b>1.4 Types of isolating valves</b>	8	<b>190 Swing disc non-return valve</b>	57
1.4.1 Linear motion valves	8	<b>195 Swing disc non-return valve with external loading</b>	58
<b>005 Parallel gate valve</b>	8	<b>200 Twin disc non-return valve</b>	59
<b>010 Wedge gate valve</b>	9	<b>205 Piston non-return valve</b>	59
<b>015 Knife gate valve</b>	11	<b>210 Ball non-return valve</b>	61
<b>020 Conduit gate valve</b>	12	<b>215 Diaphragm non-return valve</b>	62
<b>025 Straight globe valve</b>	14	<b>220 Non-return foot valve</b>	62
<b>030 Angle globe valve</b>	15	<b>225 Controlled closure non-return valve</b>	63
<b>035 Oblique globe valve</b>	17	<b>Special Note: Pump valves</b>	64
<b>040 Double-seat globe valve</b>	17	<b>Special Note: Valves for dry solids</b>	64
<b>045 Three-port globe valve</b>	19	<b>Special Note: Non-metallic valves</b>	64
<b>050 Weir type diaphragm valve</b>	19	<b>Special Note: Hygienic valves</b>	64
<b>055 Full-bore diaphragm valve</b>	19	<b>2.5 Bibliography</b>	64
<b>060 Pinch valve</b>	20	<b>Chapter 3 — Safety relief valves</b>	65
<b>065 Straight needle valve</b>	21	<b>3.1 Explanation of terms</b>	66
<b>070 Angle needle valve</b>	22	<b>3.2 Safety relief valves in the system</b>	68
<b>075 Solenoid valve</b>	22	<b>3.3 Safety relief valve design</b>	70
1.4.2 Common optional extras	23	<b>3.4 Types of safety relief valve</b>	70
1.4.3 Rotary motion valves	24	<b>230 Spring-loaded safety relief valve for gas/vapour/steam</b>	70
<b>Ball valves in general</b>	24	<b>235 Spring-loaded safety relief valve for liquids</b>	74
<b>080 One-piece body ball valve</b>	25	<b>240 Spring-loaded safety relief valve for viscous liquids</b>	75
<b>085 Two-piece body ball valve</b>	26	<b>245 Spring-loaded safety relief valve with pilot assistance</b>	75
<b>090 Three-piece body ball valve</b>	27	<b>250 Spring-loaded safety relief valve with supplementary loading</b>	76
<b>095 Trunnion mounted ball valve</b>	28	<b>255 Process pilot operated safety relief valve</b>	76
<b>100 Multi-port ball valve</b>	29	<b>260 Shear pin safety valve</b>	78
<b>105 Butterfly valve</b>	30	<b>265 Buckling pin safety valve</b>	78
<b>115 Parallel plug valve</b>	32	<b>270 Thermal relief valve</b>	79
<b>120 Tapered plug valve</b>	33	<b>275 Vacuum break valve</b>	79
<b>125 Lubricated plug valve</b>	34	<b>280 Explosion relief valve</b>	79
<b>130 Eccentric plug valve</b>	35	<b>Special Note: Bursting discs</b>	80
<b>135 Multi-port plug valve</b>	35	<b>Special Note: Valves for dry solids applications</b>	80
1.4.4 Common optional extras	36	<b>Special Note: Non-metallic safety relief valves</b>	81
1.4.5 Special purpose valves	36	<b>Special Note: Valves for hygienic applications</b>	81
<b>140 Line blind</b>	36	<b>3.5 Piping reactions</b>	81
<b>145 Fire hydrant valve</b>	36	<b>3.6 Bibliography</b>	82
<b>150 Sample valve</b>	36	<b>Chapter 4 — Regulators</b>	83
<b>155 Flush tank valve</b>	37	<b>4.1 Explanation of terms</b>	84
<b>160 Float valve</b>	37	<b>4.2 Regulators in the system</b>	85
<b>165 Automatic air release valve</b>	39	<b>4.3 Regulator design</b>	86
<b>170 Combined block and bleed valve</b>	39	<b>4.4 Types of regulator</b>	88
<b>175 Combined double block and bleed valve</b>	41	<b>285 Constant pressure regulator</b>	88
<b>180 Combined stop and non-return valve</b>	42	<b>290 Differential pressure regulator</b>	89
<b>185 Valve manifolds</b>	42	<b>295 Constant flow regulator</b>	90
<b>Special Note: Pig launchers</b>	45	<b>300 Excess flow shut-off valve</b>	90
1.4.6 Valves for dry solids	45	<b>305 Low pressure shut-off valve</b>	91
<b>187 Dry solids isolating valve</b>	45		
<b>Special Note: Non-metallic valves</b>	48		
<b>Special Note: Hygienic valves</b>	48		
1.4.7 Power actuated valves	50		
<b>Chapter 2 — Non-return valves</b>	53		
<b>2.1 Explanation of terms</b>	54		

310 Switching valve	91	6.6 Sizing piping	139
315 3-way switching valve	91	6.6.1 Approximations	140
<b>Special Note: Valves for dry solids</b>	91	6.6.2 Pipe flow losses	140
<b>Special Note: Non-metallic valves</b>	91	6.6.2.1 Reynolds Number	140
<b>Special Note: Hygienic valves</b>	91	6.6.2.2 Head losses in straight pipes	141
<b>Chapter 5 — Control valves</b>	93	6.6.2.3 Head losses in fittings	141
<b>5.1 Explanation of terms</b>	94	6.6.2.4 Hydraulic diameter	142
<b>5.2 Process control valves in the system</b>	95	6.6.2.5 Total head losses in the pipe system	143
<b>5.3 Control valve design</b>	96	6.6.3 Financial considerations	143
<b>5.4 Types of process control valve</b>	96	<b>6.7 Gas and vapour data</b>	144
5.4.1 Linear motion valves	98	<b>6.8 Liquid data</b>	146
<b>320 Single seat globe valve</b>	98	6.8.1 General	146
<b>325 Double-seat globe valve</b>	101	6.8.2 Very compressible liquid data	146
<b>330 Cage-trim globe valve</b>	101	<b>Chapter 7 — Noise in valves</b>	149
<b>335 Multi-port globe valve</b>	103	<b>7.1 Definition of terms</b>	150
<b>340 Pinch valve</b>	103	<b>7.2 The noise problem</b>	150
<b>Special Note: Sliding gate valves</b>	105	<b>7.3 Noise analysis</b>	150
<b>Special Note: Solenoid valves</b>	105	<b>7.4 Sources of valve noise</b>	151
<b>Special Note: Digital valves</b>	105	7.4.1 Mechanical vibration	151
5.4.2 Rotary motion valves	105	7.4.2 Fluid noise	151
<b>345 Ball valve</b>	107	7.4.3 Aerodynamic noise	151
<b>350 Characterised ball valve</b>	108	7.4.4 Hydrodynamic noise	151
<b>Special Note: Multi-way valves</b>	108	7.4.5 Pipework noise	154
<b>355 Butterfly valve</b>	108	<b>7.5 Noise prediction</b>	154
<b>Special Note: Fishtail™ valves</b>	109	<b>7.6 Noise attenuation</b>	154
<b>Special Note: Three-way valves</b>	111	7.6.1 Source treatment	154
<b>360 Eccentric rotating plug valve</b>	111	7.6.2 Path treatment	157
5.4.3 Special purpose control valves	111	7.6.3 Pipe wall thickness	157
<b>365 Automatic pump recirculation valve</b>	111	7.6.4 Acoustic insulation	157
<b>370 Thermostatic control valve</b>	113	7.6.5 Acoustic enclosures	158
<b>Special Note: Pressure/temperature valves</b>	113	7.6.6 Ear protector zones	158
<b>Special Note: Bimetallic actuation</b>	113	<b>7.7 Noise calculations</b>	158
<b>Special Note: Control valves for dry solids</b>	113	<b>Chapter 8 — Valve stem sealing and packing</b>	161
<b>Special Note: Non-metallic control valves</b>	114	<b>8.1 Explanation of terms</b>	162
<b>Special Note: Hygienic control valves</b>	115	<b>8.2 Basic concepts</b>	163
<b>Chapter 6 — Valve and piping sizing</b>	117	<b>8.3 Single seals</b>	164
<b>6.1 Explanation of terms</b>	118	<b>8.4 Double seals</b>	167
<b>6.2 Sizing isolating valves</b>	119	<b>8.5 Special designs</b>	169
<b>6.3 Sizing non-return valves</b>	120	<b>8.6 Materials</b>	170
<b>6.4 Sizing safety relief valves</b>	121	8.6.1 Braiding materials	171
6.4.1 General	121	8.6.1.1 Fibres, yarns and filaments	171
6.4.2 Sizing equations	122	8.6.2 Moulding and machining materials	172
6.4.3 Explosion relief valves	122	8.6.2.1 Elastomers	172
<b>6.5 Sizing regulators and control valves</b>	124	8.6.2.2 Thermoplastics	173
6.5.1 General	124	8.6.2.3 Thermoset plastics	173
6.5.2 Throttling and pressure recovery	125	8.6.2.4 Engineered plastics	173
6.5.3 Sizing equations for incompressible fluids	126	8.6.3 Comparative properties of non-metallic materials	173
6.5.4 Inlet velocity	127	8.6.4 Metal seal rings	175
6.5.5 Choked flow	128	8.6.5 Bellows and diaphragms	175
6.5.6 Cavitation	129	<b>8.7 Lubrication</b>	175
6.5.7 Sizing equations for steam or gas service	129	<b>8.8 Packing friction</b>	176
6.5.8 Multi-phase flow and rheology	133	<b>8.9 Packing box assembly</b>	176
6.5.9 Erosion	133		
6.5.10 Valve characteristics	137		
6.5.11 Installed characteristic	138		
6.5.12 Selecting a characteristic	139		

<b>Chapter 9 — Actuators</b>			
<b>9.1 Explanation of terms</b>	177	10.9 Non-metallic coatings	235
<b>9.2 General</b>	178	10.10 Bolting materials	237
<b>9.3 Control signals</b>	181	10.11 Information sources	237
9.3.1 Analogue signals	182	<b>Chapter 11 – Instrumentation and ancillary equipment</b>	239
9.3.2 Digital signals	182	<b>11.1 Explanation of terms</b>	240
9.3.3 Mixed signals	183	<b>11.2 Instrumentation</b>	240
9.3.4 Electrical safety	184	11.2.1 Limit switches	240
9.3.5 Electromagnetic compatibility	184	11.2.2 Position sensors	241
9.3.6 Mechanical or electrical/electronic? Analogue or digital?	185	<b>Special Note: Electrical enclosures</b>	241
9.4 Types of actuator	185	11.2.3 Differential pressure indicators	241
<b>375 Diaphragm actuator</b>	186	11.2.4 Seal leakage measurement	241
<b>380 Piston actuator</b>	189	11.2.5 Seat leakage detection	241
<b>385 Vane actuator</b>	191	11.2.6 Cavitation detection	241
<b>390 Electro-mechanical actuator</b>	192	<b>11.3 Ancillary equipment</b>	242
<b>395 Electro-pneumatic actuator</b>	193	11.3.1 Interlocking systems	242
<b>400 Electro-hydraulic actuator</b>	194	11.3.2 External locking facilities	242
<b>9.5 Accessories</b>	195	11.3.3 Ancillary valves	242
9.5.1 Handwheels	195	11.3.4 Heating/cooling jackets	243
9.5.2 Positioners	198	11.3.5 Inlet filters	243
9.5.3 Booster relays	202	11.3.6 Hydraulic dampers	243
9.5.4 Fail-safe, trip valves and lockup	202	11.3.7 Silencers	243
9.5.5 Pneumatic/hydraulic/electric converters	204	11.3.8 Acoustic enclosures	243
9.5.6 Remote travel indication and limit switches	205	<b>Chapter 12 — Piping and connectors</b>	245
9.5.7 Emergency shut-down overrides	205	<b>12.1 Explanation of terms</b>	247
9.5.8 Dampers	205	<b>12.2 Basic design principles</b>	250
<b>9.6 Force/torque required to operate valves</b>	205	<b>12.3 Rigid piping systems</b>	251
9.6.1 Determining the correct actuator/spring for linear valves	206	12.3.1 Metallic materials	253
9.6.2 Determining the correct actuator/spring for a reverse-acting diaphragm	207	12.3.2 Metallic pipe	253
9.6.3 Actuators for rotary valves	209	12.3.3 Metallic tube	257
9.6.4 Sizing the actuator	209	12.3.4 Lined metallic pipe/tube	262
<b>9.7 Setting-up</b>	210	12.3.5 Non-metallic materials	262
9.7.1 Adjusting the stem connector on linear valves	211	12.3.6 Non-metallic pipe	263
9.7.2 Adjusting the spindle connector on rotary valves	211	12.3.7 Non-metallic tube	266
9.7.3 Bench setting	211	12.3.8 Non-metallic double wall systems	269
<b>9.8 Actuator selection</b>	211	<b>12.4 Flexible piping systems</b>	269
<b>Chapter 10 — Valve materials</b>	213	12.4.1 Plain hoses	269
<b>10.1 Explanation of terms</b>	214	12.4.2 Reinforced hoses	269
<b>10.2 General</b>	214	12.4.3 Ducting	271
<b>10.3 The PED</b>	215	12.4.4 Metallic hose	271
<b>10.4 NACE</b>	215	12.4.5 End connections	272
<b>10.5 Valve body material</b>	216	<b>12.5 Expansion joints</b>	272
10.5.1 Cast iron and carbon steels	216	12.5.1 Axial bellows	273
10.5.2 Alloy steels	219	12.5.2 Double axial bellows	273
10.5.3 Stainless steels	221	12.5.3 Self-guided axial bellows	273
10.5.4 Non-ferrous materials	221	12.5.4 Tied bellows	273
10.5.5 Higher corrosion resistance	221	12.5.5 Single hinged bellows	273
10.5.6 Non-metallic materials	221	12.5.6 Double hinged bellows	273
<b>10.6 Pressure/temperature ratings for flanges</b>	222	12.5.7 Gimbal bellows	273
<b>10.7 Trim materials</b>	234	12.5.8 Double gimbal bellows	273
<b>10.8 Hard facing materials</b>	235	<b>12.6 Threaded connections</b>	273
		12.6.1 Parallel threads	273
		12.6.2 Tapered threads	274
		12.6.3 Thread sealants	274
		12.6.4 Threaded fittings	274

12.6.5 Threaded unions	274	13.2.3 Chemical composition	288
12.6.6 Hammer lug unions	274	13.2.4 Corrosion resistance	289
<b>12.7 Welded connections</b>	<b>274</b>	13.2.5 Non destructive testing	289
<b>12.8 Soldered connections</b>	<b>275</b>	13.2.5.1 Radiographic inspection	289
<b>12.9 Cemented connections</b>	<b>275</b>	13.2.5.2 Ultrasonic inspection	289
<b>12.10 Flanges</b>	<b>275</b>	13.2.5.3 Dye penetrant inspection	289
12.10.1 Flange manufacture	275	13.2.5.4 Magnetic particle inspection	289
12.10.2 Flange facings	275	13.2.6 Repairs	289
12.10.2.1 Flat face (FF)	276	13.2.7 Welding	289
12.10.2.2 Raised face (RF)	276	13.2.8 Inspection	289
12.10.2.3 Ring-type joint (RTJ)	276	13.2.9 Assembly	289
12.10.2.4 Spigot and recess	276	13.2.10 Packaging	289
12.10.2.5 Tongue and groove	276	13.2.11 Pressure testing	290
12.10.2.6 "O" ring groove	276	13.2.12 Operational tests	290
12.10.2.7 Lap joint	276	13.2.13 Painting	290
12.10.3 Flange-pipe connections	276	13.2.14 Preservation and packing	290
12.10.3.1 Threaded	277	13.2.15 Purchased equipment	291
12.10.3.2 Circlip	277	13.2.16 Functional testing	291
12.10.3.3 Weld-on collar	277	13.2.17 Witnessing	291
12.10.3.4 Slip-on (SO)	277	13.2.18 Clarification of specifications	291
12.10.3.5 Socket weld (SW)	277	13.2.19 Certification	291
12.10.3.6 Butt weld (WN)	277	13.2.20 Documentation	292
12.10.3.7 Lap joint	277	<b>13.3 Mass-produced standard valves</b>	<b>292</b>
<b>Special Note: Friction welding</b>	<b>277</b>	<b>13.4 Valves built to purchaser's specification</b>	<b>293</b>
<b>Special Note: Flange descriptions</b>	<b>278</b>	<b>13.5 Guidelines for testing and documentation</b>	<b>294</b>
12.10.4 Pressure-temperature ratings	278	<b>13.6 Bibliography</b>	<b>295</b>
12.10.5 Special flange connections	278	<b>Chapter 14 — Installation, maintenance and problem-solving</b>	<b>297</b>
12.10.6 Bolting	278	<b>14.1 Explanation of terms</b>	<b>298</b>
<b>12.11 Gaskets</b>	<b>278</b>	<b>14.2 Introduction</b>	<b>298</b>
12.11.1 Non-metallic gaskets	278	<b>14.3 General</b>	<b>298</b>
12.11.2 Combined gaskets	279	<b>14.4 Pre-installation inspection</b>	<b>299</b>
12.11.3 Metallic gaskets	280	14.4.1 Test equipment	299
12.11.4 Liquid gaskets	281	<b>14.5 Installation</b>	<b>299</b>
<b>12.12 Clamped connections</b>	<b>281</b>	<b>14.6 Commissioning</b>	<b>301</b>
<b>12.13 Grooved connections</b>	<b>281</b>	<b>14.7 Routine maintenance</b>	<b>303</b>
<b>12.14 Compression fittings</b>	<b>281</b>	14.7.1 Reconditioning nozzles and discs	304
12.14.1 Single ferrule	282	14.7.2 Replacing actuator diaphragms	305
12.14.2 Double ferrule	282	14.7.3 Replacing seat rings	306
12.14.3 Non-metallic ferrule	283	14.7.4 Grinding valve seats	306
<b>12.15 Flared fittings</b>	<b>283</b>	14.7.5 Adjusting the stem connector, linear valves	306
<b>12.16 Quick release couplings</b>	<b>284</b>	14.7.6 Adjusting the stem connector, rotary valves	307
<b>12.17 Approved connections</b>	<b>284</b>	<b>14.8 Packing boxes in general</b>	<b>307</b>
<b>Chapter 13 — Quality assurance and testing</b>	<b>285</b>	14.8.1 Routine packing adjustment	307
<b>13.1 Definition of terms</b>	<b>287</b>	14.8.2 Replacing spindle/stem packing	307
<b>13.2 Introduction</b>	<b>287</b>	<b>14.9 Spare parts</b>	<b>308</b>
13.2.1 Physical properties	288	<b>14.10 Problem-solving</b>	<b>308</b>
13.2.1.1 Ultimate strength	288	<b>14.11 Repairs</b>	<b>310</b>
13.2.1.2 Limit of proportionality	288	<b>14.12 Bibliography</b>	<b>311</b>
13.2.1.3 Elongation	288	<b>Chapter 15 — Valve standardisation</b>	<b>313</b>
13.2.1.4 Reduction in area	288	<b>15.1 Explanation of terms</b>	<b>315</b>
13.2.1.5 Hardness	288	<b>15.2 General</b>	<b>315</b>
13.2.1.6 Impact strength	288	<b>15.3 Issuing authorities</b>	<b>315</b>
13.2.1.7 Fatigue strength	288		
13.2.1.8 Creep resistance	288		
13.2.2 Heat treatment	288		

15.3.1 National standards bodies	316	16.7 Check-list for actuator purchase specification	340
15.3.2 Trade associations	316	16.7.1 Power supply	340
15.3.3 Classification societies	316	16.7.2 Actuator type	340
15.3.4 National governments	317	16.7.3 Environment	340
<b>15.4 Terminology</b>	<b>317</b>	16.7.4 Control signal	341
<b>15.5 Design</b>	<b>317</b>	16.7.5 Additional features	341
<b>15.6 Dimensions and pressure ratings</b>	<b>318</b>	<b>16.8 Purchasing</b>	<b>341</b>
15.7 Flow capacity	322	<b>Chapter 17 — Valve and actuator classification guide and guide to manufacturers and suppliers</b>	<b>343</b>
15.8 Safety	322	17.1 Introduction	344
15.9 Operation	323	17.2 Valve classification guide	344
15.10 Seat leakage	323	17.3 Actuator classification guide	349
15.11 Noise	324	Manufacturers and suppliers guide: —	
15.12 Painting and corrosion protection	324	17.4 Valves	350
15.13 Installation	324	17.5 Valves for dry solids handling	394
15.14 Maintenance and repair	324	17.6 Actuators	396
<b>15.15 Control and communications</b>	<b>324</b>	17.7 Ancillary products and services	402
<b>15.16 Components</b>	<b>324</b>	17.8 Names and addresses of European manufacturers and suppliers	403
15.16.1 Seals	324	17.9 Trade Names	416
15.16.2 Gaskets	324	<b>Chapter 18 — Units and conversions</b>	<b>419</b>
<b>15.17 Inspection and testing</b>	<b>325</b>	18.1 SI, The International System of Units	420
<b>15.18 Instrumentation</b>	<b>326</b>	18.2 Conversion Factors for SI units	421
<b>15.19 Flanges</b>	<b>326</b>	18.2.1 Plane angle	421
<b>15.20 Forces and moments on connections</b>	<b>327</b>	18.2.2 Length	421
<b>15.21 Pipes and tubes</b>	<b>327</b>	18.2.3 Area	421
<b>15.22 Hoses</b>	<b>329</b>	18.2.4 Volume	422
<b>15.23 Fittings</b>	<b>329</b>	18.2.5 Time	422
<b>15.24 Welding</b>	<b>330</b>	18.2.6 Linear velocity	422
<b>Chapter 16 — Valve and actuator selection and processing</b>	<b>331</b>	18.2.7 Linear acceleration	422
<b>16.1 General operating conditions</b>	<b>332</b>	18.2.8 Angular velocity	422
<b>16.2 Selection of valve according to fluid</b>	<b>333</b>	18.2.9 Angular acceleration	422
16.2.1 Direct selection tables	333	18.2.10 Mass	422
<b>16.3 Selection of valve according to capabilities</b>	<b>334</b>	18.2.11 Density	422
16.3.1 Rapid selection table — valves	334	18.2.12 Force	423
<b>16.4 Check-list for valve purchase specification</b>	<b>334</b>	18.2.13 Torque	423
16.4.1 Fluid properties	337	18.2.14 Pressure, stress	423
16.4.2 Operating conditions	337	18.2.15 Dynamic viscosity	423
16.4.3 Environment	337	18.2.16 Kinematic viscosity	423
16.4.4 Materials	337	18.2.17 Energy	424
16.4.5 Valve mechanical requirements	338	18.2.18 Power	424
16.4.6 Valve pneumatic requirements	338	18.2.19 Flow	424
16.4.7 Valve electrical requirements	338	18.2.20 Temperature	424
16.4.8 Valve instrumentation requirements	338	<b>18.3 Other conversion factors</b>	<b>425</b>
16.4.9 Erection and installation	338	18.3.1 Hardness	425
16.4.10 Maintenance	338	18.3.2 Material toughness	426
16.4.11 Quality assurance	338	<b>18.4 Normal quantities and units used within valve technology</b>	<b>426</b>
16.4.12 Quotation assessment	339	<b>Chapter 19 — Useful terms translated</b>	<b>427</b>
<b>16.5 Selection of actuators</b>	<b>339</b>	<b>Chapter 20 — Reference index</b>	<b>431</b>
<b>16.6 Selection of actuator according to capabilities</b>	<b>340</b>	<b>Index to Advertisers</b>	<b>440</b>
16.6.1 Rapid selection table — actuators	340		