# OPTIMIZING RESERVOIR RESOURCES Including a New Model for Reservoir Reliability

**Charles ReVelle** 





## JOHN WILEY & SONS, INC.

New York / Chichester / Weinheim / Brisbane / Singapore / Toronto

## CONTENTS

A	CKNOWLEDGMENTS	xi
IN	ITRODUCTION	xiii
P	ART I DETERMINISTIC MODELS FOR THE OPERATION AND DESIGN OF RESERVOIRS	1
1	THE WATER SUPPLY FUNCTION: SINGLE RESERVOIR	3
	Water Supply with Constant Release / 3 Evaporation Accounting Added to the Basic Model / 8	
	Water Supply and Flood Control / 11 Water Supply with Monthly Varying Release / 12	
25 1022	Water Supply Operating Rules and Simulation / 14	ŝ:
2	THE WATER SUPPLY FUNCTION: MULTIPLE RESERVOIRS Introduction / 22 Maximizing Yield with Reservoirs in Place / 23 Monthly Contributions Do Not Vary Year to Year / 24 Monthly Contributions Vary Year to Year / 26	22

#### viii CONTENTS

Cost Minimization Given a System Yield Requirement / 38 Reservoirs Operated Independently of One Another / 38 Reservoirs Operated in Concert / 39

Conclusion / 42

### 3 THE HYDROPOWER FUNCTION

Achieving a Firm Energy Supply: Single Reservoir / 45 The Storage-Energy Curve / 51

Maximizing Annual Production or Revenues: Single Reservoir / 55 Variably Priced Energy Output: Single Reservoir / 59 Hydropower Production in Multiple Reservoirs / 61

#### 4 COST ALLOCATION AND STAGING/SEQUENCING

Cost Allocation in Water Supply / 66 Cost Allocation in Multiple-Purpose Reservoirs / 74 Time Staging of Water Supply Alternatives / 75 A Zero-One Programming Formulation / 76 An Exact Algorithm for Staging Under Linear Growth / 80

Time Staging and Cost Allocation / 83

#### 5 INTEGRATING RESERVOIR SERVICES

Modeling the Multipurpose Reservoir / 86 The Irrigation Objective / 88 The Recreation Objective / 91

## PART II RESERVOIR ALLOCATION AND REALLOCATION INCLUDING THE NEW MODEL FOR RESERVOIR RELIABILITY

6 ALLOCATING RESERVOIR SERVICES AMONG WATER SUPPLY, FLOOD CONTROL, AND HYDROPOWER: THE DETERMINISTIC FLOW ENVIRONMENT

#### Introduction / 99

Allocation between Water Supply and Flood Control / 100 Model 6-a: Flood Pool Volume Constant and Water Requirement Constant Through the Year / 101

97

99

85

45

66

Model 6-b: Flood Pool Volume Constant and Water Requirement Varies by Month Through the Year / 105 Model 6-c: Flood Pool Volume Differs by Month and Water Requirement Constant / 106

Model 6-d: Water Demand Is Assumed to Vary by Month and Flood Pool Differs by Month / 107

Allocation Extended to Water Supply, Flood Control, and Hydropower / 109

Excess Energy Adds Negligible Value / 109

Excess Energy Has Value / 111

Excess Energy Valued and a Rule Curve Determined / 112

## 7 ACHIEVING A RELIABLE WATER SUPPLY WITH CHANCE-CONSTRAINED PROGRAMMING AND EVENT RESPONSIVE DENSITY ADJUSTMENT

Introduction / 116

Problem Settings for the Reliability Constrained Models / 118
Problem Ia: Maximizing the Firm Release from a Single Reservoir / 119
Problem IIa:Maximizing the Annual Yield from a Single Reservoir with Water Requirements by Month / 125
Problem III:Maximizing the Firm Joint Yield From Parallel Reservoirs / 126

Problem IV: Maximizing the Joint Annual Yield from Parallel Reservoirs with Water Requirements by Month / 128

Comparison of this Approach to Design Using Synthetic Hydrology / 129 The Duration of a Drought / 136 Computational Experience / 140 Storage-Yield Curves / 140 Yield-Reliability Curves / 147

Summary / 153

Acknowledgment / 155

Appendix: Derivation of the Variance of Random Shock / 155

### 8 REVISITING ALLOCATION WITH THE NEW MODEL ENFORCING A RELIABILITY REQUIREMENT

158

116

Introduction / 158 Reliability-Constrained Models for Allocating Water Supply and Flood Storage / 159

#### X CONTENTS

Model 8-a: Constant Release and Constant Flood Pool / 159 Model 8-b: Differing Monthly Releases and Constant Flood Pool / 160 Model 8-c: Constant Monthly Release and Variable Flood Pool / 161 Discussion / 162

Water Supply, Flood Control, and Hydropower / 163

## 9 THE REALLOCATION OF RESERVOIR SERVICES USING THE RELIABILITY-CONSTRAINED RESERVOIR MODEL 166

Introduction / 166

Reliability-Constrained Models for Reallocating Water Supply Storage and Flood Storage / 167

Model 9-a: Constant Release and Constant Flood Pool / 167 Model 9-b: Differing Monthly Releases and Constant Flood Pool / 169

Mode 9-c: Constant Monthly Release and Variable Flood Pool / 170

Reallocation of Water Supply, Flood Control, and Hydropower Services Using the Reliability-Constrained Model / 171 Flood Control Reliability / 172

## INDEX

175