

PROCEEDINGS OF THE SECOND INTERNATIONAL CONFERENCE ON SITE CHARACTERIZATION
ISC-2, Porto, Portugal, 19-22 September 2004

Geotechnical and Geophysical Site Characterization

EDITED BY

ANTÓNIO VIANA DA FONSECA

Faculdade de Engenharia da Universidade do Porto (FEUP), Portugal

PAUL W. MAYNE

*School of Civil & Environmental Engineering, Georgia Institute of Technology,
Atlanta, GA, USA*

VOLUME 1



MILLPRESS ROTTERDAM NETHERLANDS 2004

Table of contents

Volume 1

Introduction	xxi
Reviewing Committee	xxiii
Reference documents on <i>in-situ</i> testing	xxv
Acknowledgements	xxviii

KEYNOTE LECTURES

The James K. Mitchell Lecture: "In situ soil testing: from mechanics to interpretation" <i>H-S. Yu</i>	3
Characterization of granite and the underground construction in Metro do Porto, Portugal <i>S. Babendererde, E. Hoek, P. Marinos & A. Silva Cardoso</i>	39
<i>In-situ</i> test characterization of unusual geomaterials <i>F. Schnaid, B.M. Lehane & M. Fahey</i>	49
Routine and advanced analysis of mechanical in-situ tests.	75
Results on saprolitic soils from granites more or less mixed in Portugal <i>A. Gomes Correia, A. Viana da Fonseca & M. Gambin</i>	
The contributions of <i>in situ</i> geophysical measurements to solving geotechnical engineering problems <i>K.H. Stokoe II, S-H. Joh & R.D. Woods</i>	97
Deformation properties of fine-grained soils from seismic tests <i>K.R. Massarsch</i>	133
Advanced calibration chambers for cone penetration testing in cohesionless soils <i>A-B. Huang & H-H. Hsu</i>	147
<i>In-situ</i> seismic survey in characterizing engineering properties of natural ground <i>S. Shibuya, S. Yamashita, Y. Watabe & D.C.F. Lo Presti</i>	167
Characterization of the Venice lagoon silts from <i>in-situ</i> tests and the performance of a test embankment <i>P. Simonini</i>	187
Characterization of soft sediments for offshore applications <i>M.F. Randolph</i>	209
Evaluating soil liquefaction and post-earthquake deformations using the CPT <i>P.K. Robertson</i>	233

1. MECHANICAL IN-SITU TESTING METHODS

General report: Mechanical <i>in-situ</i> testing methods <i>M. Devincenzi, J.J.M. Powell & N. Cruz</i>	253
Comparison between plate load test results and dilatometer test results - Case study, Seymareh dam and Sazbon dam projects <i>A. Agharazi & M. Moradi</i>	265
Influence of vane size and equipment on the results of field vane tests <i>H. Åhnberg, R. Larsson & C. Berglund</i>	271
Determination of <i>in-situ</i> deformation moduli with a penetrometer and static loading test <i>H. Arbaoui, R. Gourvès, Ph. Bressolette & L. Bodé</i>	279
Characterization of soft marine clay using the flat dilatometer <i>A. Arulrajah, M.W. Bo & H. Nikraz</i>	287
Estimating the SPT penetration resistance from rod penetration based on instrumentation <i>E.H. Cavalcante, F.A.B. Danziger & B.R. Danziger</i>	293
Characterization of SPT grain size effects in gravels <i>C.R. Daniel, J.A. Howie, R.G. Campanella & A. Sy</i>	299
International and European standards on geotechnical investigation and testing for site characterization <i>V. Eitner, R. Katzenbach & F. Stölben</i>	307
CPTU site characterization: offshore peninsular and East Malaysia experience <i>S.M. Fairuz, J. Rohani & T. Lunne</i>	315
The repeatability in results of Mackintosh Probe test <i>A. Fakher & M. Khodaparast</i>	325
Application of the CPT to the characterization of a residual clay site <i>S.G. Fityus & L. Bates</i>	331
Energy ratio measurement of SPT equipment <i>D-S. Kim, W-S. Seo, E-S. Bang</i>	339
CPT-DMT interrelationships in Piedmont residuum <i>P.W. Mayne & T. Liao</i>	345
Energy measurements for standard penetration tests and the effects of the length of rods. <i>E. Odebrecht, F. Schnaid, M.M. Rocha & G.P. Bernardes</i>	351
SPT-T: test procedure and applications <i>A.S.P. Peixoto, D. de Carvalho & H.L. Giacheti</i>	359
Dynamic cone penetrometer to estimate subgrade resilient modulus for low volume roads design <i>A.M. Rahim & K.P. George</i>	367
Soil profile interpretation based on similarity concept for CPTU data <i>F. Saboya Jr & D.J.G. Balbi</i>	373
Centrifuge penetration tests in saturated layered sands <i>M.F. Silva & M.D. Bolton</i>	377
Sampling by drilling and excavations and groundwater measurements according to EN ISO 22475 for geotechnical investigations and site characterization <i>F. Stölben, V. Eitner & H. Hoffmann</i>	385
Undrained shear strength and OCR of marine clays from piezocone test results <i>F.A. Trevor & P.W. Mayne</i>	391
Results of a comparative study on cone resistance measurements <i>V. Whenham, N. Huybrechts, M. De Vos, J. Maertens, G. Simon & G. Van Alboom</i>	399

2. GEOPHYSICAL METHODS APPLIED TO GEOTECHNICAL ENGINEERING

General report: Geophysical methods applied to geotechnical engineering <i>S. Foti & A.P. Butcher</i>	409
ISC'2 experimental site investigation and characterization - Part 2: from SH waves high resolution shallow reflection to shallower GPR tests <i>F. Almeida, H. Hermosilha, J.M. Carvalho, A. Viana da Fonseca & R. Moura</i>	419
Quantitative resistivity methods for marine and fluvial site investigations <i>P. Brabers</i>	427
ISC'2 experimental site investigation - Part 1: conventional and tomographic P and S waves refraction seismics vs. electrical resistivity <i>J.M. Carvalho, A. Viana da Fonseca, F. Almeida & H. Hermosilha</i>	433
The role of crosshole seismic tomography for site characterization and grout injection evaluation on Carmo convent foundations <i>M.J. Coelho, F.M. Salgado & L. Fialho Rodrigues</i>	443
Geophysical characterization for seepage potential assessment along the embankments of the Po River <i>C. Comina, S. Foti, L.V. Socco & C. Strobbia</i>	451
The use of multichannel analysis of surface waves in determining G_{max} for soft clay <i>S. Donohue, M. Long, K. Gavin & P. O'Connor</i>	459
The use of electrical resistivity for detection of leachate plumes in waste disposal sites <i>V.R. Elis, G. Mondelli, H.L. Giachetti, A.S.P. Peixoto & J. Hamada</i>	467
Wavelets in surface wave cavity detection - theoretical background and implementation <i>N. Gucunski, P. Shokouhi & A. Maher</i>	475
Investigation of bridge foundation sites in karst terrane via multi-electrode electrical resistivity <i>D.R. Hiltunen & M.J.S. Roth</i>	483
Monitoring water saturation gradient in a silty sand site using geophysical techniques <i>E. Kalantarian & D. Doser</i>	491
Characterizing ground hazards induced by historic salt mining using ground-penetrating radar <i>B. Kulessa, A. Ruffell & D. Glynn</i>	497
Hydrogeological characterization by electrical resistivity surveys in granitic terrains <i>A.S. Lima & A.C.V. Oliveira</i>	505
Development of a TDR dielectric penetrometer <i>C-P. Lin, C-C. Chung & S-H. Tang</i>	513
Joint acquisition of SWM and other seismic techniques in the ISC'2 experimental site <i>J. Lopes, I. Moitinho, C. Strobbia, P. Teves-Costa, G.P. Deidda, M. Mendes & J.A. Santos</i>	521
Decomposed rock mass characterization with crosshole seismic tomography at the Heroísmo station site (Porto) <i>M. Oliveira & M.J. Coelho</i>	531
Shear velocity model appraisal in shallow surface wave inversion <i>A. O'Neill</i>	539
Full waveform reflectivity for inversion of surface wave dispersion in shallow site investigations <i>A. O'Neill</i>	547
Offshore geosciences for coastal infrastructure <i>J. Peuchen & W.M. NeSmith</i>	555
A framework for inversion of wavefield spectra in seismic non-destructive testing of pavements <i>N. Ryden, P. Ulriksen & C.B. Park</i>	563

Geoelectrical resistivity imaging of domestic waste disposal sites: Malaysian case study <i>A.R. Samsudin, U. Hamzah & W.Z.W. Yaacob</i>	571
The small strain stiffness of gold tailings <i>M. Theron, G. Heymann & C.R.I. Clayton</i>	575
An assessment of heavy metal contamination using electromagnetic survey in the solid waste disposal site of Campos dos Goytacazes, Brazil <i>S. Tibana, L.A.C. Monteiro, E.L. dos Santos Júnior & F.T. de Almeida</i>	581
Geotechnical site characterization using surface waves, case studies from Belgium and the Netherlands <i>V. van Hoegaerden, R.S. Westerhoff, J.H. Brouwer & M.C. van der Rijst</i>	585
Geophysical methods and identification of embankment dam parameters <i>O.K. Voronkov, A.A. Kagan, N.F. Krivonogova, V.B. Glagovsky & V.S. Prokopovich</i>	593
Application of advanced geophysical technologies to landslides and unstable slopes <i>R.J. Whiteley</i>	601
Resistivity imaging as a tool in shallow site investigation – a case study <i>R. Wisén, T. Dahlin & E. Auken</i>	607
Evaluation of grouting effect with seismic tomography considering grouting mechanism <i>Y. Yamaguchi & H. Satoh</i>	615

3. INNOVATIVE TECHNOLOGIES AND EQUIPMENT

General report: Innovative technologies and equipment <i>M. Long & K.K. Phoon</i>	625
The use of microtremors for soil and site categorization in Thessaloniki city, Greece <i>P. Apostolidis, D. Raptakis, M. Manakou & K. Pitilakis</i>	635
New de-coupled shear wave source for the SCPT test <i>L. Areias, W. Haegeman & W.F. Van Impe</i>	643
Comparing 360° televising of drill hole walls with core logging <i>R. T. Baillot, N. Barton, R. Abrahão & A. Ribeiro Jr.</i>	647
Developments of a full displacement pressuremeter for municipal solid waste site investigations in Brazil <i>L.A.L. Bello, T.M.P. de Campos, J.T. Araruna & B.G. Clarke</i>	657
Rock characterization using drilling parameters <i>J. Benoît, S.S. Sadkowski & W.A. Bothner</i>	665
Penetration resistance in soft clay for different shaped penetrometers <i>S.F. Chung & M.F. Randolph</i>	671
Evaluation of the undrained shear strength profile in soft layered clay using full-flow probes <i>J.T. DeJong, N.J. Yafrate, D.J. DeGroot & J. Jakubowski</i>	679
Rapid site assessment with the electrical conductivity probe flexible approach for rapid and deep site investigation <i>M.P. Harkes, E.E. van der Hoek & J.J. van Meerten</i>	687
A framework for using textured friction sleeves at sites traditionally problematic for CPT <i>G.L. Hebeler, J.D. Frost & J.D. Shinn II</i>	693
Thin layer and interface characterization by VisCPT <i>R.D. Hryciw & S. Shin</i>	701
Evaluation of shear wave velocity profile using SPT based uphole test <i>D-S. Kim, E-S. Bang, W-S. Seo</i>	707

Suitability of using Iwasaki's P_L in characterization of liquefaction damages during the 1999 Chi-Chi Earthquake, Taiwan <i>C.P. Kuo, M. Chang, S.H. Shau & R.E. Hsu</i>	713
T-bar testing in Irish soils <i>M. Long & G.T. Gudjonsson</i>	719
Site characterization and QA/QC of deep dynamic compaction using an instrumented dilatometer <i>H.J. Miller, K.P. Stetson & J. Benoit</i>	727
Soil-rock sounding with MWD – a modern technique to investigate hard soils and rocks <i>B. Möller, U. Bergdahl & K. Elmgren</i>	733
A new <i>in-situ</i> apparatus: the geomechameter <i>J. Monnet & S.M. Senouci</i>	741
Permeability of sand sediment soil determined by the pressure infiltrometer test <i>T. Morii, Y. Takeshita & M. Inoue</i>	749
Adapted T-bar penetrometer versus CPT to determine undrained shear strengths of Dutch soft soils <i>O. Oung, J.W.G. Van der Vegt, L. Tiggelman & H.E. Brassinga</i>	757
Development of seismic site characterization method using harmonic wavelet analysis of wave (HWAW) method <i>H-C. Park & D-S. Kim</i>	767
Use of dilatometer and dual dilatometer test for soft soils and peats <i>P.P. Rahardjo, Y. Halim & L. Sentosa</i>	775
Field evaluation of the LCPC <i>in-situ</i> triaxial test <i>Ph. Reiffsteck</i>	783
CPTWD (Cone Penetration Test While Drilling) a new method for deep geotechnical surveys <i>M. Sacchetto, A. Trevisan, K. Elmgren & K. Melander</i>	787
Enhanced access penetration system: a direct push system for difficult site conditions <i>J.D. Shinn II & J.W. Haas III</i>	795
Use of a radioisotope cone to characterize a lumpy fill <i>T.S. Tan, M. Karthikeyan, K.K. Phoon, G.R. Dasari & M. Mimura</i>	801
Development of a carrier tool for a multi-method investigation of brownfield sites <i>P. Wotschke & S. Friedel</i>	809

4. NEW DEVELOPMENTS IN INTERPRETATION OF IN-SITU DATA

General report: New developments in the interpretation of <i>in-situ</i> test data <i>B. Lehane & M. Fahey</i>	819
Discussion report: Benefit of new developments in interpretation of <i>in-situ</i> data <i>J. Peuchen</i>	825
Calibration chamber size and boundary effects for CPT q_c measurements <i>M.M. Ahmadi & P.K. Robertson</i>	829
State-space seismic cone minimum variance deconvolution <i>E.J. Baziw</i>	835
The effects of vibration on the penetration resistance and pore water pressure in sands <i>J. Bonita, J.K. Mitchell & T.L. Brandon</i>	843
<i>In-situ</i> testing and foundation engineering: recent contributions <i>J-L. Briaud</i>	853

Disturbance effects of field vane tests in a varved clay <i>A.B. Cerato & A.J. Lutenegger</i>	861
Assessment of cyclic stability of cohesive deposits using cone penetration <i>R. Debasis</i>	869
High resolution stratigraphic and sedimentological analysis of Llobregat delta nearby Barcelona from CPT & CPTU tests <i>M.J. Devincenzi, S. Colàs, J.L. Casamor, M. Canals, O. Falivene & P. Busquets</i>	877
Fractal analysis of CPT data <i>J.A. Díaz-Rodríguez & P. Moreno-Carrizales</i>	885
Neural networks in soil characterization <i>W. Ding & J.Q. Shang</i>	889
Cylindrical cavity expansion modeling for interpretation of cone penetration tests <i>F. Elmi & J.L. Favre</i>	897
Stratigraphic profiling by cluster analysis and fuzzy soil classification from mechanical cone penetration tests <i>J. Facciorusso & M. Uzielli</i>	905
Site variability, risk, and beta <i>R.A. Failmezger, P.J. Bullock & R.L. Handy</i>	913
A case study using in-situ testing to develop soil parameters for finite-element analyses <i>E. Farouz, J-Y. Chen & R.A. Failmezger</i>	921
Using a non linear constitutive law to compare Menard PMT and PLT E-moduli <i>A. Gomes Correia, A. Antão & M. Gambin</i>	927
Computational and physical basis for dynamic characterization using Love waves <i>B.B. Guzina, A.I. Madyarov & R.H. Osburn</i>	935
Effect of ageing on shear wave velocity by seismic cone <i>J.A. Howie & A. Amini</i>	943
Dissipation test evaluation with a point-symmetrical consolidation model <i>E. Imre & P. Rózsa</i>	951
Feasibility of neural network application for determination of undrained shear strength of clay from piezocone measurements <i>Y-S. Kim</i>	957
Measurement of in-situ deformability in hard rock <i>D. Labrie, B. Conlon, T. Anderson & R.F. Boyle</i>	963
Estimation of shear strength increase beneath embankments by seismic cross-hole tomography <i>R. Larsson & H. Mattson</i>	971
Statistical evaluation of the dependence of the liquidity index and undrained shear strength of CPTU parameters in cohesive soils <i>J. Liszkowski, M. Tschuschke, Z. Mlynarek & W. Tschuschke</i>	979
CPTU – replication test in post flotation sediments <i>Z. Mlynarek, W. Tschuschke & T. Lunne</i>	987
Evaluation of the coefficient of subgrade reaction for design of multipropelled diaphragm walls from DMT moduli <i>P. Monaco & S. Marchetti</i>	993
Evaluation of SCPTU intra-correlations at sand sites in the Lower Mississippi River Valley, USA <i>J.A. Schneider, A.V. McGillivray & P.W. Mayne</i>	1003

Risk assessment for contaminated tropical soil <i>A.C. Strava Corrêa & N. Moreira de Souza</i>	1011
An examination of the engineering properties and the cone factor of soils from East Asia <i>M. Tanaka & H. Tanaka</i>	1019
The regional information system 'Databank Ondergrond Vlaanderen - DOV' <i>I. Vergauwen, P. De Schrijver & G. Van Alboom</i>	1025

INDICES

Keyword index

Author index