



Pumps, Electromechanical Devices and Systems Applied to Urban Water Management

Edited by

Enrique Cabrera

Institute for Water Technology, Universidad Politécnica de Valencia, Spain

Enrique Cabrera Jr.

Institute for Water Technology, Universidad Politécnica de Valencia, Spain

VOLUME 1



A.A. BALKEMA PUBLISHERS LISSE / ABINGDON / EXTON (PA) / TOKYO

Table of contents

| | |
|---|------|
| Foreword | XIII |
| Acknowledgements | XV |
| Sponsors | XVII |
| <i>Volume I</i> | |
| <i>Systems management</i> | |
| Energetic optimization by rehabilitation of oversized water distribution networks <i>L. Ainola, T. Koppel & N. Kändler</i> | 3 |
| The use of performance indicators to support water network rehabilitation planning <i>H. Alegre, J.M. Baptista, S.T. Coelho & P. Praça</i> | 11 |
| Performance evaluation for water companies. A practical case <i>V.J. Bourguett O., R. Sandoval, M. Serra M., L. Ochoa-A., J. Montoya, J.A. Ruiz-A., C. Mariano & V.H. Mireles</i> | 19 |
| Multiple objectives and water quality in water distribution networks <i>C. Bragalli, D. Savic, E. Keedwell & S. Artina</i> | 27 |
| Benchmarking in the water industry. Basic principles, applicability and methodology <i>E. Cabrera Jr., R. Cobacho J. & M. Herrero Á.</i> | 37 |
| Research of the flow procedures in a pressure sewer system <i>C. Dohse & H. Eckstädt</i> | 45 |
| About the two IWA performance indicators systems for urban water management <i>P. Duarte, H. Alegre & R. Matos</i> | 53 |
| Countermeasures against water hammer phenomena in Japan <i>F. Etoh</i> | 61 |

| | |
|---|-----|
| A new approach to assess performance indicators' data quality <i>M. Herrero, E. Cabrera Jr. & F.J. Valero</i> | 69 |
| Breaking of activated sludge flocs using pumps and mixers <i>P. Hlavínek</i> | 79 |
| Integrated management of urban water supply systems – A general vision potential risks <i>E. Koelle</i> | 87 |
| Rehabilitation of water networks: Data collection and data acquisition at Compagnie Générale des Eaux, Lyon <i>D. Poinard, F. Texier & P. Le Gauffre</i> | 97 |
| Condition monitoring of water distribution pipelines as a rehabilitation aid <i>M. Poulton</i> | 105 |
| Application of the PI system for water network rehabilitation in Norway – Possibilities and pitfalls <i>F. Sjøvold, J. Røstum, M. Volta, I. Selseth & S. Sægrov</i> | 113 |
| Hai Phong water supply company, the example of effective renovation of water system management in developing Vietnam <i>N. Viet Anh</i> | 121 |
| <i>Network analysis and modeling</i> | |
| Invited lecture: Future challenges in the design and modelling of water distribution systems <i>B.W. Karney</i> | 129 |
| Design of water distribution networks under uncertain demand <i>A. Babayan, D. Savic & G. Walters</i> | 137 |
| Turbulent velocity profiles in pressurized pipes by UDV <i>A. Berni, B. Brunone & M. Ferrante</i> | 145 |
| GESTAR and EPANET hydraulic modelling of control valves in non-looped branches <i>C. González C., C. Estrada C. & R. Aliod S.</i> | 153 |
| Inverse problems in hydraulic network modelling <i>C. Di Cristo & A. Leopardi</i> | 163 |
| Water distribution system design: Pathology of simplified loading conditions <i>Y.R. Fillion, B.J. Adams & B.W. Karney</i> | 173 |
| Optimal sampling design for calibration of transient network models using multi-objective GAs <i>Z.S. Kapelan, D.A. Savic & G.A. Walters</i> | 181 |
| Inverse problems in hydraulic network modelling: Parameter identification in a real case study <i>G. de Marinis, R. Gargano & A. Leopardi</i> | 189 |
| Complex systems hydraulic design considering unsteady flow <i>L.B. Ramos & J.M. Abreu</i> | 197 |
| Numerical modelling of storage-settling basins <i>F. Schmitt, V. Milisic & G. Chebbo</i> | 207 |

Planning and decision support systems

- The repair and maintenance costs curve: Ways to calculate it for a medium size utility 219
R. Cobacho, E. Cabrera, E. Cabrera Jr., F. Arregui & M. Dubois
- Leaks, energy costs, and storage operations 229
A.F. Colombo & B.W. Karney
- The labyrinth of water distribution systems: Demand, energy and climate change 239
A.F. Colombo & B.W. Karney
- Multi-objective optimization of water systems: A comparative study 247
R. Farmani, D.A. Savic & G.A. Walters
- A case study on oversizing the pipeline diameters of a urban water distribution system 257
J.C. Lauria
- Decision support for the prioritisation of water network rehabilitation projects – Data needs and data availability 263
P. Le Gauffre, R. Baur, K. Laffréchine, M. Schiatti & L. Tuhovčák
- A system for the integrated planning of distribution network in the Canal de Isabel II 273
R. Miguel P.
- Computer aided rehabilitation of water networks 279
S. Sægrov, J.M. Baptista, P. Conroy, P. Eisenbeis, V. de Federico, R. Herz, P. Le Gauffre, S. Mazzacane, J. Røstum, W. Schilling & L. Tuhovčák
- A decision support system for the control and replacement of water meters in the city of Athens 289
A.D. Tzamtzis & M. Paralika
- Evaluation of investment projects with national and international bidders in water sector. Learning from experiences in last decade of transition period in Vietnam 297
N. Viet Anh
- Failures analysis for water distribution networks long-term rehabilitation planning 307
P. Vrbková & L. Tuhovčák
- Prediction of river water level by using system identification method 315
N. Yoshizawa, O. Yamanaka, A. Nagaiwa, S. Iwasaki, T. Nakayama & M. Saito

Water losses

- Evaluation of leakage by means of night flow measurements and analytical discrimination. A comparative study 327
J. Almandoz, E. Cabrera, J. Gil & I. Pellejero
- Evaluating domestic water meter accuracy. A case study 343
F.J. Arregui, C.V. Palau, L. Gascón & O. Peris

| | |
|--|-----|
| The state of deterioration of the pipe in Saltillo, Mexico <i>V.J. Bourguett O., J.A. Ruiz-A., L.H. Ochoa-A. & C.E. Mariano</i> | 353 |
| New method to estimate leakage rates in drinking water distribution systems <i>G.S. Buchberger & G. Nadimpalli</i> | 363 |
| Frequency response coding for the location of leaks in single pipeline systems <i>P.J. Lee, J.P. Vítkovský, M.F. Lambert, A.R. Simpson & J.A. Liggett</i> | 371 |
| A study of geophysical methods for water leak location <i>A. Lockwood, T. Murray, G. Stuart & L. Scudder</i> | 379 |
| Do customers' meters register correctly? <i>F. Mendaza M. & C. Verdú S.</i> | 387 |
| Detecting leaks from water pipes at a test facility using ground-penetrating radar <i>E. O'Brien, T. Murray & A. McDonald</i> | 395 |
| Computational fluid dynamic approach to the design of a single-jet water-meter <i>G. Sánchez & A. Rivas</i> | 405 |
| Leakage detection repair management and optimisation of water supply network performance in the city of Athens <i>A.D. Tzamtzis & M. Paralika</i> | 415 |
| Leak and blockage detection in pipelines via an impulse response method <i>J.P. Vítkovský, P.J. Lee, M.L. Stephens, M.F. Lambert, A.R. Simpson & J.A. Liggett</i> | 423 |
| Author index | 431 |

Volume 2

Pumping stations – planning and design

| | |
|---|-----|
| Invited lecture: Real-time design of centrifugal pump impellers on a PC-cluster <i>R. Schilling, Th. Lepach, S. Krämer & N. Müller</i> | 435 |
| Vertical mixed flow pump with screw type impeller <i>S. Andou, T. Yoshida & T. Ono</i> | 445 |
| A pumping station refurbishment – Case study <i>M. Ceausescu & S. Perju</i> | 453 |
| Design of a pumping station with underground storage for drainage of a low-lying area in Hong Kong <i>M.T. Chow, K.W. Yan, C.W. Li, O.W.H. Wai & Y.S. Li</i> | 461 |
| Reconstruction of well-draw of sewer system in big waterworks <i>A. Gajić, M. Cvjetković, Z. Pušica & Đ. Čantrak</i> | 469 |
| An experience on planning large pumping systems in a critical situation <i>K. Gotoh</i> | 477 |
| Submerged vortices simulations in pump sump models <i>T.S. Lee</i> | 485 |

| | |
|---|-----|
| Reorganization of CERN's water distribution networks <i>G.F. Luyet & H. Köster</i> | 491 |
| Pumps life cycle cost – A practical methodology for evaluation and pump selection <i>R.P.F. Went</i> | 499 |
| <i>Pumping stations – operation and maintenance</i> | |
| An algorithm for estimation of pumping station performances <i>A. Anton</i> | 509 |
| Optimum operation scenarios for water supply pumping stations <i>A. Anton & D. Cioc</i> | 517 |
| Identification of cavitation NPSH in centrifugal pumps <i>G. Ciaravino</i> | 525 |
| Coupling between well hydraulics and pump operation to determine unsteady flowrates <i>V.B. Espert, G. López, P.A. López & F.J. Martínez</i> | 533 |
| Rainwater pump facilities for urban sewerage system <i>K. Fujino</i> | 543 |
| Pressure pulsation problems in a self-evacuating, variable speed centrifugal pump for wastewater conveyance <i>L. Jönsson</i> | 551 |
| Is there any optimal configuration of a local pumping station? Case study <i>W. Koral</i> | 559 |
| Pumping in a non-potable water network <i>J.P. Nicolau</i> | 567 |
| Effects of distribution method on water mixtures: Study carried out on pilot unit <i>A. Mialet, E. Delahaye, B. Nguyen & B. Welté</i> | 575 |
| Advantages of variable frequency drives in urban water pumping stations <i>S. Muppana, F. Withoos & S. Pichayajittipong</i> | 583 |
| Experimental study on the performances prediction methodologies of pumps and their systems <i>Z. Rentian</i> | 593 |
| Optimization of water supply operation: Pump power rate reduction using genetic algorithm <i>Y. Sakamoto, F. Kurokawa, K. Yamazaki & T. Ashiki</i> | 603 |
| <i>Valves</i> | |
| Invited lecture: Valve selection and application <i>J.P. Tullis</i> | 613 |
| Air valve dynamic behaviour <i>F.J. Arregui, J. García-Serra, A.C.H. Kruisbrink, E. Cabrera, V.S. Fuertes, C.V. Palau & L. Gascón</i> | 623 |

| | |
|---|-----|
| Reviewing air valves selection | 633 |
| <i>E. Cabrera, V.S. Fuertes, J. García-Serra, F. Arregui, L. Gascón & V. Palau</i> | |
| Pressure surges in water systems caused by air venting | 641 |
| <i>G. De Martino, N. Fontana & M. Giugni</i> | |
| Experimental investigation on the flow characteristics of piston valves | 651 |
| <i>J.C. Lauria & M. Solera Rodrigues Da Silva</i> | |
| Hydraulic of membrane valves as regulator of head and transient processes in hydraulics | 661 |
| <i>M. Maradjieva</i> | |
| <i>Transients</i> | |
| Invited lecture: Potential causes of high pressure transients in urban water systems and their solutions | 671 |
| <i>A. Anderson</i> | |
| Transient analysis software for pumping stations | 685 |
| <i>C. Bragalli, B. Brunone, F. Calabresi & M. Ferrante</i> | |
| An investigation on unsteady-state friction in laminar flow | 695 |
| <i>B. Brunone, M. Cacciamani, F. Calabresi & M. Ferrante</i> | |
| A cautionary note on the operation of pumping mains without appropriate surge control and the potentially detrimental impact of small air pockets | 703 |
| <i>R. Burrows</i> | |
| Dissipation of pressure surges in water pipeline systems | 711 |
| <i>D. Covas, I. Stoianov, H. Ramos, N. Graham & C. Maksimovic</i> | |
| Fluid oscillator in the wastewater treatment | 721 |
| <i>P. Hlavínek, C. Alföldi & B. Řeháková</i> | |
| Study on column separation protection using air-inlet-and-outlet valves in pumping system of urban water supply | 731 |
| <i>J. Jing, W. Xiaohong, F. Xiangqian & Z. Weiling</i> | |
| Energy dissipation mechanisms in water distribution systems | 739 |
| <i>B.W. Karney & Y.R. Fillion</i> | |
| Fluid transients in complex pumping systems with gas release and absorption | 749 |
| <i>T.S. Lee</i> | |
| A modified formulation for estimating the dissipative effect of 1-D transient pipe flow | 755 |
| <i>D. Loureiro & H. Ramos</i> | |
| Case studies on the control of check-valve slam in pump-rising main systems | 765 |
| <i>P.J. Purcell</i> | |
| Frequency-domain transient pipe flow solution including unsteady friction | 773 |
| <i>J. Vítkovský, A. Bergant, M. Lambert & A. Simpson</i> | |
| Unsteady friction weighting function determination from transient responses | 781 |
| <i>J. Vítkovský, A. Bergant, M. Lambert & A. Simpson</i> | |
| Simulation of transients in a looped laboratory pipe network | 791 |
| <i>X.-J. Wang, A.R. Simpson, M.F. Lambert, J.P. Vítkovský & J.A. Liggett</i> | |

| | |
|--|-----|
| Application of genetic algorithm to the optimization of the closing of liquid control slow closing butterfly valve in a pumping station <i>F. Xiangqian, L. Guang-lin, J. Jing & Z. Weiling</i> | 799 |
| <i>Monitoring, control and regulation</i> | |
| Invited lecture: Real-time control of urban water systems <i>M. Schütze, A. Campisano, H. Colas, P. Vanrolleghem & W. Schilling</i> | 807 |
| Evaluation of the cost and benefits of automatic control in the Pasakoy wastewater collection basin <i>M. Cakmakcı</i> | 825 |
| Optimisation of a full-scale activated sludge aeration process <i>P. Cañizares, L. Rodríguez, M.A. Rodrigo, J. Villaseñor & F.J. Fernández</i> | 835 |
| On-line scheduling in water distribution networks <i>M. Damas, J. Ortega, M. Salmerón & G. Olivares</i> | 843 |
| SCADA system for pumping stations and treatment plants <i>M. Garcia</i> | 853 |
| WAMODAT – An alternative system for remote monitoring <i>J. Kretek & J. Fiedler</i> | 861 |
| Application of SCADA system for monitoring booster station <i>Z. Liyou & S. Shiquan</i> | 867 |
| Controlled pressure regulation within the water piping (Examples of the application in the Czech Republic) <i>R. Mára & V. Kadeřábek</i> | 873 |
| Application of linear-quadratic regulators to sewer network control <i>M. Marinaki & M. Papageorgiou</i> | 879 |
| Advanced pumping station control for RTC of sewer systems <i>M. Schütze & J. Alex</i> | 887 |
| Experience of Barcelona with electromechanical devices applied to the management of the urban drainage <i>E. Segura & A. Villanueva</i> | 895 |
| Prognosis control of drinking water production <i>H.J. Tinge</i> | 903 |
| Hybrid modeling of potable water treatment plant <i>J.L. Villa, M. Duque, A. Gauthier & N. Rakoto-Ravalontsalama</i> | 909 |
| Author index | 919 |