

# RECOMMENDATIONS FOR THE DESIGN, CALCULATION, CONSTRUCTION AND MONITORING OF GROUND ANCHORAGES

*Edited by*  
P.HABIB



A.A.BALKEMA / ROTTERDAM / BROOKFIELD / 1989



# Table of contents

Foreword to the first edition	XI
Foreword to the third edition	XIII
Members of the Working Group	XV
List of symbols	XVII
1 INTRODUCTION	
1.1 Scope of the book	1
1.2 Importance of the problem and its topical interest	2
1.3 Nature of this volume	2
1.4 Importance of workmanship in ground anchorage construction	3
1.5 Contracting firms and their obligations	3
1.6 Methodology for ground anchorage design	3
2 DEFINITIONS	
2.1 Definitions concerning the successive phases in the service life of a ground anchorage	5
2.2 Definitions concerning forces acting on ground anchorages	7
2.2.1 Limit load	7
2.2.2 Allowable load	7
2.3 Definitions related to design characteristics of ground anchorages	8
3 MATERIALS SPECIFICATIONS	
3.1 Steel	10
3.1.1 Type of steels	10
3.1.2 Allowable loads	11
3.1.3 Important comment	12
3.2 Bonding cement	12
3.2.1 General	12

## VI *Table of contents*

3.2.2	Choice of cement as a function of the aggressivity of surrounding ground	12
3.2.3	Choice of cement according to aggressivity to tendons	15
3.2.4	Recapitulation of the choice of cement in relation to the two preceding criteria	15
3.2.5	Admixtures and additives	16
3.3	Resins for bonding and protection from corrosion	16
3.3.1	Bonding resins	16
3.3.2	Resins for protection against corrosion	16

## 4 CORROSION PROTECTION OF GROUND ANCHORAGES

4.1	General	17
4.1.1	Tendons	17
4.1.2	Ordinary steels	17
4.1.3	Prestressing steels	18
4.1.4	Nomenclature of protection for the different parts of anchorages	18
4.2	Parameters influencing the degree of corrosion protection needed for prestressed anchorages	18
4.2.1	Service life	18
4.2.2	Type of environment	19
4.3	Corrosion protection of the free length of prestressed anchorages	19
4.3.1	Classification of corrosion protection	19
4.3.2	Definition of Grade P0	20
4.3.3	Definition of Grade P1	21
4.3.4	Definition of Grade P2	21
4.4	Choice of corrosion protection for the free length	21
4.4.1	Choice of protection grade	21
4.4.2	Choice of the type of protection	22
4.4.3	Choice between protection before and after stressing	23
4.5	Quality criteria required of corrosion protection along the fixed anchor length	23
4.5.1	General conditions	23
4.5.2	Case 1: Grade P1 protection is required	24
4.5.3	Case 2: Grade P2 protection is required	25
4.6	Protection of fixed anchorage length	26

4.6.1	Requirements	26
4.6.2	Grade P1 protection	26
4.6.3	Grade P2 protection	27
4.7	Protection of the anchorage head and anchor-structure connection	28
4.7.1	General	28
4.7.2	Principles of connection area corrosion protection common to P1 and P2	29
4.7.3	Additional specific provisions for P2 protection	30
4.8	Corrosion protection operations	31
4.8.1	Timing	31
4.8.2	Conditions of placing corrosion protection	31
4.9	Provisions specific to each system	33
5	CONSTRUCTION AND INSTALLATION OF GROUND ANCHORAGES	
5.1	General	34
5.2	Drilling	34
5.3	Tendon installation	35
5.3.1	Scope	35
5.4	Bonding the anchorage in the ground	35
5.4.1	General	35
5.4.2	Techniques excluding grouts or mortars	35
5.4.3	Techniques using grouts and mortars	36
5.5	Stressing	36
5.5.1	General	36
5.5.2	Characteristic stressing loads	37
5.5.3	Stressing equipment and device	41
5.5.4	Application of proof test $T_e$	44
5.5.5	Tendon lock-off and release of jack pressures	48
5.6	Release of tension in temporary anchorages	50
6	ANCHORAGE TESTING	
6.1	Definitions, objectives and advisability of the various tests	52
6.1.1	Various types of tests	52

6.1.2 Objectives of the tests: General specifications	52
6.1.3 Advisability of tests, obligations of the different contracting parties (temporary and permanent anchorages)	53
6.2 Preliminary proving tests	56
6.2.1 Aim of preliminary proving tests	56
6.2.2 Re-use of test anchorages	56
6.2.3 Number of test anchorages to be provided	56
6.2.4 Date of testing	58
6.2.5 Location of test anchorages	58
6.2.6 Installation of test anchorages and any supporting structure	58
6.2.7 Equipment and apparatus for carrying out preliminary proving tests	60
6.2.8 Procedure for preliminary proving tests and interpretation of results	62
6.3 On-site proving tests	74
6.3.1 General	74
6.3.2 Number of test anchors to be provided	74
6.3.3 Date of testing	75
6.3.4 Test equipment and installation	75
6.3.5 Procedure for on-site proving tests	75
6.3.6 Interpretation of results: Anchor acceptance criteria	76
6.4 Suitability tests	77
6.4.1 General	77
6.4.2 Number of test anchors	77
6.4.3 Test equipment and installations	77
6.4.4 Procedure for suitability tests	77
6.4.5 Acceptance criteria of anchorages subjected to suitability tests	78
6.5 Acceptance tests	78
6.5.1 General	78
6.5.2 Test method	79
6.5.3 Duration of anchorage testing and measurement intervals	81
6.5.4 Acceptance criteria	82

## 7 PERIODIC MONITORING OF THE RESIDUAL LOAD

7.1	Advisability of monitoring the residual load	87
7.2	Procedure for monitoring permanent anchorages	87
7.2.1	Liability for the monitoring	87
7.2.2	Duration and frequency of the monitoring	87
7.2.3	Monitoring system	88

## 8 RECOMMENDATIONS TO OWNERS

8.1	Introduction	90
8.2	Ground anchorage technology	90
8.3	Corrosion protection	91
8.4	Tests	91
8.5	Periodic long-term monitoring	91
8.6	Authorization for placing, dues	91
8.7	Specific structural provisions for anchored structures	92
8.8	Written data and technical specifications	92

## APPENDIX 1: STABILITY OF RETAINING STRUCTURES

A1.1	Conditions of stability	94
A1.2	Equilibrium of an isolated wall	94
A1.2.1	Horizontal components of force (Fig. A1.2)	94
A1.2.2	Vertical components of forces (Figs. A1.3 and A1.4)	96
A1.3	Anchorage resistance	96
A1.4	Overall stability	97
A1.4.1	Equilibrium of a mass with a single level of anchorages	97
A1.4.2	Equilibrium of a mass under the action of several levels of anchorages	101
A1.5	Overall stability in surrounding soil	101

## APPENDIX 2: VERIFICATION OF OVERALL STABILITY OF VERTICAL ANCHORAGES FOR RAFT CONSTRUCTION

A2.1	Method	102
A2.1.1	Principle	102
A2.1.2	Practical method	102
A2.2	Associated unit volume (influence cone)	102
A2.2.1	Real configuration	102
A2.2.2	Practical volume in homogeneous soil	103
A2.2.3	Practical volume in stratified soil	104
A2.2.4	Practical volume in a homogeneous soil overladen with a frictionless soil	105
A2.2.5	Practical volume in a homogeneous soil under a uniformly distributed excess load	105
A2.2.6	Limit value of the half-angle at the top $\beta$	105
A2.3	Reduction of the influence volume	105
A2.3.1	Principle	105
A2.3.2	Reduction of $F$	105
A2.3.3	Practical formula	106

## APPENDIX 3: GUIDE TO PRELIMINARY DESIGN OF ANCHORAGES

A3.1	Reminder	108
A3.2	Tendon design	108
A3.3	Calculation of the free length $L_L$	108
A3.4	Calculation of anchor length $L_S$	108
A3.4.1	Statement of requirements	108
A3.4.2	Non-slippage requirement	109
A3.4.3	Methods of determining anchor length	109