Lecture Notes in Earth Sciences

Edited by Somdev Bhattacharji, Gerald M. Friedman, Horst J. Neugebauer and Adolf Seilacher

23



Karl B. Föllmi

Evolution of the Mid-Cretaceous Triad

Platform Carbonates, Phosphatic Sediments, and Pelagic Carbonates Along the Northern Tethys Margin



Springer-Verlag

Berlin Heidelberg New York London Paris Tokyo Hong Kong

2.10 Middle Turonian revolution of Contents of the Luver asinour elbid Middle

1 Introduction HEIDERGO OF HEIDER	ni auli
1.1 Results of this Work and their Relation to the Observations of Arnold Heim	
1.2 Events and Episodes in Mid-Cretaceous Times	2
1.3 Documents of the Mid-Cretaceous in Western Austria	main 4
1.4 Data Sources	7 Introduct
2 Distribution and Interpretation of Mid- and Lower Upper Cretaceous Helvetic Shelf Sediments in Vorarlberg (Western Austria)	
remation of the Carbonate Platform from le Homocline into a Distally Steepened Ramp	
2.2 Late Barremian to Early Aptian (qmn9 list	
2.3 Middle Early to Early Late Aptian Vfigstgosgoldesis bi	A Huseus
2.3.1 General Overview 2.3.2 Time-Space Relations	14
2.4 Middle Late Aptian Cenomanian Phosphov and Glaucogenesia	20
2.4.1 General Overview 2.4.2 Time-Space Relations Wats and Phosphogenesis	20 29
2.5 Latest Aptian to Earliest Albian 1993 1942 1941 stemus pidgo	29
	29 35
	37
2.6.1 General Overview Sidedors used bas assented level as a second level as a secon	252 54
23 Middle to Late Cenomanian miolial estanodia) edi lo s	
2.9 Lanest Cenomanian to Earliest Turonian	59

2.10 Middle Turonian	
2.11 Late Turonian to Coniacian	64
2.12 Late Coniacian to Late Santonian	
2.13 Late Santonian to Early Campanian	71
3 Mechanisms Controlling the Formation of the Barremian- Campanian Vorarlberg Helvetic Shelf Sequence	75
3.1 Introduction	75
3.2 Sea Bottom Topography and Differential Subsidence	75
3.2.1 Narrowing and Steepening of the Carbonate Platform in the Eastward Direction	75
3.2.2 Transformation of the Carbonate Platform from a Gentle Homocline into a Distally Steepened Ramp (Rankweil Ramp)	76
3.3 Ammonoid Paleobiogeography	tion in the
3.4 Currents	80
3.5 Oxygen Minimum Zone	87
3.6 Aptian to Early Cenomanian Phospho- and Glaucogenesis	89
3.6.1 Low Sedimentation Rates, Microbial Mats,	-90
Organic Matter, PO ₄ ³⁻ Flux, and Phosphogenesis 3.6.2 Catastrophic Burials, Inner Shelf Equilibria,	96
	100
3.7 Relative Sea Level Changes, Unconformities, and Tectonic Events	101
3.7.1 Relative Sea Level Changes, and Their Probable	101
Causes 3.7.2 Unconformities, Diachronism, and Condensation 3.7.3 The Possible Influence of "Eo-alpine" Tectonic Phases	104 107
3.8 Drowning of the Carbonate Platform	108

VII	
3.9 The Garschella Case and its Implications for Lower Cretaceous Cyclic Sedimentation	112
3.9.1 Early Cretaceous Cyclicity 3.9.2 Mid-Cretaceous Distortion 3.9.3 The Tethyan Current System as an Influential Factor on Cyclicity	113 113
4 Conclusions and Summary	115
References	119
Subject Index	135
Section Localities Section Localities The made many of his key observations in the course of the eastern Swiss and western Austrian Alpa, especially and trend. Burremian to Lower Aptian shallow-water overlain by Aptian as Lower Aptian shallow-water overlain by Aptian as Lower Conominan condensed heaphate sediments, overlain by Upper-Albian in Upper State (Heim 1905, 1909, 1910-1917, 1919, 1923, 1924, 19	