



Geotechnics of Organic Soils and Peat

Bujang B.K. Huat, Arun Prasad, Afshin Asadi & Sina Kazemian



 CRC Press
Taylor & Francis Group
A BALKEMA BOOK

Table of contents

| | |
|--|-----------|
| <i>Foreword</i> | ix |
| <i>About the authors</i> | xi |
| I Introduction | I |
| 1.1 Soil engineering | 1 |
| 1.2 Types and formation of soils | 1 |
| 1.2.1 Residual soils | 1 |
| 1.2.2 Glacial soils | 3 |
| 1.2.3 Alluvial soils | 4 |
| 1.2.4 Lacustrine soils | 5 |
| 1.2.5 Marine soils | 5 |
| 1.2.6 Aeolian soils | 6 |
| 1.2.7 Colluvial soils | 7 |
| 1.2.8 Organic soils and peat | 7 |
| 1.3 Engineering in peat land | 10 |
| 2 Development of peat land and types of peat | 13 |
| 2.1 Introduction | 13 |
| 2.2 Definition of peat and organic soils | 16 |
| 2.3 Classification based on fibre content and degree of humification | 19 |
| 2.4 Development of peat land | 23 |
| 2.5 Site investigations and sampling of peat | 31 |
| 2.5.1 Disturbed but representative sampling | 33 |
| 2.5.2 Undisturbed sampling | 34 |
| 2.5.3 In situ tests | 38 |
| 3 Engineering properties of peat and organic soils | 43 |
| 3.1 Introduction | 43 |
| 3.2 Phases of peat | 43 |
| 3.3 Botanical origin and fibre content | 44 |
| 3.4 Fabric or structure | 45 |
| 3.5 Soil organic colloids | 47 |
| 3.6 Humification of peat | 48 |
| 3.7 Oxidation | 50 |

| | | |
|----------|--|------------|
| 3.8 | Organic content | 52 |
| 3.9 | Water content | 53 |
| 3.10 | Atterberg limits | 54 |
| 3.11 | Density and specific gravity | 55 |
| 3.12 | Surface charge properties of organic soils and peat | 58 |
| 3.12.1 | Cation exchange capacity | 58 |
| 3.12.2 | Zeta potential of organic soils and peat | 62 |
| 3.12.3 | Resistivity of organic soils and peat | 69 |
| 3.13 | Correlations between index parameters of peat | 70 |
| 3.13.1 | Water content vs. organic content | 71 |
| 3.13.2 | Water content vs. liquid limit | 72 |
| 3.13.3 | Organic content vs. liquid limit | 72 |
| 3.13.4 | Natural water content vs. dry density | 72 |
| 3.13.5 | Specific gravity vs. organic content (loss of ignition) | 73 |
| 3.13.6 | Bulk density vs. loss of ignition | 75 |
| 3.13.7 | Bulk density vs. water content | 77 |
| 3.13.8 | Compression index vs. liquid limit | 77 |
| 3.14 | Summary of engineering properties of peat | 77 |
| 4 | Shear strength of natural peat | 81 |
| 4.1 | Introduction | 81 |
| 4.2 | Laboratory testing | 83 |
| 4.2.1 | Drained shear strength parameters | 86 |
| 4.2.2 | Undrained shear strength parameters | 86 |
| 4.3 | Vane shear strength | 88 |
| 4.4 | Shear strength increase with consolidation | 91 |
| 4.5 | Effect of pH on undrained shear strength | 92 |
| 4.6 | Effect of cyclic loading | 93 |
| 4.7 | K_0 Behaviour | 94 |
| 4.8 | Summary | 95 |
| 5 | Deformation characteristics of peat | 97 |
| 5.1 | Introduction | 97 |
| 5.2 | Compressibility parameters of peat | 99 |
| 5.2.1 | Compression index, c_c and void ratio | 103 |
| 5.2.2 | Coefficient of consolidation, c_v | 106 |
| 5.2.3 | Secondary compression | 111 |
| 5.2.4 | Tertiary compression | 113 |
| 5.3 | Hydraulic conductivity | 115 |
| 5.3.1 | Effect of pH on permeability | 117 |
| 5.4 | Final settlement due to surface load | 117 |
| 5.5 | Observational methods | 118 |
| 6 | Soil improvement and construction methods in peat | 121 |
| 6.1 | Introduction | 121 |
| 6.2 | Excavation – displacement and replacement | 125 |
| 6.3 | Surface reinforcement, preloading and vertical drain | 126 |

| | | |
|----------|---|------------|
| 6.3.1 | Surface reinforcement | 126 |
| 6.3.2 | Preloading | 128 |
| 6.3.3 | Vacuum preloading | 130 |
| 6.4 | Deep stabilization | 135 |
| 6.4.1 | Ras-columns | 139 |
| 6.4.2 | Cement deep mixing system (CDM) | 140 |
| 6.4.3 | Jet grouting systems | 141 |
| 6.4.4 | Vacuum grouting injection | 141 |
| 6.4.5 | Dry jet mixing system (DJM) | 142 |
| 6.4.6 | Dynamic replacement method | 142 |
| 6.4.7 | Sand drains and sand/stone columns | 143 |
| 6.4.8 | Vibrated concrete column | 143 |
| 6.5 | Pile support | 144 |
| 6.5.1 | Types of pile | 144 |
| 6.5.2 | Pile behaviour | 145 |
| 6.5.2.1 | Geological behaviour | 145 |
| 6.5.2.2 | Inadequate ground investigation | 146 |
| 6.5.2.3 | Construction behaviour | 147 |
| 6.5.3 | Piled raft foundation | 148 |
| 6.5.4 | Pile mat-JHS system | 151 |
| 6.5.5 | AuGeo pile system | 152 |
| 6.5.6 | Friction/floating piles | 153 |
| 6.6 | Chemical stabilization | 156 |
| 6.6.1 | Chemical and cementation grouts | 156 |
| 6.6.2 | Sodium silicate system | 157 |
| 6.6.3 | Silicate chloride amide system | 157 |
| 6.7 | Choosing the grout | 157 |
| 6.8 | Lightweight fill | 162 |
| 6.9 | Other methods of construction | 162 |
| 6.9.1 | Geocells | 162 |
| 6.9.2 | Thermal precompression | 162 |
| 6.9.3 | Gap method | 162 |
| 6.9.4 | Reinforced overlay | 162 |
| 6.10 | Trial embankments | 163 |
| 6.11 | Chemical and biological changes | 165 |
| 6.12 | Effect of drainage | 166 |
| 6.13 | Choice of construction methods | 168 |
| 7 | Recent advances in the geotechnics of organic soils and peat | 171 |
| 7.1 | Introduction | 171 |
| 7.2 | Electrokinetics | 173 |
| 7.2.1 | Electroosmotic | 177 |
| 7.2.2 | Electroosmosis in organic soils and peat | 180 |
| 7.3 | Electrokinetic cell | 182 |
| 7.4 | Electrokinetic stabilization of organic soils and peat | 183 |
| 7.5 | Biocementing stabilization | 183 |
| 7.6 | Biogrouting and its challenges | 184 |

| | | |
|----------|---|------------|
| 7.7 | Electro-biogrouting in organic soils and peat | 185 |
| 7.8 | Conventional additives and/or fibre reinforcement in organic soils and peat | 186 |
| 7.8.1 | Ground granulated blast furnace slag (BFS) | 186 |
| 7.8.2 | Pulverized fuel ash/fly ash (FA) | 187 |
| 7.8.3 | Silica fume/micro silica (SFU) | 188 |
| 7.8.4 | Polypropylene fibres (PPF) | 192 |
| 7.8.5 | Steel fibres | 199 |
| 7.8.6 | Cement and fibres | 200 |
| 7.9 | Peat stabilization by reinforced columns | 201 |
| 7.9.1 | Cement-sodium silicate stabilized columns | 204 |
| 7.9.2 | Cement and silica fume stabilized precast columns | 207 |
| 7.10 | Geogrid reinforced vibrocompacted stone column | 209 |
| 7.11 | New deep mixing methods (DMM) for stabilization with new chemical binders | 212 |
| 8 | Environmental geotechnics in peat and organic soils | 219 |
| 8.1 | Introduction | 219 |
| 8.2 | Peat hydrology | 219 |
| 8.3 | Physico-chemical properties of peat | 222 |
| 8.4 | Physico-chemical properties of peat pore fluid | 226 |
| 8.5 | Common ground between soil scientists and geotechnical engineers | 228 |
| 8.6 | Chemical and biological changes | 233 |
| 8.7 | Effect of peat media on stabilization procedure | 233 |
| 8.7.1 | Effect of CO ₂ on treated peat | 233 |
| 8.7.2 | Effect of N on treated peat | 235 |
| 8.7.3 | Effect of pH on treated peat | 237 |
| 8.8 | Continuing research in peat land development | 237 |
| | <i>References</i> | 239 |
| | <i>Subject index</i> | 265 |