

Railway Geotechnics

CRC Press
Taylor & Francis Group
6000 Broken Land Parkway NW, Suite 300
Boca Raton, FL 33487-2866
e-mail: info@crcpress.com
www.crcpress.com
A Spon Press Book

Dingqing Li
James Hyslip
Ted Sussmann
Steven Chrismar



CRC Press

Taylor & Francis Group

Boca Raton London New York

CRC Press is an imprint of the
Taylor & Francis Group, an **Informa** business

A SPO^N PRESS BOOK

Contents

Preface	xvii
1 Track	1
1.1 Introduction 1	1
1.2 Historical perspective 3	3
1.2.1 US railway expansion 3	3
1.2.2 Development of modern mainline track substructure 9	9
1.2.3 Future for track substructure 11	11
1.3 Superstructure 11	11
1.4 Substructure 13	13
1.4.1 Ballast 14	14
1.4.2 Subballast 16	16
1.4.3 Subgrade (trackbed, formation) 17	17
1.4.4 Slopes 19	19
1.5 Substructure effects on track performance 20	20
1.6 Alternative track structures 24	24
1.7 Track transitions 27	27
1.7.1 Bridge approach 27	27
1.7.2 Ballasted track to slab track 28	28
1.7.3 Special trackwork 29	29
1.7.4 Grade crossing 30	30
1.8 Track inspection and maintenance 30	30
1.8.1 Inspection 30	30
1.8.2 Maintenance 31	31
1.8.3 Management 34	34
1.9 Layout of the book 34	34

2 Loading	35
2.1 Static loading	35
2.2 Cyclic loading	38
2.3 Dynamic loading	42
2.3.1 Dynamic load or impact load factor	42
2.3.2 High-frequency forces	43
2.3.3 General equations for calculating dynamic wheel-rail forces	45
2.3.4 Modeling for dynamic wheel-rail forces	46
2.3.5 Stiffness and damping parameters in track modeling	50
2.3.6 Dynamic track modeling results	50
2.3.7 Measured dynamic wheel-rail forces	54
2.3.8 Critical speed of high-speed passenger trains	56
2.4 Load transfer in track foundation	58
2.4.1 Stresses and strains in track foundation	59
2.4.2 Load transmission in track	62
2.4.3 Strength properties	64
2.4.4 Total stress, effective stress, and pore water pressure	65
2.5 Moving load and principal stress rotation	66
3 Substructure	71
3.1 Ballast	71
3.1.1 Ballast functions	72
3.1.2 Parent rock characterization	73
3.1.3 Aggregate characterization	73
3.1.3.1 Grain size distribution	73
3.1.3.2 Shape, angularity, texture	76
3.1.3.3 Petrographic analysis	78
3.1.3.4 Crushing and abrasion resistance	79
3.1.3.5 Bulk-specific gravity, absorption, sulfate soundness	82
3.1.3.6 Ballast aggregate specifications	82
3.1.4 Ballast fouling	83
3.1.5 Ballast layer behavior	87
3.1.5.1 Ballast layer strength parameters	87
3.1.5.2 Ballast stress-strain behavior	90

3.1.5.3 Ballast deformation	92
3.1.5.4 Ballast layer residual stress	93
3.1.5.5 Ballast strength and deformation tests	95
3.1.6 Ballast compaction	99
3.1.7 Used ballast	102
3.2 Subballast	103
3.2.1 Subballast functions	104
3.2.2 Subballast characterization	104
3.2.3 Subballast performance	106
3.2.4 Subballast drainage	106
3.2.5 Separation	107
3.3 Subgrade	108
3.3.1 Subgrade functions	109
3.3.2 Soil types	109
3.3.3 Common problems	111
3.3.4 Subgrade improvement methods	116
3.4 Other substructure materials	117
3.4.1 Ballast treatment methods	117
3.4.2 Alternative subballast materials	119
3.4.3 Hot mix asphalt	120
3.4.4 Concrete and cementitious material	122
3.4.5 Water	123
3.5 Track transitions	124
4 Mechanics	127
4.1 Track and subgrade models	127
4.1.1 BOEF model	127
4.1.2 Track modulus	129
4.1.3 Half-space model	130
4.1.4 GEOTRACK	131
4.1.5 Track modulus analysis using GEOTRACK	135
4.1.6 Track modulus as a measure of track support	140
4.1.7 KENTRACK	143
4.1.8 Finite element model	145
4.2 Resilient modulus	146
4.2.1 Resilient modulus of granular materials	147
4.2.2 Resilient modulus of fine-grained subgrade soils	148
4.2.3 Influence of soil physical state on resilient modulus	152

4.2.4	<i>Li-Selig method for prediction of resilient modulus</i>	156
4.2.5	<i>Examples of prediction using Li-Selig method</i>	159
4.3	<i>Cumulative plastic deformation</i>	163
4.3.1	<i>Cumulative plastic deformation of ballast</i>	164
4.3.2	<i>Cumulative plastic deformation of subballast</i>	168
4.3.3	<i>Cumulative plastic deformation for fine-grained soils</i>	169
4.3.3.1	<i>Soil critical state</i>	169
4.3.3.2	<i>Prediction model</i>	170
4.3.3.3	<i>Li-Selig model for cumulative plastic deformation</i>	174
4.3.4	<i>Effects of traffic, ballast, and subgrade conditions on total settlement</i>	183
4.3.5	<i>Track settlement and roughness</i>	186
4.3.6	<i>Track settlement at bridge approaches</i>	187
4.3.6.1	<i>Ballast layer deformation</i>	188
4.3.6.2	<i>Subgrade layer deformation</i>	189
4.3.6.3	<i>Field investigation and modeling results</i>	192
5	Design	197
5.1	<i>Ballasted track</i>	198
5.1.1	<i>Background</i>	198
5.1.2	<i>Design methods for granular layer thickness</i>	199
5.1.2.1	<i>AREMA equations</i>	199
5.1.2.2	<i>Raymond method</i>	200
5.1.2.3	<i>British Rail method</i>	201
5.1.2.4	<i>Li-Selig method</i>	202
5.1.3	<i>Development of Li-Selig method</i>	204
5.1.3.1	<i>Subgrade failure criteria</i>	204
5.1.3.2	<i>Effect of granular layer on subgrade stress</i>	207
5.1.3.3	<i>Design chart development</i>	210
5.1.4	<i>Application of Li-Selig method</i>	213
5.1.4.1	<i>Design traffic</i>	213
5.1.4.2	<i>Material properties</i>	216
5.1.4.3	<i>Design criteria</i>	217
5.1.4.4	<i>Design procedure 1</i>	217
5.1.4.5	<i>Design procedure 2</i>	219

5.1.5	<i>Comparisons with test results</i>	222
5.1.5.1	<i>Low track modulus test track</i>	222
5.1.5.2	<i>Mix passenger and freight revenue service sites</i>	223
5.1.6	<i>Initial granular layer construction thickness</i>	225
5.2	<i>Asphalt track</i>	227
5.2.1	<i>Asphalt track foundation</i>	227
5.2.2	<i>Asphalt mix design</i>	229
5.2.3	<i>Asphalt track foundation design</i>	230
5.2.4	<i>Use of asphalt track for drainage</i>	235
5.2.5	<i>Asphalt track foundation test under heavy axle loads</i>	236
5.3	<i>Slab track foundation</i>	242
5.3.1	<i>Overall requirements</i>	242
5.3.2	<i>Failure modes and design criteria</i>	243
5.3.3	<i>Design of concrete slab</i>	244
5.3.4	<i>Subgrade and subbase</i>	245
5.3.5	<i>Analysis of slab track foundation</i>	247
5.3.6	<i>Slab track design based on subgrade deformation</i>	247
5.4	<i>Track transition</i>	252
5.4.1	<i>Design principles/best practices</i>	252
5.4.1.1	<i>Bridge approach</i>	252
5.4.1.2	<i>Slab track to ballasted track</i>	253
5.4.1.3	<i>Special trackwork</i>	253
5.4.1.4	<i>Grade crossing</i>	254
5.4.2	<i>Examples of design and remediation</i>	254
5.4.2.1	<i>Reduce stiffness and increase damping for track on bridge</i>	254
5.4.2.2	<i>Consistent track strength/restraint</i>	259
5.4.2.3	<i>Soil improvement</i>	262
5.4.2.4	<i>Unnecessary stiffness transition from slab track to ballasted track</i>	262
6	Drainage	265
6.1	<i>Sources of water in the track</i>	265
6.1.1	<i>Direct water</i>	265
6.1.2	<i>Runoff water</i>	266
6.1.3	<i>Ground water</i>	266

6.1.4	Capillary action of water in soil	267
6.1.5	Longitudinal flow of water in track	269
6.2	Water effects on track substructure	269
6.2.1	Granular soil	269
6.2.2	Cohesive soil	272
6.2.3	Internal erosion/piping	275
6.2.4	Erosion from surface water	276
6.2.5	Frost heave	276
6.3	Water principles for track	279
6.3.1	Water flow through soil	279
6.3.2	Surface water flow	282
6.4	Drainage materials	285
6.4.1	Pipes	285
6.4.2	Graded aggregate	286
6.4.3	Geosynthetics	288
6.4.3.1	Geotextiles	288
6.4.3.2	Geomembranes	289
6.4.3.3	Geocomposites	290
6.4.4	Hot mix asphalt	291
6.5	External track drainage design	293
6.5.1	Diverting water away from track	293
6.5.2	Right-of-way mapping	293
6.5.3	Ditch and slope	294
6.6	Internal track drainage design	297
6.6.1	Internal drainage flow nets	297
6.6.2	Ballast and subballast layers	299
6.6.3	Design approach	301
6.6.4	Ballast pockets	302
6.7	Drainage improvement and rehabilitation	305
6.7.1	Ballast cleaning	306
6.7.2	Subballast drainage	310
6.7.3	Ditching and grading	312

7 Slopes

315

7.1	New slopes	315
7.1.1	Site characterization	315
7.1.2	Materials	316
7.1.3	Embankment fills	317

7.1.3.1	Foundation	318
7.1.3.2	Embankment	318
7.1.3.3	Steepened slopes	319
7.1.3.4	Retaining structures	320
7.1.4	Cut slopes	322
7.2	Existing soil slopes	323
7.2.1	Types of instability	325
7.2.2	Field investigation	325
7.2.2.1	Site reconnaissance	326
7.2.2.2	Test borings	327
7.2.2.3	Geotechnical instrumentation	330
7.2.3	Examples of railway embankment instability	332
7.3	Soil slope stability analysis	336
7.3.1	Basic method of slices	336
7.3.2	Example of method of slices	339
7.3.3	Factor of safety	339
7.3.4	Computer models	342
7.3.5	Soil strength and stress condition	342
7.3.6	Effects of train load	344
7.4	Rock slopes	345
7.4.1	Types of instability	346
7.4.2	Investigation	346
7.4.3	Basic mechanics of rock slope stability	347
7.4.4	Rock slope stability analysis	348
7.5	Slope monitoring and stabilization	350
7.5.1	Monitoring	350
7.5.2	Slope stabilization	351
7.5.2.1	Drainage	351
7.5.2.2	Structural restraint	351
7.5.2.3	Buttress restraint	352
7.5.2.4	Soil improvement	354
7.5.2.5	Rock slope considerations	355

8 Measurements

359

8.1	Site investigations and characterization of track substructure conditions	359
8.1.1	Desk study	360
8.1.2	Field reconnaissance	361

<p>8.1.2.1 <i>Soil types and strata</i> 362</p> <p>8.1.2.2 <i>Ground and surface water</i> 362</p> <p>8.1.2.3 <i>Soil strength and stiffness properties</i> 362</p> <p>8.1.3 <i>Mapping</i> 363</p> <p> 8.1.3.1 <i>Ground-based LIDAR systems</i> 366</p> <p>8.1.4 <i>Cross-trenches</i> 367</p> <p>8.1.5 <i>Test borings</i> 368</p> <p>8.1.6 <i>In situ tests</i> 369</p> <p>8.2 <i>Ground penetrating radar</i> 372</p> <p> 8.2.1 <i>GPR fundamentals</i> 372</p> <p> 8.2.2 <i>GPR for track surveys</i> 376</p> <p> 8.2.3 <i>Equipment</i> 377</p> <p> 8.2.4 <i>Example GPR image results</i> 380</p> <p> 8.2.5 <i>Track substructure condition measurements</i> 382</p> <p> 8.2.5.1 <i>GPR measurement of fouled ballast</i> 382</p> <p> 8.2.5.2 <i>GPR measurement of moisture</i> 384</p> <p> 8.2.5.3 <i>GPR measurement of layers</i> 386</p> <p>8.3 <i>Track geometry</i> 389</p> <p> 8.3.1 <i>Measurement fundamentals</i> 389</p> <p> 8.3.2 <i>Vertical profile geometry measurement</i> 393</p> <p> 8.3.3 <i>Measures of geometry variation</i> 395</p> <p> 8.3.3.1 <i>Spatial correction to “line up” successive geometry data</i> 395</p> <p> 8.3.3.2 <i>Standard deviation over fixed segment track length</i> 395</p> <p> 8.3.3.3 <i>Running roughness</i> 398</p> <p> 8.3.3.4 <i>Other measures of track roughness</i> 400</p> <p> 8.3.4 <i>Track alignment control for high-speed rail</i> 401</p> <p> 8.3.5 <i>Advances in analysis of track geometry data</i> 402</p> <p> 8.3.5.1 <i>Analyzing track geometry space curve data</i> 402</p> <p> 8.3.6 <i>Filtered space curve cyclic characteristics and vehicle dynamics</i> 405</p> <p> 8.3.7 <i>Determining effectiveness of geometry correction from waveform analysis</i> 406</p> <p> 8.3.8 <i>Performance-based track geometry inspection</i> 409</p> <p> 8.3.8.1 <i>Objectives and background</i> 409</p> <p> 8.3.8.2 <i>Vehicle performance measures</i> 410</p> <p> 8.3.8.3 <i>Types of performance-based track geometry inspection systems</i> 411</p> <p> 8.3.8.4 <i>Performance criteria</i> 413</p>	<p>8.4 <i>Track deflection under load</i> 413</p> <p> 8.4.1 <i>Track stiffness/deflection measurement techniques</i> 414</p> <p> 8.4.1.1 <i>Track stiffness testing using track loading vehicle</i> 415</p> <p> 8.4.1.2 <i>University of Nebraska track deflection measurement</i> 417</p> <p> 8.4.1.3 <i>Rolling stiffness measurement vehicle—Banverket</i> 419</p> <p> 8.4.1.4 <i>Falling weight deflectometer</i> 420</p> <p> 8.4.1.5 <i>Spectral analysis of surface waves</i> 421</p> <p> 8.4.2 <i>Vertical load-deflection behavior</i> 422</p> <p> 8.4.3 <i>Lateral load-deflection behavior</i> 426</p> <p> 8.4.4 <i>Track buckling and track panel shift</i> 430</p>	<p>435</p>
<p>9 Management</p>		
<p>9.1 <i>Life-cycle cost considerations</i> 435</p>		
<p> 9.1.1 <i>Designing track to minimize settlement versus allowing settlement and geometry corrections</i> 437</p>		
<p> 9.1.2 <i>Track renewal with reconstruction versus limited renewal of track components</i> 439</p>		
<p> 9.1.2.1 <i>Track laying machines and track subgrade renewal machines</i> 440</p>		
<p> 9.1.3 <i>Cost considerations of ballast-less track (slab track)</i> 442</p>		
<p> 9.1.3.1 <i>Top-down versus bottom-up slab track construction</i> 443</p>		
<p> 9.1.4 <i>Vertical rail deflection to locate soft track support of new track</i> 444</p>		
<p>9.2 <i>Ballast life</i> 444</p>		
<p> 9.2.1 <i>Influence of ballast depth on ballast life</i> 448</p>		
<p> 9.2.2 <i>Influence of tamping degradation on ballast life</i> 448</p>		
<p>9.3 <i>Maintenance needs assessment</i> 449</p>		
<p> 9.3.1 <i>Functional condition</i> 449</p>		
<p> 9.3.2 <i>Structural condition</i> 450</p>		
<p> 9.3.3 <i>Vertical rail deflection to locate soft support of existing track</i> 450</p>		
<p> 9.3.4 <i>Assessment of track life and maintenance needs</i> 452</p>		
<p>9.4 <i>Maintenance methods and equipment</i> 453</p>		
<p> 9.4.1 <i>Tamping</i> 453</p>		
<p> 9.4.2 <i>Improved methods to correct track geometry error</i> 454</p>		
<p> 9.4.2.1 <i>Design over-lift tamping</i> 454</p>		

9.4.2.2	<i>Improved tamper control systems</i>	457
9.4.2.3	<i>Stone blowing</i>	458
9.4.3	<i>Ballast shoulder cleaning</i>	460
9.4.4	<i>Ditching</i>	460
9.4.5	<i>Ballast undercutting/cleaning</i>	461
9.4.6	<i>Track vacuum</i>	466
9.5	<i>Examples of management based on measurement</i>	466
9.5.1	<i>Using track geometry data to determine tamping needs</i>	466
9.5.2	<i>Poor ride quality: Due to track geometry error or the vehicle?</i>	467
9.5.3	<i>Managing the dip at track transitions</i>	469
9.5.4	<i>Managing undercutting: Selecting locations, track segment length, and their priority</i>	473
9.6	<i>Subballast and subgrade improvement and rehabilitation</i>	475
9.6.1	<i>Subballast improvement methods</i>	475
9.6.2	<i>Subgrade stabilization methods</i>	476
9.6.2.1	<i>Over-excavation and replacement</i>	476
9.6.2.2	<i>Admixture stabilization</i>	476
9.6.2.3	<i>Horizontal reinforcement</i>	477
9.6.2.4	<i>Rammed-aggregate piers</i>	477
9.6.2.5	<i>Compaction grouting</i>	477
9.6.2.6	<i>Penetration grouting</i>	478
9.6.2.7	<i>Soil mixing</i>	478
9.6.2.8	<i>Slurry injection</i>	478
9.6.3	<i>Control of expansive soil</i>	479
9.7	<i>Observational method</i>	479
9.7.1	<i>Examples of use</i>	481
9.7.2	<i>Potential disadvantages of the observational method</i>	482
10	Case studies	
		483

10.1	<i>Diagnosis and remediation of a chronic subgrade problem</i>	483
10.1.1	<i>Background and investigation (diagnosis)</i>	483
10.1.2	<i>Substructure conditions</i>	485
10.1.3	<i>Solution and implementation</i>	487
10.1.4	<i>Monitoring</i>	489

10.2	<i>Track design on old roadbed</i>	491
10.2.1	<i>Investigation</i>	491
10.2.1.1	<i>Use of GPR to assess old roadbed conditions</i>	491
10.2.1.2	<i>Use of track geometry car data</i>	492
10.2.1.3	<i>Use of mapping</i>	493
10.2.2	<i>Granular layer thickness design</i>	493
10.2.2.1	<i>Design method 1</i>	494
10.2.2.2	<i>Design method 2</i>	495
10.2.3	<i>Challenges encountered during design</i>	496
10.2.3.1	<i>Unstable slopes</i>	496
10.2.3.2	<i>Poor internal and external track drainage</i>	498
10.3	<i>Track design—new roadbed</i>	499
10.3.1	<i>Background</i>	499
10.3.2	<i>Site description and soil conditions</i>	501
10.3.3	<i>Track foundation design</i>	502
10.3.4	<i>Construction control</i>	504
10.4	<i>Slope instability</i>	504
10.4.1	<i>Investigation</i>	505
10.4.2	<i>Site conditions</i>	508
10.4.3	<i>Potential solutions</i>	510
10.4.3.1	<i>Flattening/buttressing</i>	511
10.4.3.2	<i>Retaining wall with anchored tie backs</i>	511
10.4.3.3	<i>Soil reinforcement</i>	511
10.4.3.4	<i>Micropiles with cap beam</i>	513
10.4.3.5	<i>Anchored blocks</i>	514
10.4.3.6	<i>Soil dowels</i>	515
10.4.4	<i>Extent of remediation</i>	515
Appendix		517
References		533
Index		555

Throughout the book, we have developed our collective understanding of rail track problems and how to remediate them. We have done this by sharing our knowledge and experiences with each of us in the industry. The book concludes the work of the Rail Track and Subgrade Management Working Group. It is now time to move forward and update to the field of rail track and subgrade management and operations how best to act to remediate best practices. In this spirit of writing and discussing, we each had specific thoughts and areas of our belief while we debated the merits of different remediation practices. The task that has taken shape is the synthesis of these ideas and to succinctly document our collective understanding of rail track problems and how to remediate them.