Reliability of Geotechnical Structures in ISO2394

EDITORS K.K. Phoon J.V. Retief



Table of contents

10	5.4	- Eroba	hilkow model for Moon town	3.7.1 Natural variability of in	
				3.7.2 Intact rock areas britister	136
	Prot	face			iv
	Aho	uce ut the F	Editors		IX
	Cor	tributo	re		viii
	Ach	nowled	aement		vvii
	TICK	nouncu	gement of an an address the		XVII
	Reli	ability	as a basis for geotechnical	design	1
	Kok	-Kwano	Phoon	Bayersan quantilitation narrows	e.f. 14'
			the number of the second second		014.645
	1.1	Introd	uction	or stars of communities with the lot of the	2
	1.2	Evolu	tion of structural and geotec	chnical design	5
	1.3	Role o	of engineering judgment	Nuet to not search to the search	9
	1.4	Reliab	pility versus geotechnical req	uirements of a safety format	12
	1.5	some	Multi-	Introduction	16
		1.5.1	Control information	S	16
		1.3.2	Geotecnnical information:	is it an investment	17
		152	Model uncontainties		1/
		1.5.5	Searcity of gootochnical de	multivariate data	10
		1.5.4	Probability distributions th	na hat accommodate a "worst	20
		1.5.5	credible" value at a preser	ibed quantile	21
		156	Spatial variability	ibed quantife	22
		1.5.7	Design point from the first	t-order reliability method	densi dansi
		1.0.17	(FORM) and partial factor	rs	23
		1.5.8	System reliability	Multivariate normal distribution	25
	1.6	Concl	uding thoughts		25
			LICD for differential acti		124
2	Gen	eral pri	nciples on reliability accord	rding to ISO2394	33
	Joha	n V. Re	tief, Mahongo Dithinde, and	l Kok-Kwang Phoon	
	2.1	Introd	uction: Background to the d	levelopment of ISO2394:2015	33
		2.1.1	Stages of development of I	SO2394	34
		2.1.2	Status and use of ISO2394	A 7 4 Thermanian Channel	36
		2.1.3	Objectives and fundament	al principles	36
	2.2	Overv	iew of the standard ISO2394	4:2015	37
	2.3	Conce	ptual basis and fundamenta	l requirements	39
	2.4	Key re	liability concepts		40
	2.5	Conch	iding summary of ISO2394	:2015	46

3	Uncertainty representation of geotechnical design parameters Kok-Kwang Phoon, Widjojo A. Prakoso, Yu Wang, and Jianye Ching					
	3.1	Introd	uction	49		
	3.2	Source	es of uncertainties	51		
	3.3	Natura	al variability	52		
	3.4	Measu	rement error	54		
	3.5	Transf	ormation uncertainty	5.5		
	3.6	Scale o	of fluctuation	60		
	3.7	Intact	rock and rock mass	63		
		3.7.1	Natural variability of intact rock	63		
		3.7.2	Intact rock measurement error	67		
		3.7.3	Intact rock scale of fluctuation	69		
		3.7.4	Rock mass natural variability	69		
		3.7.5	Rock mass transformation uncertainty	71		
	3.8	Statisti	ical uncertainty for site-specific natural variability	71		
		3.8.1	Statistical uncertainty in site-specific trend	71		
		3.8.2	Statistical uncertainty of site-specific COV and SOF	72		
	3.9	Bayesia	an quantification of site-specific natural variability	77		
	3.10	Selectio	on of site-specific transformation model	80		
	3.11	Conclu	isions and future work	82		
4	Stati Jiany	stical c e Ching	haracterization of multivariate geotechnical data , Dian-Qing Li, and Kok-Kwang Phoon	89		
	4.1	Introdu	uction	89		
	4.2	Correla		92		
	4.3	Multivariate normal probability distribution function 96 Multivariate normal distributions constructed with genuine				
		441	CLAY/5/345	90		
		4.4.2	CLAY/6/535	102		
	4.5	Multiv	ariate normal distributions constructed with <i>bivariate</i> data	102		
		4.5.1	CLAY/7/6310	105		
		4.5.2	CLAY/10/7490	105		
	4.6	Multiv	ariate normal distributions constructed with <i>incomplete</i>	100		
		bivaria	te data	114		
		4.6.1	CLAY/4/BN	114		
		4.6.2	SAND/4/BN	115		
	4.7	Multiv	ariate distributions constructed with the copula theory	116		
		4.7.1	Copula theory	116		
		4.7.2	Elliptical copulas (Gaussian and t copulas)	117		
		4.7.3	Kendall rank correlation	118		
		4.7.4	Estimating C using Pearson and Kendall correlations	119		
		4.7.5	Comparison between the Gaussian and t copulas	122		
	4.8	Conclu	isions	123		

5	Stat Mah and	i stical c ongo D Johan V	h aracterization of model uncertainty ithinde, Kok-Kwang Phoon, Jianye Ching, Limin Zhang, 7. Retief	127
	5.1	Introd	uction	127
	5.2	Explor	ratory data analysis	129
	5.3	Detect	ion of data outliers	131
		5.3.1	Sample z-score method	131
		5.3.2	Box plot method	132
		5.3.3	Scatter plot method	133
	5.4	Probal	bilistic model for M	134
	5.5	Verific	cation of randomness of the model factor	136
		5.5.1	Removal of statistical dependencies	136
			5.5.1.1 Generalised model factor approach	137
			5.5.1.2 Verification of removal of systematic dependency	139
		5.5.2	Model factor as a function of input parameters	140
	5.6	Availa	ble model factor statistics	142
		5.6.1	Laterally loaded rigid bored piles (ultimate limit state)	142
		5.6.2	Axially loaded piles (ultimate limit state)	142
		5.6.3	Shallow foundations (ultimate limit state)	142
		5.6.4	Axially loaded pile foundations (serviceability limit state)	144
		5.6.5	Limiting tolerable displacement (serviceability limit state)	151
		5.6.6	Factor of safety of a slope calculated by limit equilibrium method	152
		5.6.7	Base heave for excavation in clays	155
	5.7	Concl	usions	155
6	Sem Kok	ni-proba -Kwang	abilistic reliability-based design Phoon and Jianye Ching	159
	61	Introd	luction	159
	62	Survey	v of calibration methods	163
	0.2	6.2.1	Basic Load Resistance Factor Design (LRFD)	163
		6.2.2	Extended LRFD and Multiple Resistance and Load	
		01212	Factor Design (MRFD)	165
		6.2.3	Robust LRFD (<i>R</i> -LRFD)	167
		6.2.4	LRFD for total settlement	169
		6.2.5	LRFD for differential settlement	171
		6.2.6	First-order Reliability Method (FORM)	171
		6.2.7	Baseline technique	172
		6.2.8	Degree of understanding	173
	6.3	Issue	of variable coefficient of variation	175
	Neren	6.3.1	Partial factors for the calibration case	177
		6.3.2	Actual reliability index for the validation case	177
	6.4	Issue	of variable soil profiles	178

viii Table of contents

	6.5	Quantile Value Method (QVM)	180
		6.5.1 Robustness of QVM against variable COV	180
		6.5.2 Pad foundation supported on boulder clay	181
	6.6	Effective random dimension	185
		6.6.1 Gravity retaining wall	187
	6.7	Conclusions	189
7	Dire	ct probability-based design methods	193
	Yu V and	Vang, Timo Schweckendiek, Wenping Gong, Tengyuan Zhao, Kok-Kwang Phoon	
	7.1	Introduction	193
	7.2	Situations of direct probability-based design methods being	
		necessary	195
	7.3	Expanded reliability-based design (expanded RBD) method	200
	7.4	Reliability-based robust geotechnical design (RGD)	204
	7.5	The new safety standards for flood defenses in the Netherlands	206
	7.6	System reliability	208
	7.7	Reliability target	210
	7.8	Gravity retaining wall design example	211
	7.9	Concluding remarks and future work	223

Index

227