

# RISK AND RELIABILITY IN GEOTECHNICAL ENGINEERING

EDITED BY  
**KOK-KWANG PHOON**  
**JIANYE CHING**



**CRC Press**

Taylor & Francis Group

Boca Raton London New York

CRC Press is an imprint of the  
Taylor & Francis Group, an Informa business  
A SPON BOOK

# Contents

|                        |              |
|------------------------|--------------|
| <i>Preface</i>         | <i>xix</i>   |
| <i>Acknowledgments</i> | <i>xxi</i>   |
| <i>Editors</i>         | <i>xxiii</i> |
| <i>Contributors</i>    | <i>xxv</i>   |

## PART I

### Properties

|                                                                      |          |
|----------------------------------------------------------------------|----------|
| <b>1 Constructing multivariate distributions for soil parameters</b> | <b>3</b> |
|----------------------------------------------------------------------|----------|

JIANYE CHING AND KOK-KWANG PHOON

|         |                                                                                             |    |
|---------|---------------------------------------------------------------------------------------------|----|
| 1.1     | <i>Introduction</i>                                                                         | 5  |
| 1.2     | <i>Normal random variable</i>                                                               | 6  |
| 1.2.1   | <i>Random data</i>                                                                          | 5  |
| 1.2.2   | <i>Normal random variable</i>                                                               | 6  |
| 1.2.2.1 | <i>Probability density function</i>                                                         | 6  |
| 1.2.2.2 | <i>Cumulative distribution function</i>                                                     | 9  |
| 1.2.3   | <i>Estimation of normal parameters</i>                                                      | 12 |
| 1.2.3.1 | <i>Method of moments</i>                                                                    | 13 |
| 1.2.3.2 | <i>Percentile method</i>                                                                    | 13 |
| 1.2.3.3 | <i>Maximum likelihood method</i>                                                            | 14 |
| 1.2.3.4 | <i>Normal probability plot</i>                                                              | 15 |
| 1.2.3.5 | <i>Statistical uncertainties in the <math>\mu</math> and <math>\sigma</math> estimators</i> | 15 |
| 1.2.4   | <i>Simulation of a normal random variable</i>                                               | 20 |
| 1.2.4.1 | <i>Simulating standard uniform random variable <math>U</math></i>                           | 20 |
| 1.2.4.2 | <i>Simulating standard normal random variable <math>X</math></i>                            | 20 |
| 1.2.4.3 | <i>Simulating normal random variable <math>Y</math></i>                                     | 21 |
| 1.3     | <i>Bivariate normal vector</i>                                                              | 21 |
| 1.3.1   | <i>Bivariate data</i>                                                                       | 21 |
| 1.3.2   | <i>Bivariate normal distribution</i>                                                        | 23 |
| 1.3.2.1 | <i>Bivariate standard normal</i>                                                            | 24 |
| 1.3.2.2 | <i>Correlation coefficient</i>                                                              | 24 |
| 1.3.3   | <i>Estimation of <math>\delta_{12}</math></i>                                               | 24 |
| 1.3.3.1 | <i>Method of moments</i>                                                                    | 24 |
| 1.3.3.2 | <i>Maximum likelihood method</i>                                                            | 25 |



|         |                                                                  |    |
|---------|------------------------------------------------------------------|----|
| 1.3.3.3 | Rank correlation method                                          | 26 |
| 1.3.3.4 | Statistical uncertainties in the $\delta_{12}$ estimate          | 27 |
| 1.3.3.5 | Goodness-of-fit test (the line test)                             | 28 |
| 1.3.4   | Simulation of bivariate standard normal random variables         | 29 |
| 1.4     | Multivariate normal vector                                       | 30 |
| 1.4.1   | Multivariate data                                                | 30 |
| 1.4.2   | Multivariate normal distribution                                 | 32 |
| 1.4.3   | Estimation of correlation matrix C                               | 32 |
| 1.4.3.1 | Positive definiteness of the correlation matrix C                | 34 |
| 1.4.3.2 | Goodness-of-fit test                                             | 35 |
| 1.4.4   | Simulation of multivariate standard normal random vector X       | 37 |
| 1.4.5   | Conditional normal and updating                                  | 38 |
| 1.5     | Non-normal random variable                                       | 42 |
| 1.5.1   | Non-normal data                                                  | 42 |
| 1.5.2   | Non-normal distribution                                          | 44 |
| 1.5.2.1 | Lognormal and shifted lognormal distributions                    | 44 |
| 1.5.2.2 | Johnson system of distributions                                  | 45 |
| 1.5.3   | Selection and parameter estimation for the Johnson distribution  | 46 |
| 1.5.3.1 | Probability plot and the goodness-of-fit test (K-S test)         | 48 |
| 1.5.4   | Simulation of the Johnson random variable                        | 50 |
| 1.5.5   | Some practical observations                                      | 51 |
| 1.5.5.1 | Choice of z                                                      | 51 |
| 1.5.5.2 | Parameter estimation under prescribed lower and/or upper bound   | 52 |
| 1.6     | Multivariate non-normal random vector                            | 53 |
| 1.6.1   | Multivariate non-normal data                                     | 53 |
| 1.6.2   | CDF transform approach                                           | 54 |
| 1.6.3   | Estimation of the marginal distribution of Y                     | 54 |
| 1.6.4   | Estimation of the correlation matrix C                           | 56 |
| 1.6.5   | Simulation                                                       | 58 |
| 1.6.6   | Some practical observations                                      | 58 |
| 1.7     | Real example                                                     | 60 |
| 1.7.1   | Clay/10/7490 database                                            | 61 |
| 1.7.2   | Construction of multivariate distribution                        | 63 |
| 1.7.2.1 | Fit a Johnson distribution to each component ( $Y_i$ )           | 63 |
| 1.7.2.2 | Convert $Y_i$ into standard normal $X_i$                         | 63 |
| 1.7.2.3 | Compute the correlation matrix for ( $X_1, X_2, \dots, X_{10}$ ) | 64 |
| 1.7.2.4 | Problem of nonpositive definiteness                              | 64 |
| 1.7.3   | Conditioning: Bayesian analysis                                  | 67 |
| 1.8     | Future challenges                                                | 72 |
|         | List of symbols                                                  | 72 |
|         | References                                                       | 74 |

## 2 Modeling and simulation of bivariate distribution of shear strength parameters using copulas

77

DIAN-QING LI AND XIAO-SONG TANG

|         |                                                                                     |     |
|---------|-------------------------------------------------------------------------------------|-----|
| 2.1     | Introduction                                                                        | 77  |
| 2.2     | Copula theory                                                                       | 78  |
| 2.2.1   | Definition of copulas                                                               | 78  |
| 2.2.2   | Dependence measures                                                                 | 80  |
| 2.2.2.1 | Pearson's rho                                                                       | 80  |
| 2.2.2.2 | Kendall's tau                                                                       | 83  |
| 2.2.3   | Four selected copulas                                                               | 85  |
| 2.3     | Modeling bivariate distribution of shear strength parameters                        | 88  |
| 2.3.1   | Measured data of cohesion and friction angle                                        | 89  |
| 2.3.2   | Identification of best-fit marginal distributions                                   | 89  |
| 2.3.3   | Identification of best-fit copula                                                   | 95  |
| 2.4     | Simulating bivariate distribution of shear strength parameters                      | 98  |
| 2.4.1   | Algorithms for simulating bivariate distribution                                    | 98  |
| 2.4.1.1 | Gaussian copula                                                                     | 98  |
| 2.4.1.2 | Plackett copula                                                                     | 98  |
| 2.4.1.3 | Frank and No.16 copulas                                                             | 99  |
| 2.4.2   | Simulation of copulas and bivariate distribution                                    | 99  |
| 2.5     | Impact of copula selection on retaining wall reliability                            | 102 |
| 2.5.1   | Retaining wall example                                                              | 103 |
| 2.5.2   | Probability of failure using direct integration                                     | 104 |
| 2.5.3   | Nominal factor of safety for retaining wall stability                               | 106 |
| 2.5.4   | Reliability results produced by different copulas                                   | 107 |
| 2.5.4.1 | Effect of geometrical parameters on probability of failure                          | 107 |
| 2.5.4.2 | Effect of COV of shear strength parameters on probability of failure                | 108 |
| 2.5.4.3 | Effect of correlation between cohesion and friction angle on probability of failure | 108 |
| 2.5.5   | Discussions                                                                         | 110 |
| 2.6     | Summary and conclusions                                                             | 115 |
|         | Acknowledgments                                                                     | 115 |
|         | Appendix 2A: MATLAB® codes                                                          | 115 |
|         | List of symbols                                                                     | 125 |
|         | References                                                                          | 126 |

## PART II Methods

129

## 3 Evaluating reliability in geotechnical engineering

131

J. MICHAEL DUNCAN AND MATTHEW D. SLEEP

|     |                                 |     |
|-----|---------------------------------|-----|
| 3.1 | Purpose of reliability analysis | 131 |
| 3.2 | Probability of failure and risk | 132 |



|        |                                                                               |     |
|--------|-------------------------------------------------------------------------------|-----|
| 3.3    | Language of statistics and probability                                        | 132 |
| 3.3.1  | Variables                                                                     | 132 |
| 3.3.2  | Correlated and uncorrelated variables                                         | 133 |
| 3.3.3  | Standard deviation                                                            | 133 |
| 3.3.4  | Coefficient of variation                                                      | 135 |
| 3.3.5  | Histograms and relative frequency diagrams                                    | 135 |
| 3.3.6  | Probability and probability theory                                            | 135 |
| 3.3.7  | Probability density function                                                  | 135 |
| 3.3.8  | Normal and lognormal distributions                                            | 136 |
| 3.3.9  | Lognormal distribution                                                        | 139 |
| 3.3.10 | Cumulative density function                                                   | 140 |
| 3.3.11 | Probability of failure                                                        | 142 |
| 3.3.12 | Reliability                                                                   | 142 |
| 3.3.13 | Reliability index                                                             | 142 |
| 3.3.14 | Probability of failure on the CDF curve                                       | 144 |
| 3.3.15 | Reliability index for normally distributed factor of safety                   | 145 |
| 3.3.16 | Reliability index for a lognormally distributed factor of safety              | 145 |
| 3.3.17 | Effect of standard deviation on estimated value of probability of failure     | 145 |
| 3.4    | Probability of failure and factor of safety                                   | 146 |
| 3.4.1  | What is "failure?"                                                            | 146 |
| 3.4.2  | Assumed distribution of the factor of safety                                  | 147 |
| 3.5    | Methods of estimating standard deviations                                     | 147 |
| 3.5.1  | Computation from data                                                         | 147 |
| 3.5.2  | Published values                                                              | 151 |
| 3.5.3  | The "three-sigma rule"                                                        | 151 |
| 3.5.4  | The "N-sigma rule"                                                            | 153 |
| 3.5.6  | Graphical N-sigma rule                                                        | 155 |
| 3.6    | Computing probability of failure                                              | 157 |
| 3.6.1  | Deterministic analyses                                                        | 157 |
| 3.6.2  | Factor of safety against sliding on top of the silty sand layer               | 158 |
| 3.6.3  | Factor of safety against sliding on the clay foundation                       | 158 |
| 3.6.4  | Factor of safety against bearing capacity failure                             | 158 |
| 3.7    | Monte Carlo analysis using @Risk™                                             | 159 |
| 3.7.1  | Accuracy of calculations                                                      | 161 |
| 3.8    | Hasofer Lind method                                                           | 162 |
| 3.8.1  | Summary of the Hasofer Lind method                                            | 166 |
| 3.9    | Taylor Series method with assumed normal distribution of the factor of safety | 167 |
| 3.10   | Taylor Series method with a lognormal distribution of the factor of safety    | 170 |
| 3.10.1 | Summary of the Taylor Series method                                           | 171 |
| 3.11   | PEM with a normal distribution for the factor of safety                       | 172 |
| 3.12   | PEM with a lognormal distribution for the factor of safety                    | 174 |
| 3.12.1 | Summary of the PEM                                                            | 175 |
| 3.13   | Comments on the methods                                                       | 176 |

|         |                                                                                                  |     |
|---------|--------------------------------------------------------------------------------------------------|-----|
| 3.13.1  | Significance of the variables                                                                    | 177 |
| 3.13.2  | Accuracy                                                                                         | 177 |
| 3.14    | Summary                                                                                          | 177 |
|         | References                                                                                       | 178 |
| 4       | Maximum likelihood principle and its application in soil liquefaction assessment                 | 181 |
|         | CHARNG HSEIN JUANG, SARA KHOSHNEVISAN, AND JIE ZHANG                                             |     |
| 4.1     | Introduction                                                                                     | 181 |
| 4.2     | Principle of maximum likelihood                                                                  | 182 |
| 4.2.1   | Independent observations                                                                         | 183 |
| 4.2.2   | Correlated observations                                                                          | 186 |
| 4.2.3   | Censored observations                                                                            | 188 |
| 4.2.4   | Ranking of competing models                                                                      | 192 |
| 4.2.5   | Limitations of the maximum likelihood method                                                     | 194 |
| 4.3     | Liquefaction probability based on generalized linear regression                                  | 194 |
| 4.3.1   | Predicting liquefaction probability based on generalized linear models                           | 194 |
| 4.3.2   | Calibration database                                                                             | 196 |
| 4.3.3   | Evaluation of sampling bias                                                                      | 196 |
| 4.3.4   | Calibration of liquefaction models                                                               | 204 |
| 4.3.5   | Ranking of liquefaction models                                                                   | 204 |
| 4.4     | Converting a deterministic liquefaction model into a probabilistic model                         | 204 |
| 4.4.1   | Probabilistic model                                                                              | 205 |
| 4.4.2   | Calibration and ranking of $P_L$ - $F_s$ relationships                                           | 206 |
| 4.5     | Estimation of liquefaction-induced settlement                                                    | 207 |
| 4.5.1   | Probabilistic model for predicting liquefaction-induced settlement                               | 207 |
| 4.5.2   | Calibration database                                                                             | 210 |
| 4.5.3   | Maximum likelihood estimation of statistics of model bias factor                                 | 210 |
| 4.6     | Summary and conclusions                                                                          | 213 |
|         | Acknowledgments                                                                                  | 214 |
|         | Appendix 4A: Model of Robertson and Wride (1998) and Robertson (2009)                            | 215 |
|         | Appendix 4B: Notation                                                                            | 216 |
|         | References                                                                                       | 217 |
| 5       | Bayesian analysis for learning and updating geotechnical parameters and models with measurements | 221 |
|         | DANIEL STRAUB AND IASON PAPAIOANNOU                                                              |     |
| 5.1     | Introduction                                                                                     | 221 |
| 5.2     | Bayesian analysis                                                                                | 222 |
| 5.3     | Geotechnical reliability based on measurements: Step-by-step procedure for Bayesian analysis     | 227 |
| 5.3.1   | Initial probabilistic model: Prior distribution                                                  | 227 |
| 5.3.1.1 | Modeling spatially variable parameters                                                           | 229 |
| 5.3.2   | Computing the reliability and risk based on the prior model                                      | 230 |



|         |                                                                                          |     |
|---------|------------------------------------------------------------------------------------------|-----|
| 5.3.3   | Describing observations and data: The likelihood                                         | 231 |
| 5.3.3.1 | Measurement $x_i$ of a parameter $X$                                                     | 231 |
| 5.3.3.2 | Samples of a spatially variable parameter                                                | 232 |
| 5.3.3.3 | Measurement of site performance parameters                                               | 232 |
| 5.3.4   | Updating the model                                                                       | 235 |
| 5.3.4.1 | Conjugate priors                                                                         | 235 |
| 5.3.4.2 | Numerical integration to determine the proportionality constant                          | 237 |
| 5.3.4.3 | Advanced sampling methods                                                                | 238 |
| 5.3.4.4 | Multinormal approximation of the posterior                                               | 238 |
| 5.3.4.5 | Direct updating of the reliability                                                       | 239 |
| 5.3.4.6 | Predictive distributions                                                                 | 239 |
| 5.3.5   | Updating reliability and risk estimates                                                  | 242 |
| 5.3.6   | Communicating the results                                                                | 243 |
| 5.4     | Advanced algorithms for efficient and effective Bayesian updating of geotechnical models | 245 |
| 5.4.1   | Markov chain Monte Carlo                                                                 | 245 |
| 5.4.2   | Sequential Monte Carlo                                                                   | 248 |
| 5.4.3   | Bayesian updating with structural reliability methods                                    | 249 |
| 5.5     | Application: Foundation of transmission towers under tensile loading                     | 250 |
| 5.5.1   | Prior probabilistic model                                                                | 251 |
| 5.5.2   | Reliability analysis based on the prior model                                            | 252 |
| 5.5.3   | Updating with CPT test outcomes                                                          | 252 |
| 5.5.4   | Updating with survived loading conditions                                                | 253 |
| 5.6     | Application: Finite-element-based updating of soil parameters and reliability            | 255 |
| 5.6.1   | Prior probabilistic model                                                                | 257 |
| 5.6.2   | Updating the soil parameters with deformation measurements                               | 257 |
| 5.6.3   | Updating the reliability with deformation measurements                                   | 259 |
| 5.7     | Concluding remarks                                                                       | 261 |
|         | Acknowledgment                                                                           | 261 |
|         | References                                                                               | 262 |

## 6 Polynomial chaos expansions and stochastic finite-element methods 265

BRUNO SUDRET

|         |                                    |     |
|---------|------------------------------------|-----|
| 6.1     | Introduction                       | 265 |
| 6.2     | Uncertainty propagation framework  | 266 |
| 6.2.1   | Introduction                       | 266 |
| 6.2.2   | Monte Carlo simulation             | 267 |
| 6.3     | Polynomial chaos expansions        | 268 |
| 6.3.1   | Mathematical setting               | 268 |
| 6.3.2   | Construction of the basis          | 268 |
| 6.3.2.1 | Univariate orthonormal polynomials | 268 |
| 6.3.2.2 | Multivariate polynomials           | 269 |
| 6.3.3   | Practical implementation           | 270 |
| 6.3.3.1 | Isoprobabilistic transform         | 270 |

|         |                                                                                |     |
|---------|--------------------------------------------------------------------------------|-----|
| 6.3.3.2 | Truncation scheme                                                              | 271 |
| 6.3.3.3 | Application example                                                            | 272 |
| 6.3.4   | Computation of the coefficients                                                | 273 |
| 6.3.4.1 | Introduction                                                                   | 273 |
| 6.3.4.2 | Projection                                                                     | 274 |
| 6.3.4.3 | Least-square minimization                                                      | 274 |
| 6.3.5   | Validation                                                                     | 276 |
| 6.3.5.1 | Error estimators                                                               | 276 |
| 6.3.5.2 | Leave-one-out cross-validation                                                 | 277 |
| 6.3.6   | Curse of dimensionality                                                        | 278 |
| 6.3.7   | Adaptive algorithms                                                            | 279 |
| 6.4     | Post-processing for engineering applications                                   | 281 |
| 6.4.1   | Moment analysis                                                                | 282 |
| 6.4.2   | Distribution analysis and confidence intervals                                 | 283 |
| 6.4.3   | Reliability analysis                                                           | 284 |
| 6.4.4   | Sensitivity analysis                                                           | 284 |
| 6.4.4.1 | Sobol decomposition                                                            | 284 |
| 6.4.4.2 | Sobol indices                                                                  | 286 |
| 6.4.4.3 | Sobol indices from PC expansions                                               | 286 |
| 6.5     | Application examples                                                           | 287 |
| 6.5.1   | Load-carrying capacity of a strip footing                                      | 287 |
| 6.5.1.1 | Independent input variables                                                    | 287 |
| 6.5.1.2 | Correlated input variables                                                     | 289 |
| 6.5.2   | Settlement of a foundation on an elastic two-layer soil mass                   | 289 |
| 6.5.3   | Settlement of a foundation on soil mass with spatially varying Young's modulus | 292 |
| 6.5.4   | Conclusions                                                                    | 294 |
| 6.6     | Summary and outlook                                                            | 295 |
|         | Acknowledgments                                                                | 296 |
|         | Appendix 6A: Hermite polynomials                                               | 296 |
|         | List of symbols                                                                | 297 |
|         | References                                                                     | 297 |

## 7 Practical reliability analysis and design by Monte Carlo Simulation in spreadsheet 301

YU WANG AND ZIJUN CAO

|       |                                                             |     |
|-------|-------------------------------------------------------------|-----|
| 7.1   | Introduction                                                | 301 |
| 7.2   | Subset Simulation                                           | 302 |
| 7.2.1 | Algorithm                                                   | 302 |
| 7.2.2 | Simulation procedures                                       | 303 |
| 7.3   | Expanded RBD with Subset Simulation                         | 305 |
| 7.3.1 | Expanded RBD approach                                       | 305 |
| 7.3.2 | Desired sample number in direct MCS                         | 306 |
| 7.3.3 | Integration of expanded RBD approach with Subset Simulation | 306 |
| 7.4   | Probabilistic failure analysis using Subset Simulation      | 307 |



|       |                                                                         |     |
|-------|-------------------------------------------------------------------------|-----|
| 7.4.1 | Hypothesis testing                                                      | 308 |
| 7.4.2 | Bayesian analysis                                                       | 309 |
| 7.4.3 | Integration of probabilistic failure analysis with Subset Simulation    | 312 |
| 7.5   | Spreadsheet implementation of MCS-based reliability analysis and design | 313 |
| 7.5.1 | Deterministic modeling                                                  | 314 |
| 7.5.2 | Uncertainty modeling                                                    | 314 |
| 7.5.3 | Uncertainty propagation                                                 | 315 |
| 7.6   | Illustrative example I: Drilled shaft design                            | 316 |
| 7.6.1 | Deterministic model worksheet                                           | 317 |
| 7.6.2 | Uncertainty model worksheet                                             | 319 |
| 7.6.3 | Subset Simulation and RBD Add-In                                        | 320 |
| 7.6.4 | Determination of feasible designs                                       | 322 |
| 7.6.5 | Results comparison                                                      | 322 |
| 7.6.6 | Effects of the driving variable                                         | 323 |
| 7.7   | Illustrative example II: James Bay Dike design scenario                 | 324 |
| 7.7.1 | Subset Simulation results                                               | 327 |
| 7.7.2 | Hypothesis test results                                                 | 328 |
| 7.7.3 | Bayesian analysis results                                               | 328 |
| 7.8   | Summary and concluding remarks                                          | 331 |
|       | Acknowledgment                                                          | 332 |
|       | List of symbols                                                         | 332 |
|       | References                                                              | 334 |

### PART III Design

## 8 LRFD calibration of simple limit state functions in geotechnical soil-structure design

RICHARD J. BATHURST

|         |                                             |     |
|---------|---------------------------------------------|-----|
| 8.1     | Introduction                                | 339 |
| 8.2     | Preliminaries                               | 339 |
| 8.3     | Bias value distributions                    | 341 |
| 8.4     | Calculation of $\beta$ , $Y_Q$ , and $\phi$ | 342 |
| 8.4.1   | Generation of bias values                   | 342 |
| 8.4.2   | Selection of load factor                    | 343 |
| 8.4.3   | Selection of target reliability index       | 344 |
| 8.4.4   | Calculation of $\phi$                       | 344 |
| 8.4.4.1 | MC simulation                               | 344 |
| 8.4.4.2 | Closed-form solutions                       | 345 |
| 8.5     | Example                                     | 346 |
| 8.5.1   | General                                     | 346 |
| 8.5.2   | Load data                                   | 346 |
| 8.5.3   | Pullout (resistance) data                   | 349 |
| 8.5.4   | Calibration                                 | 351 |

337

339

|         |                                              |     |
|---------|----------------------------------------------|-----|
| 8.5.4.1 | Resistance factor using MC simulation        | 351 |
| 8.5.4.2 | Resistance factor using closed-form solution | 351 |
| 8.6     | Additional considerations                    | 351 |
| 8.7     | Conclusions                                  | 353 |
|         | References                                   | 353 |

## 9 Reliability-based design: Practical procedures, geotechnical examples, and insights

355

BAK-KONG LOW

|        |                                                                                                                                        |     |
|--------|----------------------------------------------------------------------------------------------------------------------------------------|-----|
| 9.1    | Introduction                                                                                                                           | 355 |
| 9.1.1  | Three spreadsheet FORM procedures and intuitive dispersion ellipsoid perspective                                                       | 356 |
| 9.2    | Example of reliability-based shallow foundation design                                                                                 | 359 |
| 9.2.1  | RBD compared with EC7 or LRFD design, and complementary roles of RBD to EC7 and LRFD design                                            | 360 |
| 9.3    | SORM analysis on the foundation of FORM results for a rock slope                                                                       | 363 |
| 9.3.1  | Constrained optimizational FORM spreadsheet approach with respect to the $u$ vector                                                    | 363 |
| 9.3.2  | Positive reliability index only if the mean-value point is in the safe domain                                                          | 364 |
| 9.4    | Probabilistic analyses of a slope failure in San Francisco Bay mud                                                                     | 365 |
| 9.5    | Reliability analysis of a Norwegian slope accounting for spatial autocorrelation                                                       | 367 |
| 9.6    | System FORM reliability analysis of a soil slope with two equally likely failure modes                                                 | 368 |
| 9.7    | Multicriteria RBD of a laterally loaded pile in spatially autocorrelated clay                                                          | 371 |
| 9.7.1  | Illustrative example of multicriteria RBD of a laterally loaded pile                                                                   | 373 |
| 9.8    | FORM design of an anchored sheet pile wall                                                                                             | 374 |
| 9.9    | Reliability analysis of roof wedges and rockbolt forces in tunnels                                                                     | 375 |
| 9.10   | Probabilistic settlement analysis of a Hong Kong trial embankment on soft clay                                                         | 380 |
| 9.10.1 | LSS and performance functions $g(x)$ pertaining to magnitude and rate of soft clay settlement                                          | 381 |
| 9.10.2 | Distinguishing positive and negative reliability indices                                                                               | 383 |
| 9.10.3 | Reliability analysis for different limiting state surfaces                                                                             | 384 |
| 9.10.4 | Obtaining probability of failure ( $P_f$ ) and CDF from $\beta$ indices                                                                | 384 |
| 9.10.5 | Obtaining PDF curves from $\beta$ index                                                                                                | 387 |
| 9.11   | Coupling of stand-alone deterministic program and spreadsheet-automated reliability procedures via response surface or similar methods | 390 |
| 9.12   | Summary and conclusions                                                                                                                | 390 |
|        | References                                                                                                                             | 391 |

## 10 Managing risk and achieving reliable geotechnical designs using Eurocode 7

395

TREVOR L.L. ORR

|      |                                  |     |
|------|----------------------------------|-----|
| 10.1 | Introduction                     | 395 |
| 10.2 | Geotechnical complexity and risk | 395 |



|          |                                                                                   |     |
|----------|-----------------------------------------------------------------------------------|-----|
| 10.2.1   | Factors affecting complexity                                                      | 395 |
| 10.2.2   | Levels of risk and Geotechnical Categories                                        | 396 |
| 10.2.3   | Risks due to adverse water pressures                                              | 399 |
| 10.2.4   | Geotechnical investigations and geotechnical risks                                | 399 |
| 10.3     | Reliability requirements in designs to Eurocode 7                                 | 399 |
| 10.3.1   | Basic requirement                                                                 | 399 |
| 10.3.2   | Measures to achieve reliable designs                                              | 400 |
| 10.3.3   | Design assumptions for reliable designs                                           | 402 |
| 10.4     | Verification of designs to Eurocode 7                                             | 403 |
| 10.4.1   | Limit state design method                                                         | 403 |
| 10.4.2   | Verification by use of calculations                                               | 403 |
| 10.4.2.1 | Design equations and their components                                             | 403 |
| 10.4.2.2 | Design geometrical data                                                           | 404 |
| 10.4.2.3 | Design actions                                                                    | 406 |
| 10.4.2.4 | Design geotechnical parameters                                                    | 407 |
| 10.4.2.5 | Design effects of actions and design resistances                                  | 408 |
| 10.4.3   | Characteristic parameter values                                                   | 408 |
| 10.4.3.1 | Definition and selection of characteristic values                                 | 408 |
| 10.4.3.2 | Aleatory variability and epistemic uncertainty                                    | 410 |
| 10.4.3.3 | Selection of aleatory characteristic parameter values                             | 411 |
| 10.4.3.4 | Example 10.1: Selection of characteristic parameter values                        | 416 |
| 10.4.3.5 | Characteristic pile compressive resistances                                       | 417 |
| 10.4.4   | Partial factors, safety levels and reliability                                    | 419 |
| 10.4.4.1 | Types of ultimate limit state and recommended partial factor values               | 419 |
| 10.4.4.2 | Example 10.2: Determination of the design soil resistance on walls against uplift | 421 |
| 10.4.4.3 | Example 10.3: Design of a basement against uplift                                 | 424 |
| 10.5     | Reliability levels                                                                | 424 |
| 10.5.1   | Partial factors, uncertainty, calibration, and target reliability                 | 424 |
| 10.5.2   | Partial factors in spread and pile foundations designs                            | 426 |
| 10.5.3   | Reliability differentiation                                                       | 428 |
| 10.6     | Conclusions                                                                       | 430 |
|          | Acknowledgments                                                                   | 431 |
|          | References                                                                        | 432 |

## PART IV

### Risk and decision 435

#### 11 Practical risk assessment for embankments, dams, and slopes 437

LUIS ALTAREJOS-GARCÍA, FRANCISCO SILVA-TULLA, IGNACIO ESCUDER-BUENO, AND ADRIÁN MORALES-TORRES

- 11.1 Introduction 437
- 11.2 Estimation of conditional probability as a function of safety factor 438
  - 11.2.1 FS versus  $p(f)$  charts for slope instability and soil transport 438

- 11.2.2 Example of risk assessment for an earth dam based on the empirical FS versus  $p(f)$  charts 443
  - 11.2.2.1 Estimation of failure probabilities versus peak pool elevation: Example from engineering practice 443
  - 11.2.2.2 Estimation of peak pool elevation annual exceedance probabilities 445
  - 11.2.2.3 Estimation of potential loss of life versus peak pool elevation at time of failure 445
  - 11.2.2.4 Comparison of results with risk evaluation guidelines 447
- 11.3 Role of fragility curves to evaluate the uncertainty in probability estimates 450
  - 11.3.1 Concept of uncertainty 450
  - 11.3.2 Concept of fragility curves 451
  - 11.3.3 Role of fragility curves in risk analysis 452
- 11.4 Mathematical roots and numerical estimation of fragility curves 453
  - 11.4.1 Introduction 453
  - 11.4.2 Conditional probability of failure versus FS 455
  - 11.4.3 Building fragility curves 457
  - 11.4.4 Example of fragility analysis for stability failure mode of an earth dam 459
- 11.5 From fragility curves to annualized probability of failure commonly used in risk analysis 463
- 11.6 Summary of main points 467
- Acknowledgments 467
- List of main symbols and acronyms 467
- References 468

#### 12 Evolution of geotechnical risk analysis in North American practice 471

GREGORY B. BAECHER AND JOHN T. CHRISTIAN

- 12.1 Introduction 471
- 12.2 Beginnings 472
- 12.3 Geotechnical reliability (1971–1996) 473
  - 12.3.1 Probabilistic veneer on deterministic models 473
  - 12.3.2 Variability of soil-engineering properties 474
  - 12.3.3 Slope stability analysis 475
  - 12.3.4 Lumped versus distributed parameter models 476
  - 12.3.5 Aleatory versus epistemic uncertainty 477
- 12.4 Mining engineering (1969–1980) 477
- 12.5 Offshore reliability (1974–1990) 478
- 12.6 Environmental remediation (1980–1995) 479
- 12.7 Dam safety (1986–ongoing) 479
- 12.8 Systems risk assessment (2005–ongoing) 480
  - 12.8.1 New Orleans 480
  - 12.8.2 California delta 481
  - 12.8.3 Risk registers 482
- 12.9 Emerging approaches: System simulation, stress testing, and scenario appraisals 482



|           |                                                                                                                    |            |
|-----------|--------------------------------------------------------------------------------------------------------------------|------------|
| 12.9.1    | Systems simulation methods                                                                                         | 483        |
| 12.9.2    | Stress testing and scenario analysis                                                                               | 484        |
| 12.9.3    | Dynamic risk analysis and management                                                                               | 485        |
| 12.10     | Ten unresolved questions                                                                                           | 485        |
| 12.11     | Concluding thoughts                                                                                                | 487        |
|           | Acknowledgments                                                                                                    | 487        |
|           | References                                                                                                         | 487        |
| <b>13</b> | <b>Assessing the value of information to design site investigation and construction quality assurance programs</b> | <b>491</b> |
|           | ROBERT B. GILBERT AND MAHDI HABIBI                                                                                 |            |
| 13.1      | Introduction                                                                                                       | 491        |
| 13.2      | Value of information framework                                                                                     | 491        |
| 13.2.1    | Decision analysis                                                                                                  | 491        |
| 13.2.2    | Illustrative example: Remediation of contaminated lagoon                                                           | 493        |
| 13.3      | Insights from Bayes' theorem                                                                                       | 498        |
| 13.3.1    | Prior probabilities                                                                                                | 498        |
| 13.3.2    | Likelihood functions                                                                                               | 500        |
| 13.3.3    | Illustrative example: Design of pile foundation                                                                    | 502        |
| 13.4      | Implementation of value of information assessment                                                                  | 509        |
| 13.4.1    | Analytical methods                                                                                                 | 509        |
| 13.4.2    | Illustrative example: Design quality control program for compacted fill                                            | 509        |
| 13.4.3    | Numerical methods                                                                                                  | 515        |
| 13.4.4    | Illustrative example: Pile foundation load tests                                                                   | 517        |
| 13.5      | Case-history applications                                                                                          | 519        |
| 13.5.1    | Site investigation for foundation design                                                                           | 519        |
| 13.5.2    | Remedial investigation for a contaminated site                                                                     | 522        |
| 13.5.3    | Exploration program for resources                                                                                  | 525        |
| 13.5.4    | QA/QC testing                                                                                                      | 528        |
| 13.6      | Summary                                                                                                            | 529        |
|           | Acknowledgments                                                                                                    | 531        |
|           | References                                                                                                         | 531        |
| <b>14</b> | <b>Verification of geotechnical reliability using load tests and integrity tests</b>                               | <b>533</b> |
|           | LIMIN ZHANG                                                                                                        |            |
| 14.1      | Introduction                                                                                                       | 533        |
| 14.2      | Within-site variability of pile capacity                                                                           | 534        |
| 14.3      | Updating pile capacity with proof load tests                                                                       | 536        |
| 14.3.1    | Proof load tests that pass                                                                                         | 536        |
| 14.3.2    | Proof load tests that do not pass                                                                                  | 537        |
| 14.3.3    | Proof load tests conducted to failure                                                                              | 538        |
| 14.3.4    | Multiple types of tests                                                                                            | 538        |
| 14.4      | Updating pile capacity with integrity tests                                                                        | 539        |
| 14.4.1    | Reliability updating based on integrity tests                                                                      | 539        |
| 14.4.2    | Updating occurrence probability of toe debris                                                                      | 540        |

|        |                                                               |     |
|--------|---------------------------------------------------------------|-----|
| 14.4.3 | Updating mean thickness of toe debris                         | 541 |
| 14.4.4 | Cases of test outcome                                         | 541 |
| 14.5   | Reliability of piles verified by proof load tests             | 542 |
| 14.5.1 | Calculation of reliability index                              | 542 |
| 14.5.2 | Example: Design based on SPT and verified by proof load tests | 543 |
| 14.5.3 | Accuracy effect of design methods                             | 546 |
| 14.6   | Reliability of piles verified by integrity tests              | 548 |
| 14.6.1 | Worked example                                                | 548 |
| 14.6.2 | Survey of toe debris                                          | 550 |
| 14.6.3 | Updating the priors based on interface coring tests           | 551 |
| 14.6.4 | Updating reliability of piles based on interface coring tests | 553 |
| 14.7   | Summary                                                       | 555 |
|        | Acknowledgment                                                | 556 |
|        | List of symbols                                               | 556 |
|        | References                                                    | 557 |

**PART V****Spatial variability**

559

**15 Application of the subset simulation approach to spatially varying soils** 561

ASHRAF AHMED AND ABDUL-HAMID SOUBRA

|        |                                                                                                                      |     |
|--------|----------------------------------------------------------------------------------------------------------------------|-----|
| 15.1   | Introduction                                                                                                         | 561 |
| 15.2   | Karhunen-Loève expansion methodology for the discretization of a random field                                        | 561 |
| 15.3   | Brief overview of the subset simulation approach                                                                     | 564 |
| 15.4   | Method of computation of the failure probability by the SS approach in the case of a spatially varying soil property | 565 |
| 15.5   | Example applications                                                                                                 | 567 |
| 15.5.1 | Example 1: Generation of a random field by K-L expansion                                                             | 567 |
| 15.5.2 | Example 2: Computation of the failure probability by SS approach in the case of random variables                     | 569 |
| 15.5.3 | Example 3: Computation of the failure probability by an SS approach in the case of random fields                     | 572 |
| 15.6   | Conclusion                                                                                                           | 574 |
|        | Appendix 15A: Modified M-H algorithm                                                                                 | 575 |
|        | List of symbols                                                                                                      | 576 |
|        | References                                                                                                           | 577 |

**Index**

579