

# RISK AND RELIABILITY IN GEOTECHNICAL ENGINEERING

EDITED BY  
**KOK-KWANG PHOON**  
**JIANYE CHING**



**CRC Press**  
Taylor & Francis Group  
Boca Raton London New York

CRC Press is an imprint of the  
Taylor & Francis Group, an **Informa** business  
A SPON BOOK

---

# Contents

---

<i>Preface</i>	<i>xix</i>
<i>Acknowledgments</i>	<i>xxi</i>
<i>Editors</i>	<i>xxiii</i>
<i>Contributors</i>	<i>xxv</i>

## **PART I**

### **Properties**

#### **1 Constructing multivariate distributions for soil parameters** **3**

JIANYE CHING AND KOK-KWANG PHOON

##### **1.1 Introduction** 3

##### **1.2 Normal random variable** 5

###### **1.2.1 Random data** 5

###### **1.2.2 Normal random variable** 6

###### **1.2.2.1 Probability density function** 6

###### **1.2.2.2 Cumulative distribution function** 9

###### **1.2.3 Estimation of normal parameters** 12

###### **1.2.3.1 Method of moments** 13

###### **1.2.3.2 Percentile method** 13

###### **1.2.3.3 Maximum likelihood method** 14

###### **1.2.3.4 Normal probability plot** 15

###### **1.2.3.5 Statistical uncertainties in the $\mu$ and $\sigma$ estimators** 15

###### **1.2.4 Simulation of a normal random variable** 20

###### **1.2.4.1 Simulating standard uniform random variable $U$** 20

###### **1.2.4.2 Simulating standard normal random variable $X$** 20

###### **1.2.4.3 Simulating normal random variable $Y$** 21

##### **1.3 Bivariate normal vector** 21

###### **1.3.1 Bivariate data** 21

###### **1.3.2 Bivariate normal distribution** 23

###### **1.3.2.1 Bivariate standard normal** 24

###### **1.3.2.2 Correlation coefficient** 24

###### **1.3.3 Estimation of $\delta_{12}$** 24

###### **1.3.3.1 Method of moments** 24

###### **1.3.3.2 Maximum likelihood method** 25

- 1.3.3.3 Rank correlation method 26
- 1.3.3.4 Statistical uncertainties in the  $\delta_{12}$  estimate 27
- 1.3.3.5 Goodness-of-fit test (the line test) 28
- 1.3.4 Simulation of bivariate standard normal random variables 29
- 1.4 Multivariate normal vector 30
  - 1.4.1 Multivariate data 30
  - 1.4.2 Multivariate normal distribution 32
  - 1.4.3 Estimation of correlation matrix C 32
    - 1.4.3.1 Positive definiteness of the correlation matrix C 34
    - 1.4.3.2 Goodness-of-fit test 35
  - 1.4.4 Simulation of multivariate standard normal random vector X 37
  - 1.4.5 Conditional normal and updating 38
- 1.5 Non-normal random variable 42
  - 1.5.1 Non-normal data 42
  - 1.5.2 Non-normal distribution 44
    - 1.5.2.1 Lognormal and shifted lognormal distributions 44
    - 1.5.2.2 Johnson system of distributions 45
  - 1.5.3 Selection and parameter estimation for the Johnson distribution 46
    - 1.5.3.1 Probability plot and the goodness-of-fit test (K-S test) 48
  - 1.5.4 Simulation of the Johnson random variable 50
  - 1.5.5 Some practical observations 51
    - 1.5.5.1 Choice of  $z$  51
    - 1.5.5.2 Parameter estimation under prescribed lower and/or upper bound 52
- 1.6 Multivariate non-normal random vector 53
  - 1.6.1 Multivariate non-normal data 53
  - 1.6.2 CDF transform approach 54
  - 1.6.3 Estimation of the marginal distribution of Y 54
  - 1.6.4 Estimation of the correlation matrix C 56
  - 1.6.5 Simulation 58
  - 1.6.6 Some practical observations 58
- 1.7 Real example 60
  - 1.7.1 Clay/10/7490 database 61
  - 1.7.2 Construction of multivariate distribution 63
    - 1.7.2.1 Fit a Johnson distribution to each component ( $Y_i$ ) 63
    - 1.7.2.2 Convert  $Y_i$  into standard normal  $X_i$  63
    - 1.7.2.3 Compute the correlation matrix for  $(X_1, X_2, \dots, X_{10})$  64
    - 1.7.2.4 Problem of nonpositive definiteness 64
  - 1.7.3 Conditioning: Bayesian analysis 67
- 1.8 Future challenges 72
- List of symbols 72
- References 74

<b>2 Modeling and simulation of bivariate distribution of shear strength parameters using copulas</b>	<b>77</b>
DIAN-QING LI AND XIAO-SONG TANG	
2.1 Introduction	77
2.2 Copula theory	78
2.2.1 Definition of copulas	78
2.2.2 Dependence measures	80
2.2.2.1 Pearson's rho	80
2.2.2.2 Kendall's tau	83
2.2.3 Four selected copulas	85
2.3 Modeling bivariate distribution of shear strength parameters	88
2.3.1 Measured data of cohesion and friction angle	89
2.3.2 Identification of best-fit marginal distributions	89
2.3.3 Identification of best-fit copula	95
2.4 Simulating bivariate distribution of shear strength parameters	98
2.4.1 Algorithms for simulating bivariate distribution	98
2.4.1.1 Gaussian copula	98
2.4.1.2 Plackett copula	98
2.4.1.3 Frank and No.16 copulas	99
2.4.2 Simulation of copulas and bivariate distribution	99
2.5 Impact of copula selection on retaining wall reliability	102
2.5.1 Retaining wall example	103
2.5.2 Probability of failure using direct integration	104
2.5.3 Nominal factor of safety for retaining wall stability	106
2.5.4 Reliability results produced by different copulas	107
2.5.4.1 Effect of geometrical parameters on probability of failure	107
2.5.4.2 Effect of COV of shear strength parameters on probability of failure	108
2.5.4.3 Effect of correlation between cohesion and friction angle on probability of failure	108
2.5.5 Discussions	110
2.6 Summary and conclusions	115
Acknowledgments	115
Appendix 2A: MATLAB® codes	115
List of symbols	125
References	126
<b>PART II</b>	
<b>Methods</b>	<b>129</b>
<b>3 Evaluating reliability in geotechnical engineering</b>	<b>131</b>
J. MICHAEL DUNCAN AND MATTHEW D. SLEEP	
3.1 Purpose of reliability analysis	131
3.2 Probability of failure and risk	132

- 3.3 *Language of statistics and probability* 132
  - 3.3.1 *Variables* 132
  - 3.3.2 *Correlated and uncorrelated variables* 133
  - 3.3.3 *Standard deviation* 133
  - 3.3.4 *Coefficient of variation* 135
  - 3.3.5 *Histograms and relative frequency diagrams* 135
  - 3.3.6 *Probability and probability theory* 135
  - 3.3.7 *Probability density function* 135
  - 3.3.8 *Normal and lognormal distributions* 136
  - 3.3.9 *Lognormal distribution* 139
  - 3.3.10 *Cumulative density function* 140
  - 3.3.11 *Probability of failure* 142
  - 3.3.12 *Reliability* 142
  - 3.3.13 *Reliability index* 142
  - 3.3.14 *Probability of failure on the CDF curve* 144
  - 3.3.15 *Reliability index for normally distributed factor of safety* 145
  - 3.3.16 *Reliability index for a lognormally distributed factor of safety* 145
  - 3.3.17 *Effect of standard deviation on estimated value of probability of failure* 145
- 3.4 *Probability of failure and factor of safety* 146
  - 3.4.1 *What is "failure?"* 146
  - 3.4.2 *Assumed distribution of the factor of safety* 147
- 3.5 *Methods of estimating standard deviations* 147
  - 3.5.1 *Computation from data* 147
  - 3.5.2 *Published values* 151
  - 3.5.3 *The "three-sigma rule"* 151
  - 3.5.4 *The "N-sigma rule"* 153
  - 3.5.6 *Graphical N-sigma rule* 155
- 3.6 *Computing probability of failure* 157
  - 3.6.1 *Deterministic analyses* 157
  - 3.6.2 *Factor of safety against sliding on top of the silty sand layer* 158
  - 3.6.3 *Factor of safety against sliding on the clay foundation* 158
  - 3.6.4 *Factor of safety against bearing capacity failure* 158
- 3.7 *Monte Carlo analysis using @Risk™* 159
  - 3.7.1 *Accuracy of calculations* 161
- 3.8 *Hasofer Lind method* 162
  - 3.8.1 *Summary of the Hasofer Lind method* 166
- 3.9 *Taylor Series method with assumed normal distribution of the factor of safety* 167
- 3.10 *Taylor Series method with a lognormal distribution of the factor of safety* 170
  - 3.10.1 *Summary of the Taylor Series method* 171
- 3.11 *PEM with a normal distribution for the factor of safety* 172
- 3.12 *PEM with a lognormal distribution for the factor of safety* 174
  - 3.12.1 *Summary of the PEM* 175
- 3.13 *Comments on the methods* 176

3.13.1	<i>Significance of the variables</i>	177
3.13.2	<i>Accuracy</i>	177
3.14	<i>Summary</i>	177
	<i>References</i>	178
<b>4</b>	<b>Maximum likelihood principle and its application in soil liquefaction assessment</b>	<b>181</b>
	CHARNG HSEIN JUANG, SARA KHOSHNEVISAN, AND JIE ZHANG	
4.1	<i>Introduction</i>	181
4.2	<i>Principle of maximum likelihood</i>	182
4.2.1	<i>Independent observations</i>	183
4.2.2	<i>Correlated observations</i>	186
4.2.3	<i>Censored observations</i>	188
4.2.4	<i>Ranking of competing models</i>	192
4.2.5	<i>Limitations of the maximum likelihood method</i>	194
4.3	<i>Liquefaction probability based on generalized linear regression</i>	194
4.3.1	<i>Predicting liquefaction probability based on generalized linear models</i>	194
4.3.2	<i>Calibration database</i>	196
4.3.3	<i>Evaluation of sampling bias</i>	196
4.3.4	<i>Calibration of liquefaction models</i>	204
4.3.5	<i>Ranking of liquefaction models</i>	204
4.4	<i>Converting a deterministic liquefaction model into a probabilistic model</i>	204
4.4.1	<i>Probabilistic model</i>	205
4.4.2	<i>Calibration and ranking of <math>P_L</math>-<math>F_s</math> relationships</i>	206
4.5	<i>Estimation of liquefaction-induced settlement</i>	207
4.5.1	<i>Probabilistic model for predicting liquefaction-induced settlement</i>	207
4.5.2	<i>Calibration database</i>	210
4.5.3	<i>Maximum likelihood estimation of statistics of model bias factor</i>	210
4.6	<i>Summary and conclusions</i>	213
	<i>Acknowledgments</i>	214
	<i>Appendix 4A: Model of Robertson and Wride (1998) and Robertson (2009)</i>	215
	<i>Appendix 4B: Notation</i>	216
	<i>References</i>	217
<b>5</b>	<b>Bayesian analysis for learning and updating geotechnical parameters and models with measurements</b>	<b>221</b>
	DANIEL STRAUB AND IASON PAPAIOANNOU	
5.1	<i>Introduction</i>	221
5.2	<i>Bayesian analysis</i>	222
5.3	<i>Geotechnical reliability based on measurements: Step-by-step procedure for Bayesian analysis</i>	227
5.3.1	<i>Initial probabilistic model: Prior distribution</i>	227
5.3.1.1	<i>Modeling spatially variable parameters</i>	229
5.3.2	<i>Computing the reliability and risk based on the prior model</i>	230

- 5.3.3 *Describing observations and data: The likelihood* 231
  - 5.3.3.1 *Measurement  $x_i$  of a parameter  $X$*  231
  - 5.3.3.2 *Samples of a spatially variable parameter* 232
  - 5.3.3.3 *Measurement of site performance parameters* 232
- 5.3.4 *Updating the model* 235
  - 5.3.4.1 *Conjugate priors* 235
  - 5.3.4.2 *Numerical integration to determine the proportionality constant* 237
  - 5.3.4.3 *Advanced sampling methods* 238
  - 5.3.4.4 *Multinormal approximation of the posterior* 238
  - 5.3.4.5 *Direct updating of the reliability* 239
  - 5.3.4.6 *Predictive distributions* 239
- 5.3.5 *Updating reliability and risk estimates* 242
- 5.3.6 *Communicating the results* 243
- 5.4 *Advanced algorithms for efficient and effective Bayesian updating of geotechnical models* 245
  - 5.4.1 *Markov chain Monte Carlo* 245
  - 5.4.2 *Sequential Monte Carlo* 248
  - 5.4.3 *Bayesian updating with structural reliability methods* 249
- 5.5 *Application: Foundation of transmission towers under tensile loading* 250
  - 5.5.1 *Prior probabilistic model* 251
  - 5.5.2 *Reliability analysis based on the prior model* 252
  - 5.5.3 *Updating with CPT test outcomes* 252
  - 5.5.4 *Updating with survived loading conditions* 253
- 5.6 *Application: Finite-element-based updating of soil parameters and reliability* 255
  - 5.6.1 *Prior probabilistic model* 257
  - 5.6.2 *Updating the soil parameters with deformation measurements* 257
  - 5.6.3 *Updating the reliability with deformation measurements* 259
- 5.7 *Concluding remarks* 261
- Acknowledgment* 261
- References* 262

## 6 Polynomial chaos expansions and stochastic finite-element methods 265

BRUNO SUDRET

- 6.1 *Introduction* 265
- 6.2 *Uncertainty propagation framework* 266
  - 6.2.1 *Introduction* 266
  - 6.2.2 *Monte Carlo simulation* 267
- 6.3 *Polynomial chaos expansions* 268
  - 6.3.1 *Mathematical setting* 268
  - 6.3.2 *Construction of the basis* 268
    - 6.3.2.1 *Univariate orthonormal polynomials* 268
    - 6.3.2.2 *Multivariate polynomials* 269
  - 6.3.3 *Practical implementation* 270
    - 6.3.3.1 *Isoprobabilistic transform* 270

	6.3.3.2	Truncation scheme	271
	6.3.3.3	Application example	272
6.3.4		Computation of the coefficients	273
	6.3.4.1	Introduction	273
	6.3.4.2	Projection	274
	6.3.4.3	Least-square minimization	274
6.3.5		Validation	276
	6.3.5.1	Error estimators	276
	6.3.5.2	Leave-one-out cross-validation	277
6.3.6		Curse of dimensionality	278
6.3.7		Adaptive algorithms	279
6.4		Post-processing for engineering applications	281
	6.4.1	Moment analysis	282
	6.4.2	Distribution analysis and confidence intervals	283
	6.4.3	Reliability analysis	284
	6.4.4	Sensitivity analysis	284
	6.4.4.1	Sobol decomposition	284
	6.4.4.2	Sobol indices	286
	6.4.4.3	Sobol indices from PC expansions	286
6.5		Application examples	287
	6.5.1	Load-carrying capacity of a strip footing	287
	6.5.1.1	Independent input variables	287
	6.5.1.2	Correlated input variables	289
	6.5.2	Settlement of a foundation on an elastic two-layer soil mass	289
	6.5.3	Settlement of a foundation on soil mass with spatially varying Young's modulus	292
	6.5.4	Conclusions	294
6.6		Summary and outlook	295
		Acknowledgments	296
		Appendix 6A: Hermite polynomials	296
		List of symbols	297
		References	297
7		Practical reliability analysis and design by Monte Carlo Simulation in spreadsheet	301
		YU WANG AND ZIJUN CAO	
	7.1	Introduction	301
	7.2	Subset Simulation	302
	7.2.1	Algorithm	302
	7.2.2	Simulation procedures	303
	7.3	Expanded RBD with Subset Simulation	305
	7.3.1	Expanded RBD approach	305
	7.3.2	Desired sample number in direct MCS	306
	7.3.3	Integration of expanded RBD approach with Subset Simulation	306
	7.4	Probabilistic failure analysis using Subset Simulation	307



- 7.4.1 Hypothesis testing 308
- 7.4.2 Bayesian analysis 309
- 7.4.3 Integration of probabilistic failure analysis with Subset Simulation 312
- 7.5 Spreadsheet implementation of MCS-based reliability analysis and design 313
  - 7.5.1 Deterministic modeling 314
  - 7.5.2 Uncertainty modeling 314
  - 7.5.3 Uncertainty propagation 315
- 7.6 Illustrative example I: Drilled shaft design 316
  - 7.6.1 Deterministic model worksheet 317
  - 7.6.2 Uncertainty model worksheet 319
  - 7.6.3 Subset Simulation and RBD Add-In 320
  - 7.6.4 Determination of feasible designs 322
  - 7.6.5 Results comparison 322
  - 7.6.6 Effects of the driving variable 323
- 7.7 Illustrative example II: James Bay Dike design scenario 324
  - 7.7.1 Subset Simulation results 327
  - 7.7.2 Hypothesis test results 328
  - 7.7.3 Bayesian analysis results 328
- 7.8 Summary and concluding remarks 331
- Acknowledgment 332
- List of symbols 332
- References 334

### **PART III**

## **Design**

337

### **8 LRFD calibration of simple limit state functions in geotechnical soil-structure design**

339

RICHARD J. BATHURST

- 8.1 Introduction 339
- 8.2 Preliminaries 339
- 8.3 Bias value distributions 341
- 8.4 Calculation of  $\beta$ ,  $\gamma_Q$ , and  $\phi$  342
  - 8.4.1 Generation of bias values 342
  - 8.4.2 Selection of load factor 343
  - 8.4.3 Selection of target reliability index 344
  - 8.4.4 Calculation of  $\phi$  344
    - 8.4.4.1 MC simulation 344
    - 8.4.4.2 Closed-form solutions 345
- 8.5 Example 346
  - 8.5.1 General 346
  - 8.5.2 Load data 346
  - 8.5.3 Pullout (resistance) data 349
  - 8.5.4 Calibration 351

- 8.5.4.1 Resistance factor using MC simulation 351
- 8.5.4.2 Resistance factor using closed-form solution 351
- 8.6 Additional considerations 351
- 8.7 Conclusions 353
- References 353
- 9 Reliability-based design: Practical procedures, geotechnical examples, and insights 355**
- BAK-KONG LOW
- 9.1 Introduction 355
  - 9.1.1 Three spreadsheet FORM procedures and intuitive dispersion ellipsoid perspective 356
- 9.2 Example of reliability-based shallow foundation design 359
  - 9.2.1 RBD compared with EC7 or LRFD design, and complementary roles of RBD to EC7 and LRFD design 360
- 9.3 SORM analysis on the foundation of FORM results for a rock slope 363
  - 9.3.1 Constrained optimizational FORM spreadsheet approach with respect to the  $u$  vector 363
  - 9.3.2 Positive reliability index only if the mean-value point is in the safe domain 364
- 9.4 Probabilistic analyses of a slope failure in San Francisco Bay mud 365
- 9.5 Reliability analysis of a Norwegian slope accounting for spatial autocorrelation 367
- 9.6 System FORM reliability analysis of a soil slope with two equally likely failure modes 368
- 9.7 Multicriteria RBD of a laterally loaded pile in spatially autocorrelated clay 371
  - 9.7.1 Illustrative example of multicriteria RBD of a laterally loaded pile 373
- 9.8 FORM design of an anchored sheet pile wall 374
- 9.9 Reliability analysis of roof wedges and rockbolt forces in tunnels 375
- 9.10 Probabilistic settlement analysis of a Hong Kong trial embankment on soft clay 380
  - 9.10.1 LSS and performance functions  $g(x)$  pertaining to magnitude and rate of soft clay settlement 381
  - 9.10.2 Distinguishing positive and negative reliability indices 383
  - 9.10.3 Reliability analysis for different limiting state surfaces 384
  - 9.10.4 Obtaining probability of failure ( $P_f$ ) and CDF from  $\beta$  indices 384
  - 9.10.5 Obtaining PDF curves from  $\beta$  index 387
- 9.11 Coupling of stand-alone deterministic program and spreadsheet-automated reliability procedures via response surface or similar methods 390
- 9.12 Summary and conclusions 390
- References 391
- 10 Managing risk and achieving reliable geotechnical designs using Eurocode 7 395**
- TREVOR L.L. ORR
- 10.1 Introduction 395
- 10.2 Geotechnical complexity and risk 395

- 10.2.1 *Factors affecting complexity* 395
- 10.2.2 *Levels of risk and Geotechnical Categories* 396
- 10.2.3 *Risks due to adverse water pressures* 399
- 10.2.4 *Geotechnical investigations and geotechnical risks* 399
- 10.3 *Reliability requirements in designs to Eurocode 7* 399
  - 10.3.1 *Basic requirement* 399
  - 10.3.2 *Measures to achieve reliable designs* 400
  - 10.3.3 *Design assumptions for reliable designs* 402
- 10.4 *Verification of designs to Eurocode 7* 403
  - 10.4.1 *Limit state design method* 403
  - 10.4.2 *Verification by use of calculations* 403
    - 10.4.2.1 *Design equations and their components* 403
    - 10.4.2.2 *Design geometrical data* 404
    - 10.4.2.3 *Design actions* 406
    - 10.4.2.4 *Design geotechnical parameters* 407
    - 10.4.2.5 *Design effects of actions and design resistances* 408
  - 10.4.3 *Characteristic parameter values* 408
    - 10.4.3.1 *Definition and selection of characteristic values* 408
    - 10.4.3.2 *Aleatory variability and epistemic uncertainty* 410
    - 10.4.3.3 *Selection of aleatory characteristic parameter values* 411
    - 10.4.3.4 *Example 10.1: Selection of characteristic parameter values* 416
    - 10.4.3.5 *Characteristic pile compressive resistances* 417
  - 10.4.4 *Partial factors, safety levels and reliability* 419
    - 10.4.4.1 *Types of ultimate limit state and recommended partial factor values* 419
    - 10.4.4.2 *Example 10.2: Determination of the design soil resistance on walls against uplift* 421
    - 10.4.4.3 *Example 10.3: Design of a basement against uplift* 424
- 10.5 *Reliability levels* 424
  - 10.5.1 *Partial factors, uncertainty, calibration, and target reliability* 424
  - 10.5.2 *Partial factors in spread and pile foundations designs* 426
  - 10.5.3 *Reliability differentiation* 428
- 10.6 *Conclusions* 430
- Acknowledgments* 431
- References* 432

## **PART IV**

### **Risk and decision**

435

## **11 Practical risk assessment for embankments, dams, and slopes**

437

LUIS ALTAREJOS-GARCÍA, FRANCISCO SILVA-TULLA, IGNACIO ESCUDER-BUENO, AND ADRIÁN MORALES-TORRES

### 11.1 *Introduction* 437

### 11.2 *Estimation of conditional probability as a function of safety factor* 438

#### 11.2.1 *FS versus $p(f)$ charts for slope instability and soil transport* 438

- 11.2.2 *Example of risk assessment for an earth dam based on the empirical FS versus  $p(f)$  charts* 443
  - 11.2.2.1 *Estimation of failure probabilities versus peak pool elevation: Example from engineering practice* 443
  - 11.2.2.2 *Estimation of peak pool elevation annual exceedance probabilities* 445
  - 11.2.2.3 *Estimation of potential loss of life versus peak pool elevation at time of failure* 445
  - 11.2.2.4 *Comparison of results with risk evaluation guidelines* 447
- 11.3 *Role of fragility curves to evaluate the uncertainty in probability estimates* 450
  - 11.3.1 *Concept of uncertainty* 450
  - 11.3.2 *Concept of fragility curves* 451
  - 11.3.3 *Role of fragility curves in risk analysis* 452
- 11.4 *Mathematical roots and numerical estimation of fragility curves* 453
  - 11.4.1 *Introduction* 453
  - 11.4.2 *Conditional probability of failure versus FS* 455
  - 11.4.3 *Building fragility curves* 457
  - 11.4.4 *Example of fragility analysis for stability failure mode of an earth dam* 459
- 11.5 *From fragility curves to annualized probability of failure commonly used in risk analysis* 463
- 11.6 *Summary of main points* 467
- Acknowledgments* 467
- List of main symbols and acronyms* 467
- References* 468

## **12 Evolution of geotechnical risk analysis in North American practice** 471

GREGORY B. BAECHE AND JOHN T. CHRISTIAN

- 12.1 *Introduction* 471
- 12.2 *Beginnings* 472
- 12.3 *Geotechnical reliability (1971–1996)* 473
  - 12.3.1 *Probabilistic veneer on deterministic models* 473
  - 12.3.2 *Variability of soil-engineering properties* 474
  - 12.3.3 *Slope stability analysis* 475
  - 12.3.4 *Lumped versus distributed parameter models* 476
  - 12.3.5 *Aleatory versus epistemic uncertainty* 477
- 12.4 *Mining engineering (1969–1980)* 477
- 12.5 *Offshore reliability (1974–1990)* 478
- 12.6 *Environmental remediation (1980–1995)* 479
- 12.7 *Dam safety (1986–ongoing)* 479
- 12.8 *Systems risk assessment (2005–ongoing)* 480
  - 12.8.1 *New Orleans* 480
  - 12.8.2 *California delta* 481
  - 12.8.3 *Risk registers* 482
- 12.9 *Emerging approaches: System simulation, stress testing, and scenario appraisals* 482

12.9.1	<i>Systems simulation methods</i>	483	
12.9.2	<i>Stress testing and scenario analysis</i>	484	
12.9.3	<i>Dynamic risk analysis and management</i>	485	
12.10	<i>Ten unresolved questions</i>	485	
12.11	<i>Concluding thoughts</i>	487	
	<i>Acknowledgments</i>	487	
	<i>References</i>	487	
<b>13</b>	<b>Assessing the value of information to design site investigation and construction quality assurance programs</b>		<b>491</b>
	ROBERT B. GILBERT AND MAHDI HABIBI		
13.1	<i>Introduction</i>	491	
13.2	<i>Value of information framework</i>	491	
13.2.1	<i>Decision analysis</i>	491	
13.2.2	<i>Illustrative example: Remediation of contaminated lagoon</i>	493	
13.3	<i>Insights from Bayes' theorem</i>	498	
13.3.1	<i>Prior probabilities</i>	498	
13.3.2	<i>Likelihood functions</i>	500	
13.3.3	<i>Illustrative example: Design of pile foundation</i>	502	
13.4	<i>Implementation of value of information assessment</i>	509	
13.4.1	<i>Analytical methods</i>	509	
13.4.2	<i>Illustrative example: Design quality control program for compacted fill</i>	509	
13.4.3	<i>Numerical methods</i>	515	
13.4.4	<i>Illustrative example: Pile foundation load tests</i>	517	
13.5	<i>Case-history applications</i>	519	
13.5.1	<i>Site investigation for foundation design</i>	519	
13.5.2	<i>Remedial investigation for a contaminated site</i>	522	
13.5.3	<i>Exploration program for resources</i>	525	
13.5.4	<i>QA/QC testing</i>	528	
13.6	<i>Summary</i>	529	
	<i>Acknowledgments</i>	531	
	<i>References</i>	531	
<b>14</b>	<b>Verification of geotechnical reliability using load tests and integrity tests</b>		<b>533</b>
	LIMIN ZHANG		
14.1	<i>Introduction</i>	533	
14.2	<i>Within-site variability of pile capacity</i>	534	
14.3	<i>Updating pile capacity with proof load tests</i>	536	
14.3.1	<i>Proof load tests that pass</i>	536	
14.3.2	<i>Proof load tests that do not pass</i>	537	
14.3.3	<i>Proof load tests conducted to failure</i>	538	
14.3.4	<i>Multiple types of tests</i>	538	
14.4	<i>Updating pile capacity with integrity tests</i>	539	
14.4.1	<i>Reliability updating based on integrity tests</i>	539	
14.4.2	<i>Updating occurrence probability of toe debris</i>	540	

- 14.4.3 *Updating mean thickness of toe debris* 541
- 14.4.4 *Cases of test outcome* 541
- 14.5 *Reliability of piles verified by proof load tests* 542
  - 14.5.1 *Calculation of reliability index* 542
  - 14.5.2 *Example: Design based on SPT and verified by proof load tests* 543
  - 14.5.3 *Accuracy effect of design methods* 546
- 14.6 *Reliability of piles verified by integrity tests* 548
  - 14.6.1 *Worked example* 548
  - 14.6.2 *Survey of toe debris* 550
  - 14.6.3 *Updating the priors based on interface coring tests* 551
  - 14.6.4 *Updating reliability of piles based on interface coring tests* 553
- 14.7 *Summary* 555
- Acknowledgment* 556
- List of symbols* 556
- References* 557

**PART V****Spatial variability** 559**15 Application of the subset simulation approach to spatially varying soils** 561

ASHRAF AHMED AND ABDUL-HAMID SOUBRA

- 15.1 *Introduction* 561
- 15.2 *Karhunen-Loève expansion methodology for the discretization of a random field* 561
- 15.3 *Brief overview of the subset simulation approach* 564
- 15.4 *Method of computation of the failure probability by the SS approach in the case of a spatially varying soil property* 565
- 15.5 *Example applications* 567
  - 15.5.1 *Example 1: Generation of a random field by K-L expansion* 567
  - 15.5.2 *Example 2: Computation of the failure probability by SS approach in the case of random variables* 569
  - 15.5.3 *Example 3: Computation of the failure probability by an SS approach in the case of random fields* 572
- 15.6 *Conclusion* 574
- Appendix 15A: Modified M-H algorithm* 575
- List of symbols* 576
- References* 577

**Index**

579