

The Sustainable
Well Series

The APPLICATION of HEAT and CHEMICALS in the CONTROL of BIOFOULING EVENTS in WELLS

By

George Alford
Roy Cullimore



LEWIS PUBLISHERS

Boca Raton London New York Washington, D.C.

CONTENTS

1. THEORETICAL PERCEPTIONS OF A FUNCTIONING WATER WELL	1
I. INTRODUCTION	1
II. EARLY DIAGNOSTIC TECHNIQUES FOR FAILING WELLS	2
A. Symptoms	3
1. Losses in Flow	3
2. Increases in Drawdown	3
3. Generation of Cloudiness	4
4. Color in Water	4
5. Taste and Odor Problems	5
B. Traditional Rehabilitation Techniques	8
C. Recognition of Biofouling - Intrinsic Concern	10
1. Water Production	11
2. Chemical and Physical Characteristics	11
a. Iron (Fe)	11
b. Manganese (Mn)	12
c. Total Suspended Solids (TSS)	12
d. pH (acidity and alkalinity)	13
e. Redox (reduction-oxidation)	14
f. Temperature	15
g. Freezing (<0°C)	16
h. Total Dissolved Solids (TDS)	17
i. Nutrients	17
3. Biological Challenge Determination	19
D. Recent Technological Advances	20
III. THEORETICAL APPRAISAL: CAUSES OF BIOFOULING	22
A. Major Symptoms of Biofouling	23
B. Plug Formation	24
C. Sequence of Symptoms in Plug Formation	27
D. Recalcitrant Chemical Accumulates	28
E. Compromised Water Quality	30
1. Iron	30
2. Total Organic Carbon	31
3. Total Nitrogen	31
4. Total Phosphorus	32
5. Redox Potential	33
6. Temperature	34
7. Microbiological	34
F. Production Failures	34
G. Appraisal of the Causes of Biofouling	34

IV. CHRONOLOGICAL SEQUENCES	36
A. Water Production	36
B. Biofouling Process	37
1. Initial Colonization	37
2. Primary Void Volume Occupancy	38
3. Primary Stabilization	38
4. Secondary Void Volume Occupancy	38
5. Plugging	38
6. Total Plugging	39
C. Critical Indicators: The Stages of Biofouling	39
D. Chemical Indicators Reflecting Biofouling	40
E. Physical Factors Influenced by Biofouling	41
1. TSS	42
2. Mean Particle Size (microns)	43
3. Percentage Volume Distribution to the Allocated Sizes	44
4. Surface Area and Wet Weight	44
5. Temperature	44
6. Pump Rates and Draw Down	45
7. Redox	46
8. Direct Visual Inspection	47
a. Free-Floating	47
b. Mucoid Tubercles	47
c. Hardened Plates	48
d. Covert Plugging	48
F. Biological Factors Influenced by Biofouling	48
1. Attached Habitat	49
2. Oligotrophic Nutrient Regime	49
3. Erratic Population Recording	50
4. Specialized Growth Requirements	50
2. APPLICATION OF HEAT AND CHEMICALS IN THE CONTROL OF BIOFOULING EVENTS IN WELLS	51
I. APPLICATION OF HEAT, BACKGROUND INFORMATION	51
II. HISTORICAL ASPECTS OF THE APPLICATION OF HEAT	54
1. Clogging	54
2. Plugging	55
3. Bioplugging	55
III. PASTEURIZATION OF WATER WELLS	57
IV. BLENDING CHEMICALS WITH HEAT TREATMENT	59

V. BCHT™ DEVELOPMENTS	62
A. Upper Woods River, 1988	62
B. Brookville Lake, 1990	64
C. Shaw Air Force Base, 1992	66
D. Garrison Dam, 1992	70
E. Leesville, 1992	75
F. Bofers Site, 1993	83
G. Mississippi River, 1993	85
H. Conclusions, 1988 to 1993	94
3. REVISIONS AND RETROFITTING, BRINGING DOWN THE COST	97
I. INTRODUCTION	97
A. Application of Jetting	103
B. Selection of a Suitable Heat Source	106
C. Problems: Heat and Chemical Applications	107
II. SUCCESSFUL REHABILITATION OF RELIEF WELLS	109
III. RISK ASSESSMENTS AND ENVIRONMENTAL IMPACT	110
IV. BCHT™ TREATMENT	113
A. Applications Protocol	113
B. Hazardous Waste Sites	116
C. Hot Versus Cold Treatment	118
V. DIAGNOSIS OF BIOFOULING WELLS	119
VI. PREVENTATIVE MAINTENANCE	123
VII. TARGETING THE BIOFOULING	125
VIII. HAZARDOUS WASTE SITES	126
IX. WELL BIOFOULING	128
A. Historical Background	128
B. The Coliform Problem	129
C. Good Record Keeping and Monitoring Performance	131
D. Preventive Maintenance, The Essential Component	132
4. DISCUSSIONS	135
I. QUESTIONS AND ANSWERS	135

II. SUMMARY	151
III. FINAL COMMENT	157
IV. <i>TITANIC</i> , The Connection Between Rusticles and Clogging	162
APPENDIX , Definition of Terms	167
SELECTED BIBLIOGRAPHY	175
INDEX	177